



ChillCore Series 51" Open Air Refrigerated Display Case, 15 Cu.ft, 4 Shelves (Model: CDADCR51)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

1 Year Parts & Labor

SPECIAL FEATURES

- ✓ Dual Compressor System**
 The 2 compressor setup (1/2 × 2 HP) supports refrigeration performance in commercial kitchen and supermarket environments.
- ✓ Open Front Access**
 Doorless open front design supports direct access for bakery and retail merchandising setups.
- ✓ Shelf LED Lighting**
 LED lighting under each shelf (6500K) supports visibility for food presentation in commercial display areas.
- ✓ Stainless Steel Interior**
 Brushed stainless steel 304 interior with stainless steel shelves supports structured food display and hygiene-focused environments.
- ✓ Ventilated Airflow System**
 Rear air intake and rear air discharge airflow with ventilated cooling supports temperature consistency.
- ✓ Certified Unit**
 cETLus Listed and NSF Certified with a 1-year warranty by the manufacturer.



PRODUCT OVERVIEW

The ChillCore Series Refrigerated Display Case is designed for commercial kitchen, bakery, and supermarket display applications. It features a freestanding installation type with a doorless open front access design. The unit measures 51.12" (W) x 27.5" (D) x 78.75" (H).

The structure is built with stainless steel and glass in a black finish, with an interior of brushed stainless steel 304. It includes tempered glass at 2 sides and 4 adjustable shelves with stainless steel shelf material for organized display layouts.

This unit offers a capacity of 15 cb3 and operates with ventilated cooling, rear air intake and rear air discharge airflow, and high density polyurethane foam insulation. It uses R290 refrigerant with 2 compressors (1/2 x 2 HP), a bottom mounted compressor location, and a condenser with filter.

The temperature range is 35.6°F to 41°F with a digital controller and dual probes. It includes LED lighting under each shelf (6500K), a night curtain, automatic evaporation defrost, and anti-corrosion coated evaporator. The unit is cETLus Listed and NSF Certified, and includes a 1-year warranty by the manufacturer.

CERTIFICATIONS

cETLus Listed

NSF Certified

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Amps	14 ampere	Capacity	15 cubic feet
Casters	With Casters	Color	Black
Number of Shelves	4 Shelves	Phase	1 Phase
Refrigerant Type	R-290	Temperature Range	35.6°F to 41°F
Type	Vertical Air Curtain Merchandiser	Voltage	115 volt
Hertz	60 hertz	Horsepower	1/2 x 2 horsepower
Installation Type	Freestanding	Interior Material	Brushed Stainless Steel 304
Country of Origin	China	Material	Stainless Steel
Selling Unit	1/Each	Product Width	51.12 inch
Product Depth	27.5 inch	Product Height	78.75 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Shipping Weight	762.79 pound	Features	55% Humidity
Series	ChillCore Series	Lighting	LED Lighting (Under Each Shelf (6500K))
Number of Casters	4 Casters	Temperature Control	Digital Controller with Dual Probes
Condenser Type	With Filter	Finish	Brushed
Glass Type	Tempered Glass at 2 Sides	Insulation	High Density Polyurethane Foam
Defrost Type	Automatic Evaporation	Cooling Type	Ventilated Cooling
Evaporator	Anti-Corrosion Coated	Air Flow	Rear Air Intake and Rear Air Discharge
Shape	Rectangular	Shelf Type	Adjustable Shelves
Maximum Ambient Temperature	75 fahrenheit	Included	Night Curtain
Access Type	Open Front	Shelf Material	Stainless Steel
Number of Compressors	2 Compressors	Door Type	Doorless (Without Door)
Compressor Location	Bottom Mounted	Display Case Type	Open Air / Refrigerated

ChillCore Series 51" Open Air Refrigerated Display Case, 15 Cu.ft, 4 Shelves

Model: CDADCR51



SALES & SUPPORT
 (866) 446-7322

 Chat on WhatsApp

CONNECT WITH US



