



ProKitchen Series 36" Gas Range with Griddle Top & Oven, Liquid Propane - 123,000 BTU
(Model: PKCGR36-15)



★★★★★ (4.7/5)

Buy Now

WARRANTY
1 Year Parts & Labor

SPECIAL FEATURES

- ✓ **Griddle Surface Area**
36" smooth griddle top supports flat-top cooking for breakfast, sautéing, and commercial kitchen preparation.

✓ **Integrated Oven Unit**
Single oven with 33,000 BTU output supports baking and roasting tasks in restaurant kitchens.

✓ **Stainless Steel Structure**
Welded stainless steel construction supports durability in commercial kitchen environments.
- ✓ **High Burner Output**
Three burners deliver 30,000 BTU each for high-temperature cooking in foodservice environments.

✓ **LPG Configuration Kit**
Liquid propane operation includes an LP conversion kit for installation flexibility.

✓ **Certified Equipment**
CSA Certified, cCSAus Listed, and CSA Sanitation Listed with a 1-year parts & labor warranty.



PRODUCT OVERVIEW

The ProKitchen Series Gas Range with Griddle Top & Oven is designed for restaurants, catering operations, and commercial kitchen cooking stations. Constructed in stainless steel with a freestanding installation type, the unit measures 36" (W) x 32" (D) x 60.7" (H). The system operates on liquid propane gas with an included LP conversion kit and a 3/4" gas inlet group.

This gas range includes 3 burners with 30,000 BTU output each, supporting high-heat cooking in commercial kitchen environments. A 36" smooth griddle surface supports flat-top cooking applications for breakfast service, sautéing, and general food preparation.

The unit features 1 standard oven with 33,000 BTU output. The oven interior measures 25.8" (W) x 22.4" (D) x 13.8" (H) and includes porcelain-coated bottom and side guides. The oven temperature range is 200°F to 500°F with manual control and a static oven configuration.

Construction includes a welded frame, cool-to-the-touch front stainless steel deck, stainless steel back riser with lift-off shelf, aeration bowl, and full-width pull-out crumb tray. The unit is supported by 4 casters (2 with brakes and 2 without brakes). It is CSA Certified, cCSAus Listed, and CSA Sanitation Listed, and includes a 1-year parts & labor warranty.

CERTIFICATIONS

CSA Certified

cCSAus Listed

CSA Sanitation Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Burners	3 Burners	Burner BTU	30,000 BTU
Control Type	Manual	Features	Stainless Steel Back Riser & Lift Off Shelf, Static Oven, Aeration Bowl
Number Of Ovens	1 Oven	Oven BTU	33,000 BTU
Power Type	Gas	Total BTU	123,000 BTU
Type	Gas Range with Griddle Top & Oven	Installation Type	Freestanding
Oven Interior Width	25.8 in	Oven Interior Depth	22.4 in
Oven Interior Height	13.8 in	Griddle Width	36 inch
Country of Origin	China	Material	Stainless Steel
Color	Silver	Selling Unit	1/Each
Gas Type	Liquid Propane	Plate Type	Smooth



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Casters	4 Casters (2 with Brakes, 2 without Brakes)	Burner Shape	U-Shape Oven Burner
Oven Interior Material	Porcelain Coated Bottom and Side Guides	Oven Temperature Range	500°F
Product Weight	442 pound	Product Width	36 inch
Product Depth	32 inch	Product Height	60.7 inch
Shipping Depth	37 inch	Shipping Height	47 inch
Shipping Weight	551 pound	Shipping Width	40 inch
Series	ProKitchen Series	Included	LP Conversion Kit Included
Grate Material	Cast Iron	Tray Type	Full Width Pull Out Crumb Tray
Grate Size	12" x 12"	Oven Racks	2 Oven Racks
Oven Type	Standard Oven	Pilot Protection	Standing Pilot Light
Gas Inlet Size Group	3/4"	Ventilation	Rear Flue Vent
Frame Type	Welded	Thermostat Temperature	200°F to 500°F
Design	Cool-to-the-Touch Front Stainless Steel Deck		

ProKitchen Series 36" Gas Range with Griddle Top & Oven, Liquid Propane - 123,000 BTU

Model: PKCGR36-15



SALES & SUPPORT
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

