



## CoolEdge Series 27" Reach-In Freezer with 1 Solid Door, Stainless Steel

(Model: CEMF27SD)



★★★★★ (4.7/5)

[Buy Now](#)

### WARRANTY

**Parts & Labor: 1 Year**

**Compressor: 1 Year**

## SPECIAL FEATURES

- ✓ **Reliable Freezing Performance**  
Maintains consistent temperatures from 0°F to -8°F for safe frozen food storage.
- ✓ **Flexible Interior Storage**  
Four adjustable and removable wire shelves support versatile product organization.
- ✓ **Commercial-Grade Mobility**  
Equipped with four 5" casters for easy movement during cleaning or layout changes.
- ✓ **Warranty Coverage**  
Includes a 1-year parts and labor and a 1-year compressor warranty for ongoing operational support.
- ✓ **Digital Control System**  
Digital temperature control with LED display allows precise monitoring and adjustment.
- ✓ **Easy Maintenance Design**  
Rounded interior corners and automatic defrost simplify cleaning and upkeep.
- ✓ **Certified for Foodservice Use**  
ETL Listed, ETL Sanitation, and NSF Listed for commercial kitchen environments.



## PRODUCT OVERVIEW

The CoolEdge Series reach-in freezer is built for commercial kitchens that need dependable frozen storage in a compact, upright design. This single-section, freestanding freezer features a solid swing door with a right-side hinge and a recessed handle, helping conserve aisle space while providing easy access. The silver stainless steel exterior delivers durability and a professional look suited for restaurants, hotels, and foodservice prep areas.

Designed for low-temperature performance, this unit maintains a temperature range of 0°F to -8°F using a digital temperature control system with LED display. A powerful 3/4 HP bottom-mounted compressor works with environmentally friendly R-290 refrigerant to deliver consistent freezing performance. The forced-air cooling system ensures even temperature distribution throughout the cabinet.

Inside, the freezer includes four adjustable and removable wire shelves, allowing flexible organization for frozen foods and ingredients. LED interior lighting improves visibility, and rounded interior corners make cleaning easier. The self-contained refrigeration system simplifies installation and servicing.

Measuring 27.5" wide, 32.62" deep, and 83.5" high, this reach-in freezer fits efficiently into commercial kitchen layouts. Four 5" casters provide mobility for cleaning or repositioning. Electrical requirements include 115 V, 60 Hz, single-phase power, a NEMA 5-15P plug, and 20 amps. The unit is certified for commercial use and backed by a 1-year parts and labor with 1-year compressor warranty.

## CERTIFICATIONS

ETL Listed

ETL Sanitation

NSF Listed

## SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	1 Door	Access Type	Doors
Amps	20 ampere	Casters	With Casters
Color	Silver	Compressor Location	Bottom Mounted
Door Type	Solid	Features	Self-closing, Rounded Corner For Easy Cleaning
Number of Shelves	4 Shelves	Phase	1 Phase
Plug Type	NEMA 5-15P	Power Cord Length	9 foot
Refrigerant Type	R-290	Sections	1 Section
Temperature Range	0°F to -8°F	Type	Reach-In Freezer
Voltage	115 volt	Hertz	60 hertz
Hinge Location	Right	Horsepower	3/4 horsepower



## SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Installation Type	Freestanding	Material	Stainless Steel
Selling Unit	1/Each	Shelf Material	Wire
Lighting	LED lighting	Refrigeration Type	Self-contained
Defrost Type	Automatic	Temperature Control	Digital Control
Cooling Type	Forced Air	Product Weight	287 pound
Product Width	27.5 inch	Product Depth	32.62 inch
Product Height	83.5 inch	Shipping Depth	34.25 inch
Shipping Height	87.37 inch	Shipping Weight	338 pound
Shipping Width	29.12 inch	Number of Casters	4 Casters
Door Style	Swing	Series	CoolEdge Series
Shelf Type	Adjustable And Removable	Control Type	Digital
Display	LED Display	Caster Size	5 inch
Handle Type	Recessed	Maximum Ambient Temperature	100.4 fahrenheit
Country of Origin	China		

CoolEdge Series 27" Reach-In Freezer with 1 Solid Door, Stainless Steel

Model: CEMF27SD



SALES & SUPPORT  
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

