



Platinum Frost Series 28" Commercial Undercounter Refrigerator, 6.3 Cu.ft, Single Door, Stainless Steel, 33°F to 41°F, 115v

(Model: PFUR28)



★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 2 Years
Compressor: 6 Years

SPECIAL FEATURES

- Temperature Control**
Maintains consistent temperatures between 33°F and 41°F using eco-friendly R-290 refrigerant and rear-mounted compressor system.
- Extended Warranty**
Comprehensive 2-year parts and labor warranty plus 6-year compressor warranty for long-term protection.
- Mobile Storage**
Four built-in casters provide easy mobility for flexible placement and cleaning access.
- Simple Installation**
115V operation with 7.8 ft power cord and NEMA 5-15P plug enables quick setup without special electrical requirements.
- Versatile Cooling**
Front/rear breathing compressor system ensures efficient operation in various installation configurations.
- Commercial Certified**
ETL Listed, ETL Sanitation certified, and cETLus approved for professional food service applications.
- Easy Maintenance**
Auto defrost system eliminates manual defrosting, while stainless steel interior ensures simple cleaning and durability.
- Efficient Storage**
6.3 cubic feet capacity with adjustable shelf optimizes space utilization in compact footprint.
- Professional Build**
Durable stainless steel construction with silver finish delivers commercial-grade reliability and appearance.



PRODUCT OVERVIEW

This compact undercounter refrigerator is ideal for cafés, food trucks, or small kitchens needing reliable refrigerated storage in tight spaces. Built with stainless steel and finished in silver, it offers 6.3 cubic feet of capacity and includes one solid swing door (right-hinged), one shelf, and one section. The stainless steel interior measures 23.8" x 19.9" x 24.8" (W x D x H) and includes auto defrost for hassle-free operation.

It features a rear-mounted, front/rear breathing compressor and uses eco-friendly R-290 refrigerant, keeping temperatures between 33°F and 41°F. The unit runs on 115V, 60 Hz, single-phase power, drawing 1.3 amps and 195 watts, with a 7.8 ft power cord and NEMA 5-15P plug. Designed for freestanding undercounter installation, it includes four casters for mobility.

The product dimensions are 27" x 29.9" x 35.2" (W x D x H), this refrigerator is ETL Listed, ETL Sanitation certified, and cETLus approved. It's sold as 1 each and includes a 2-year parts and labor warranty with a 6-year compressor warranty.

CERTIFICATIONS

- ETL Listed
- ETL Sanitation Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Power Cord Length	7.8 foot	Amps	1.3 ampere
Voltage	115 volt	Refrigerant Type	R-290
Temperature Range	33°F to 41°F	Hertz	60 hertz
Phase	1 Phase	Number of Doors	1 Door
Access Type	Door	Capacity	6.3 cubic feet
Casters	With Casters	Color	Silver
Door Type	Solid	Number of Shelves	1 Shelf
Plug Type	NEMA 5-15P	Sections	1 Section
Shipping Weight	176 pound	Type	Undercounter Refrigerator
Hinge Location	Right	Interior Depth	19.9 inch
Interior Height	24.8 inch	Interior Width	23.8 inch
Country of Origin	China	Material	Stainless Steel
Selling Unit	1/Each	Product Weight	165 pound
Installation Type	Undercounter	Number of Casters	4 Casters
Compressor Location	Rear Mounted	Defrost Type	Auto Defrost
Wattage	195 watt	Shipping Width	30.3 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Shipping Depth	31.1 inch	Shipping Height	38.4 inch
Compressor Style	Front / Rear Breathing	Product Width	27 inch
Product Depth	29.9 inch	Product Height	35.2 inch
Series	Platinum Frost Series		

Platinum Frost Series 28" Commercial Undercounter Refrigerator, 6.3 Cu.ft, Single Door, Stainless Steel, 33°F to 41°F, 115v

Model: PFUR28



SALES & SUPPORT
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US
   