



PolarBox Series 6' x 6' Quick Ship Floorless Walk-In Cooler with Remote Refrigeration

(Model: PBNF6X6-RM)



★★★★★ (4.7/5)

Buy Now

WARRANTY

10-Year Panel, 1-Year
Parts on Doors, 1-Year
Compressor & Parts on
Remote Refrigeration
Unit

SPECIAL FEATURES

- ✓ **Durable Construction**

White galvanized steel exterior provides lasting strength and corrosion resistance for commercial use.
- ✓ **Tight Seal Design**

Modular cam-lock and tongue-and-groove hinge system maintains precise alignment and insulation integrity.
- ✓ **Complete Setup**

Includes condensing unit and evaporator for immediate operational readiness.
- ✓ **Eco-Safe Build**

CFC and HFC-free insulation minimizes environmental impact.
- ✓ **Certified Compliance**

UL Listed US, NSF Listed, and DOE compliant for verified safety and performance standards.
- ✓ **Efficient Insulation**

4-inch polyurethane panels deliver R-28 thermal resistance for stable cooling performance.
- ✓ **Automatic Closure**

Self-closing, keyed lock flush-mounted solid swing door minimizes air exchange and preserves consistent internal temperatures.
- ✓ **Flexible Installation**

Floorless design adapts to various indoor or outdoor spaces without compromising performance.
- ✓ **Reliable Power**

Rated for 208/230 V, 60 Hz, 1 Phase operation to support consistent commercial use.
- ✓ **Warranty Coverage**

10-year panel coverage with 1-year protection on doors, compressor, and remote refrigeration parts.



PRODUCT OVERVIEW

The PolarBox Series Walk-In Cooler is ideal for commercial kitchens, food storage rooms, or any indoor/outdoor space requiring consistent refrigeration. Built from durable white galvanized steel with 4-inch polyurethane insulation, it maintains superior cooling efficiency and an R-28 thermal resistance. Made in America, the unit measures 6 ft (W) x 6 ft (D) x 7 ft (H) with a 77-inch door height, offering ample storage capacity and accessibility.

The PolarBox Series Commercial Walk-In Cooler includes a condensing unit and evaporator for stable temperature performance. Its self-closing, flush-mounted solid swing door minimizes air loss, while the keyed lock adds security. The modular cam-lock, tongue-and-groove hinge design provides a tight seal for efficient insulation. Rated at 208/230V, 60Hz, 1 Phase, it's built for consistent indoor/outdoor operation.

Designed with precision, this unit features a CFC & HFC-free construction for eco-conscious cooling. It comes without a floor, allowing flexibility for various installations. Certified UL Listed US, NSF Listed, and DOE compliant, it ensures safety and reliability. The warranty covers 10 years on panels, 1 year on doors, compressor, and parts for the remote refrigeration unit, a long-term value choice.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	79 inch	Product Depth	79 inch
Product Height	87 inch	Door Height	77 inch
Nominal Depth	6 ft	Nominal Width	6 foot
Hertz	60 hertz	Phase	1 Phase
Voltage	208/230 volt	Door Type	Solid
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Door Lock	Keyed Lock	Material	White Galvanized Steel
Type	Walk-In Cooler	Floor	Without Floor
Plug Type	Hardwired	Usage	Indoor/Outdoor
Country of Origin	Proudly Made in America	Selling Unit	1/Each



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Door Style	Swing	Gauge	24 Gauge
Thermal Resistance	R-28	Features	Self-Closing, Flush-Mounted Door
Valve Type	Thermostatic Expansion, Liquid Line Solenoid Valve (TXV/TEV)	Included	Condensing Unit and Evaporator
Number of Doors	1 Door	Nominal Height	7 foot
Hinge Type	Modular Cam-Lock, Tongue & Groove Design	Material Type	CFC & HFC Free
Series	PolarBox Series	Refrigeration Type	Remote Refrigeration
Refrigerant Type	R-448A		

PolarBox Series 6' x 6' Quick Ship Floorless Walk-In Cooler with Remote Refrigeration

Model: PBNF6X6-RM



SALES & SUPPORT
 (866) 446-7322


[Chat on WhatsApp](#)

CONNECT WITH US



