



Frigomax Series 71" Refrigerated Display Case with Curved Glass, 24 cu. ft., 1 Year Warranty

(Model: FRGD71)

★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

1 Year Warranty



SPECIAL FEATURES

- ✓ Generous Display Capacity**
 The 24.1 cu ft interior accommodates a wide variety of baked goods, deli items, and prepared foods between restocks on a busy service floor.
- ✓ Stable Cold Zone**
 A gravity coil system maintains temperatures between 32°F and 45°F, keeping refrigerated bakery and deli items within a consistent holding range throughout the shift.
- ✓ Low-GWP Refrigerant**
 R-290 refrigerant is a low global warming potential option, aligning the case with current environmental refrigerant standards for commercial kitchen equipment.
- ✓ Hands-Free Defrost**
 Automatic defrost cycles run without staff intervention, reducing daily maintenance tasks in a fast-moving restaurant or bakery environment.
- ✓ Certified for Commercial Use**
 ETL Listed, ETL Sanitation Listed, and DOE 2017 Compliant certifications confirm the case meets recognized safety, sanitation, and energy efficiency requirements for commercial food service.
- ✓ Easy Floor Repositioning**
 Four casters allow staff to reposition this freestanding display case on the floor without disassembly, supporting flexible front-of-house or service counter layouts.



PRODUCT OVERVIEW

The Frigomax Series curved glass dry and refrigerated bakery display case is designed for commercial kitchens, bakeries, delis, and restaurants that need an attractive, functional countertop-height merchandiser for both ambient and chilled food items.

This freestanding unit measures 33.5" (L) x 70.9" (W) x 47.2" (H) and offers a 24.1 cubic foot interior, giving food service operations generous display space for pastries, breads, deli items, and other prepared foods. The curved glass front and sliding glass doors provide clear product visibility while keeping displayed items accessible to staff from the service side.

Refrigeration is handled by a gravity coil cooling system running on R-290 refrigerant, a low-GWP option that maintains a temperature range of 32°F to 45°F. Automatic defrost eliminates manual maintenance cycles, and the unit draws 6.3 amperes at 110V/60Hz, consuming 570 watts during operation. Four casters allow for repositioning on the floor without heavy lifting.

Interior LED lighting highlights displayed items clearly and operates with lower heat output compared to traditional bulbs. The stainless steel construction supports food-safe cleaning routines. This case carries ETL Listed, ETL Sanitation Listed, and DOE 2017 Compliant certifications, meeting relevant safety and energy standards for commercial food display. A 1-year warranty is included with the unit.

CERTIFICATIONS

- ETL Listed
- ETL Sanitation Listed
- DOE 2017 Compliant

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Type	Gravity Coil Deli Case	Display Case Type	Curved Glass
Material	Stainless Steel	Door Style	Sliding
Capacity	24.1	Door Type	Glass
Voltage	110	Hertz	60
Installation Type	Freestanding	Country of Origin	China
Selling Unit	1/Each	Refrigerant Type	R-290
Amps	6.3	Temperature Range	32°F to 45°F
Product Width	70.9	Product Depth	33.5
Product Height	47.2	Lighting	LED
Defrost Type	Automatic	Series	Frigomax Series



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Casters	4	Wattage	570
Cooling Type	Gravity Coil		

Frigomax Series 71" Refrigerated Display Case with Curved Glass, 24 cu. ft., 1 Year Warranty

Model: FRGD71



SALES & SUPPORT
(866) 446-7322

