



## CoolEdge Series 55" Reach-In Refrigerator, 42 Cu. Ft., 2 Solid Doors, Stainless Steel

(Model: CERR55)



★★★★★ (4.7/5)

**Buy Now**

### WARRANTY

**Parts & Labor:** 6  
Month

**Compressor:** 6 Month

## SPECIAL FEATURES

- ✓ **Large Capacity**  
42 cubic feet storage space keeps ample perishable goods organized for high-volume kitchen operations.
- ✓ **Energy Saving Maintenance**  
Auto-defrost function minimizes manual defrosting, maintaining efficient cooling and reducing labor.
- ✓ **Efficient Door Design**  
Two self-closing solid swing doors with recessed handles ensure proper sealing and easy access while maintaining energy efficiency.
- ✓ **Warranty Protection**  
Comprehensive 6-month parts, labor, and compressor warranty ensures reliable performance and peace of mind.
- ✓ **Efficient Cooling System**  
Bottom-mounted compressor and R290 refrigerant provide reliable and environmentally friendly cooling performance.
- ✓ **Accurate Temperature Control**  
Digital control with LED display offers easy and precise temperature settings from 33°F to 41°F for consistent food preservation.
- ✓ **Sturdy Build**  
Stainless steel interior and exterior provide strength, easy cleaning, and long-lasting performance in demanding environments.
- ✓ **Flexible Storage Layout**  
Eight adjustable stainless steel shelves allow customized organization to fit various kitchen storage needs.
- ✓ **Mobility and Stability**  
Locking swivel casters offer easy movement and secure placement when stationary.
- ✓ **Bright Interior Visibility**  
LED lighting improves visibility of stored products for better inventory management.



## PRODUCT OVERVIEW

The Reach-In Refrigerator CERR55 from the CoolEdge Series is a heavy-duty cold storage solution designed for commercial kitchens. Built with a stainless steel interior and exterior in a silver finish, this unit provides durability, hygiene, and easy cleaning.

It offers a 42 cubic feet capacity across two solid swing doors with recessed handles and self-closing mechanisms. Inside, there are 8 adjustable shelves with bright LED lighting for visibility. The unit maintains a temperature range of 33°F to 41°F, controlled through a digital control system with LED display, and includes an auto defrost function for low-maintenance operation.

The bottom-mounted 1/2 HP compressor uses eco-friendly R290 refrigerant. The refrigerator operates on 115 V / 60 Hz / 8.6 A with 730 W power consumption, and is equipped with a 9 ft power cord and a NEMA 5-15P plug type. It performs reliably in environments up to a maximum ambient temperature of 100.4°F.

For mobility, the unit comes with 4 locking swivel casters (5 in size). It is designed as a freestanding installation. The refrigerator's overall dimensions are 55.12 in (W) x 32.62 in (D) x 80.37 in (H). Certified by ETL Listed and ETL Sanitation, this refrigerator meets safety and sanitation standards. Warranty coverage includes 6 months parts & labor, and 6 months compressor.

## CERTIFICATIONS

ETL Listed

ETL Sanitation

## SPECIFICATION

| ATTRIBUTE           | VALUE              | ATTRIBUTE        | VALUE                 |
|---------------------|--------------------|------------------|-----------------------|
| Number of Doors     | 2 Doors            | Access Type      | Doors                 |
| Amps                | 8.6 ampere         | Capacity         | 42 cubic feet         |
| Casters             | With Casters       | Color            | Silver                |
| Compressor Location | Bottom Mounted     | Door Type        | Solid                 |
| Features            | Self-Closing Doors | Material         | Stainless Steel       |
| Number of Shelves   | 8 Shelves          | Plug Type        | NEMA 5-15P            |
| Power Cord Length   | 9 foot             | Refrigerant Type | R-290                 |
| Temperature Range   | 33°F to 41°F       | Type             | Reach-In Refrigerator |
| Voltage             | 115 volt           | Wattage          | 730 watt              |
| Hertz               | 60 hertz           | Horsepower       | 1/2 horsepower        |



## SPECIFICATION

| ATTRIBUTE         | VALUE                  | ATTRIBUTE                   | VALUE            |
|-------------------|------------------------|-----------------------------|------------------|
| Installation Type | Freestanding           | Country of Origin           | China            |
| Selling Unit      | 1/Each                 | Number of Casters           | 4 Casters        |
| Interior Material | Stainless Steel        | Maximum Ambient Temperature | 100.4 fahrenheit |
| Series            | CoolEdge Series        | Caster Size                 | 5 inch           |
| Product Weight    | 463 pound              | Product Width               | 55 inch          |
| Product Depth     | 33 inch                | Product Height              | 80 inch          |
| Shipping Depth    | 34.12 inch             | Shipping Height             | 84.37 inch       |
| Shipping Weight   | 528 pound              | Shipping Width              | 57.12 inch       |
| Lighting          | LED lighting           | Defrost Type                | Auto Defrost     |
| Shelf Type        | Adjustable             | Handle                      | Recessed         |
| Casters Type      | Locking Swivel Casters | Control Type                | Digital Control  |
| Display           | LED Display            | Hinge Location              | Left / Right     |

CoolEdge Series 55" Reach-In Refrigerator, 42 Cu. Ft., 2 Solid Doors, Stainless Steel

Model: CERR55



SALES & SUPPORT  
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

