



PolarBox Series 6' x 8' Quick Ship Walk-In Freezer With Floor & Top Mounted Refrigeration

(Model: PBFWF6X8-TM)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

10-Year Panel, 1-Year Door Parts, 2-Year Compressor & Parts, 1-Year Labor on Refrigeration Unit

SPECIAL FEATURES

- ✓ Durable Build**
 24-gauge white galvanized steel floor offers lasting structural strength.
- ✓ Easy Installation**
 Modular cam-lock and tongue & groove hinges simplify setup and provide precise alignment.
- ✓ Eco-Friendly Design**
 CFC and HFC-free materials support environmentally responsible operation.
- ✓ Stable Power**
 Operates on 208/230 V, 60 Hz, single-phase hardwired connection for dependable energy supply.
- ✓ Comprehensive Warranty**
 10-year panel, 1-year door parts, 2-year compressor & parts, and 1-year labor coverage.
- ✓ Reliable Insulation**
 4-inch polyurethane with R-28 thermal resistance maintains consistent cold storage.
- ✓ Secure Access**
 Solid swing door with keyed lock, self-closing design, heating wire, and pressure relief vent.
- ✓ Consistent Cooling**
 Top-mounted compressor with self-contained refrigeration maintains steady temperatures.
- ✓ Certified Safety**
 UL Listed, NSF Listed, and DOE compliant for commercial refrigeration standards.



PRODUCT OVERVIEW

The PolarBox Series Walk-In Freezer is ideal for cafes and commercial kitchens, providing reliable storage for perishable items. It is made in America with white galvanized steel panels of 24-gauge thickness, giving strong, long-lasting construction. The floor supporting heavy loads. The unit has a top-mounted compressor and self-contained refrigeration, with overall dimensions of 6 ft (W) x 8 ft (D) x 7 ft (H) for generous interior capacity.

This commercial walk-in freezer has a single solid swing door with a height of 77 inches, and it includes a keyed lock for security. The door features a modular cam-lock and tongue & groove hinge system for precise alignment. Its self-closing, flush-mounted door maintains proper internal temperature. It also features a heating wire and pressure relief vent to prevent frost buildup.

The insulation consists of 4-inch polyurethane and R-28 thermal resistance, offering excellent performance. All materials are CFC & HFC free for environmentally responsible construction. This commercial walk-in freezer is hardwired and operates on 208/230 V, 60 Hz single-phase power for reliable cooling.

The unit carries UL Listed US, NSF Listed, and DOE certifications for safety and sanitation. The warranty includes 10 years on panels, 1 year on door parts, 2 years on the compressor and parts, and 1 year of labor on the refrigeration unit. It comes with a condensing unit and evaporator for complete cooling performance.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	79 inch	Product Depth	98 inch
Product Height	91 inch	Hertz	60 hertz
Phase	1 Phase	Voltage	208/230 volt
Door Type	Solid	Door Style	Swing
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Door Lock	Keyed Lock	Material	White Galvanized Steel
Plug Type	Hardwired	Refrigerant Type	R-448A
Usage	Indoor/Outdoor	Type	Walk-In Freezer
Country of Origin	Proudly Made in America	Selling Unit	1/Each
Nominal Depth	8 ft	Nominal Width	6 foot



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Door Height	77 inch	Floor	With Floor
Included	Condensing Unit and Evaporator	Gauge	24 Gauge
Thermal Resistance	R-28	Features	Self-Closing, Flush-Mounted Door, Heating Wire and Pressure Relief Vent
Number of Doors	1 Door	Nominal Height	7 foot
Compressor Location	Top Mounted	Hinge Type	Modular Cam-Lock, Tongue & Groove Design
Material Type	CFC & HFC Free	Refrigeration Type	Top Mounted Refrigeration
Series	PolarBox Series	Floor Material	Standard Galvanized Steel Floor

PolarBox Series 6' x 8' Quick Ship Walk-In Freezer With Floor & Top Mounted Refrigeration

Model: PBFWF6X8-TM



SALES & SUPPORT
 (866) 446-7322


[Chat on WhatsApp](#)

CONNECT WITH US



