



FrostLine Series 48" Sandwich / Salad Prep Table, 2 Doors, 12 Pans, Stainless Steel, 1 Year Compressor Warranty

(Model: FLSPT48)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

1 Year Compressor

SPECIAL FEATURES

- ✓ **Organized Ingredient Storage**
12 clear 1/6-size, 4-inch-deep polycarbonate pans provide easy access and efficient organization of fresh ingredients.
- ✓ **Consistent Cooling Performance**
Side-mounted, front-breathing 1/5 HP compressor uses eco-friendly R-290 refrigerant to maintain temperatures between 33°F and 41°F.
- ✓ **Reliable Food Safety**
Magnetic door gaskets and refrigerated base maintain optimal cold retention to keep ingredients fresh and safe.
- ✓ **Low Maintenance Operation**
Automatic defrost system reduces ice buildup and minimizes cleaning needs.
- ✓ **Mobility with Stability**
Four 2.5-inch swivel casters with brakes make moving and securing the unit hassle-free.
- ✓ **Spacious Prep Surface**
28.9" W x 12" D cutting board offers ample workspace for fast, efficient sandwich and salad preparation.
- ✓ **Precise Temperature Control**
Dixell electronic thermostat with digital LED display ensures accurate and easy-to-monitor temperature settings.
- ✓ **Durable Thermal Components**
Copper-coated condenser and copper evaporator deliver efficient heat transfer and long-lasting performance.
- ✓ **Sturdy Storage Shelf**
One PE-coated wire shelf supports up to 100 lbs, adding extra storage flexibility.



PRODUCT OVERVIEW

The FrostLine Series Sandwich and Salad Prep Table is a versatile refrigerated unit designed for commercial kitchens. Constructed with a durable stainless steel exterior and interior and finished in sleek silver, this prep table offers a spacious standard top at 36.2" height for efficient food preparation. The unit includes 12 clear polycarbonate pans sized 1/6, 4 inches deep, perfect for organized ingredient storage.

It features two solid swing doors providing easy access to refrigerated storage, complemented by a cutting board measuring 28.9" W x 12" D, ideal for sandwiches and salads prep. Equipped with a side-mounted, front-breathing compressor using eco-friendly R-290 refrigerant (3.17 oz capacity), this refrigerated prep table ensures consistent temperatures from 33°F to 41°F. It is controlled by a precise Dixell electronic thermostat displayed on a digital LED screen.

The system operates on 115 V, 60 Hz power, drawing 4.3 amps with a 1/5 HP motor. It also features automatic defrost, a copper-coated condenser, a copper evaporator, magnetic door gaskets, and a refrigerated base style for optimal cooling efficiency and food safety. Measuring 48.2" W x 29.9" D x 47.6" H, including four 2.5-inch swivel casters with brakes, the freestanding unit offers mobility and stability.

It has a 1365 BTU/hr cooling capacity. The interior includes one PE-coated wire shelf with a 100 lb capacity. With a 9-foot power cord and NEMA 5-15P plug, installation is easy. Certified by ETL Sanitation, cETLus, and NSF Approved, this sandwich and salad prep table includes a one-year compressor warranty.

CERTIFICATIONS



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	2 Doors	1/6 Size Pan Capacity	12 Pans
Access Type	Doors	Amps	4.3 ampere
Capacity	12 cubic feet	Casters	With Casters
Color	Silver	Compressor Location	Side Mounted
Compressor Style	Front Breathing	Cutting Board Depth	12 inch
Cutting Board Width	28.9 inch	Door Type	Solid
Number of Shelves	1 Shelf	Phase	1 Phase
Plug Type	NEMA 5-15P	Power Cord Length	9 foot
Refrigerant Capacity	3.17	Refrigerant Type	R-290
Temperature Range	33°F to 41°F	Top Type	Standard Top



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Type	Sandwich and Salad Prep Table	Voltage	115 volt
Work Surface Height	36.2 inch	Hertz	60 hertz
Hinge Location	Left / Right	Horsepower	1/5 horsepower
Installation Type	Freestanding	Country of Origin	China
Material	Stainless Steel	Selling Unit	1/Each
Insulation Thickness	1/2 inch	Shelf Material	PE Coated Wire
Insulation Material	Polyethylene	Base Style	Refrigerated
Interior Material	Stainless Steel	Number of Casters	4 Casters
Caster Type	Swivel with Brakes	Caster Size	2.5 inch
Interior Depth	24.7 inch	Interior Height	24.2 inch
Interior Width	48.2 inch	Height with Casters	47.6 inch
Product Weight	223 pound	Product Width	48 inch
Product Depth	30 inch	Product Height	43 inch
Shipping Depth	31.5 inch	Shipping Height	47.3 inch
Shipping Weight	333 pound	Shipping Width	49.8 inch
Door Gasket	Magnetic Door Gasket	Undershelf Capacity	100 Lbs per Shelf
Condenser Coating	Copper	Evaporator	Copper
Defrost Type	Auto Defrost	Refrigerant Class	Hydrocarbon
Temperature Control	Dixell Electronic Thermostat	Temperature Display	Digital LED Display
Included	12 × 1/6 Size, 4" Deep, Clear Polycarbonate Pan	BTU/HR - Refrigerator	1365
Series	FrostLine Series		

FrostLine Series 48" Sandwich / Salad Prep Table, 2 Doors, 12 Pans, Stainless Steel, 1 Year Compressor Warranty

Model: **FLSPT48**



SALES & SUPPORT
(866) 446-7322

 [Chat on WhatsApp](#)

CONNECT WITH US

