



PolarBox Series 10' x 12' Quick Ship Walk-In Freezer With Floor & Remote Refrigeration

(Model: PBFWF10X12-RM)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

10-Year Panel, 1-Year Door Parts, 2-Year Compressor & Parts, 1-Year Labor on Refrigeration Unit

SPECIAL FEATURES

- ✓ **Advanced Insulation**
4-inch polyurethane panels with R-28 thermal resistance maintain stable low temperatures and reduce energy loss.
- ✓ **Reliable Power**
Operates on 208/230 V, 60 Hz, 1-phase hardwired connection for consistent performance.
- ✓ **Frost Control**
Heating wire and pressure relief vent help prevent ice buildup and maintain internal pressure.
- ✓ **Eco-Friendly Materials**
CFC- and HFC-free components provide environmentally conscious operation without compromising efficiency.
- ✓ **Comprehensive Warranty**
10-year panel coverage, 2-year compressor parts, 1-year door parts, and 1-year labor on the refrigeration unit for long-term support.
- ✓ **Durable Construction**
24-gauge white galvanized steel panels provide long-lasting strength, while the floor supports heavy loads and allows for easy cleaning.
- ✓ **Secure Access**
Solid swing door with keyed lock, self-closing, and flush-mounted design protects contents and prevents unauthorized entry.
- ✓ **Quick Assembly**
Modular cam-lock panels with tongue & groove design allow precise alignment and fast installation.
- ✓ **Certified Quality**
UL Listed US, NSF Listed, and DOE certified to meet strict commercial standards.



PRODUCT OVERVIEW

The PolarBox Series Walk-In Freezer is designed for commercial kitchens, cafes, and foodservice operations that require reliable cold storage. Made in America, it features a durable 24-gauge white galvanized steel construction and a sturdy floor, providing a strong, hygienic base suitable for indoor or outdoor use.

Measuring 10 ft (W) × 12 ft (D) × 7 ft (H), the unit offers ample interior space. It includes a solid swing door with a keyed lock, self-closing, flush-mounted design, heating wire, and pressure relief vent to maintain consistent temperatures and prevent frost buildup.

The commercial walk-in freezer is insulated with 4-inch-thick polyurethane panels offering R-28 thermal resistance. It operates on 208/230 V, 1-phase, 60 Hz, hardwired connection and includes a condensing unit and evaporator. Eco-conscious CFC- and HFC-free materials ensure environmentally friendly performance without sacrificing efficiency.

Certified to meet rigorous commercial standards, the freezer holds UL Listed US, NSF Listed, and DOE certifications. The warranty provides 10-year panel coverage, 2-year compressor parts, 1-year door parts, and 1-year labor on the refrigeration unit, supporting long-term reliable operation.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	118 inch	Product Depth	138 inch
Product Height	91 inch	Hertz	60 hertz
Phase	1 Phase	Voltage	208/230 volt
Door Type	Solid	Door Style	Swing
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Door Lock	Keyed Lock	Material	White Galvanized Steel
Plug Type	Hardwired	Usage	Indoor/Outdoor
Type	Walk-In Freezer	Country of Origin	Proudly Made in America
Selling Unit	1/Each	Nominal Depth	12 ft
Nominal Width	10 foot	Door Height	77 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Floor	With Floor	Included	Condensing Unit and Evaporator
Gauge	24 Gauge	Thermal Resistance	R-28
Features	Self-Closing, Flush-Mounted Door, Heating Wire and Pressure Relief Vent	Valve Type	Thermostatic Expansion, Liquid Line Solenoid Valve (TXV/TEV)
Number of Doors	1 Door	Nominal Height	7 foot
Hinge Type	Modular Cam-Lock, Tongue & Groove Design	Material Type	CFC & HFC Free
Series	PolarBox Series	Refrigeration Type	Remote Refrigeration
Floor Material	Standard Galvanized Steel Floor	Refrigerant Type	R-448A

PolarBox Series 10' x 12' Quick Ship Walk-In Freezer With Floor & Remote Refrigeration

Model: **PBFWF10X12-RM**



SALES & SUPPORT
(866) 446-7322

 [Chat on WhatsApp](#)

CONNECT WITH US

