



Frigomax Series 99" Commercial Merchandiser Refrigerator, 4 Swing Glass Door, 1 Year Warranty

(Model: FRDC99)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

1 Year Warranty

SPECIAL FEATURES

- High-Volume Display Storage**
 At 74.2 cubic feet, the cabinet accommodates a large range of beverages or food items, reducing how frequently staff need to restock during a busy service period.
- Reduced Maintenance Downtime**
 The frost-free automatic defrost system handles ice buildup without requiring manual intervention, keeping the unit running through busy service hours.
- Standard Circuit Compatible**
 Drawing 10 amps at 1,150 watts on a 110V / 60Hz supply, the unit connects to a typical commercial circuit without the need for dedicated high-voltage wiring.
- Adaptable Floor Placement**
 Left and right hinge options on all four swing doors allow the unit to fit into different commercial kitchen or retail floor layouts without requiring structural modification.
- Meets Compliance Standards**
 ETL Listed, ETL Sanitation Listed, and DOE Compliant certifications confirm this chiller meets safety, hygiene, and energy requirements demanded by health inspectors and facility managers.
- Covered for the First**
 The included 1-year warranty provides defined coverage from the date of purchase, giving buyers a clear service term for a new commercial kitchen investment.



PRODUCT OVERVIEW

The Frigomax Series vertical display chiller is a 4-door glass merchandiser refrigerator designed for restaurants, convenience stores, delis, and other commercial kitchen or retail food service environments that need high-capacity refrigerated display in a single freestanding unit.

With a 74.2 cubic foot interior, the cabinet holds a substantial volume of beverages, prepared foods, or perishable goods across its adjustable shelving, allowing operators to organize product by category or size. Four full-length handled, self-closing swing glass doors with left and right hinge options make the unit adaptable to different floor layouts and traffic flows. LED lighting inside the cabinet keeps contents clearly visible to customers and staff without adding excessive heat load.

The chiller maintains 36°F to 46°F and operates in ambient environments up to 90°F, suiting busy service areas. Frost-free automatic defrost reduces manual maintenance demands. R290 refrigerant is a low-GWP option used in commercial kitchen equipment. Running on 110V/60Hz and drawing 10 amps at 1,150 watts, the unit connects to a standard commercial circuit without special electrical infrastructure.

The cabinet measures 28.7" (D) x 99.2" (W) x 79.1" (H), providing a wide merchandising footprint suited to open floor plans or against a wall. The aluminum frame rail construction supports long-term structural integrity in daily commercial use. This unit is ETL Listed, ETL Sanitation Listed, and DOE Compliant, meeting the safety, sanitation, and energy standards commonly required for commercial kitchen and food retail compliance. It comes backed by a 1-year warranty.

CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

DOE 2017 Compliant

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	4 Doors	Amps	10
Capacity	74.2	Door Type	Glass
Features	Self-closing glass doors, Adjustable shelves behind each door	Refrigerant Type	R-290
Temperature Range	36°F to 46°F	Type	Vertical Display Chiller
Voltage	110	Wattage	1150
Hertz	60	Hinge Location	Left / Right
Installation Type	Freestanding	Selling Unit	1/Each
Frame Rail Material	Aluminium	Lighting	LED
Defrost Type	Frost Free	Door Style	Swing
Maximum Ambient Temperature	90	Series	Frigomax Series



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	99.2	Product Depth	28.7
Product Height	79.1	Shelf Type	Adjustable
Handle	Full length handle	Color	Black
Compressor Location	Bottom Mounted	Sections	4 Sections
Country of Origin	China	Material	Stainless Steel
Temperature Control	Electronic		

Frigomax Series 99" Commercial Merchandiser Refrigerator, 4 Swing Glass Door, 1 Year Warranty

Model: FRDC99



SALES & SUPPORT
(866) 446-7322

Chat on WhatsApp

CONNECT WITH US

