



Frigomax Series 71" Refrigerated Display Case with Straight Glass, 34 cu. ft., 1 Year Warranty

(Model: FRBD71C)



★★★★★ (4.7/5)

Buy Now

WARRANTY

1 Year Warranty

SPECIAL FEATURES

- ✓ **Wide Display Footprint**
At 70.9" wide, this unit accommodates large bakery assortments across a single continuous display counter in a restaurant or café setting.
- ✓ **Low-Maintenance Defrost**
Automatic defrost operation reduces the need for manual intervention during busy service periods, keeping the unit running with less staff attention.
- ✓ **Cleaner Daily Upkeep**
The front glass swings up for easy cleaning access, and the stainless steel interior wipes down quickly both features practical for high-turnover food service environments.
- ✓ **Refrigerated Storage Depth**
The 33.8 cu ft interior holds a substantial volume of bakery items between restocking cycles in a busy commercial kitchen.
- ✓ **Recognized Safety Certifications**
ETL Listed, ETL Sanitation Listed, and DOE Compliant ratings confirm this unit meets established safety and energy efficiency standards for commercial food display.
- ✓ **Included Warranty Coverage**
A 1-year warranty is included with the unit, providing a defined period of manufacturer coverage for commercial kitchen operators.



PRODUCT OVERVIEW

The Frigomax Series refrigerated bakery display case is a freestanding straight-glass unit designed for commercial kitchens, bakeries, cafes, and restaurants that need a dedicated cold display for pastries, cakes, and other prepared items.

The cabinet holds 33.8 cubic feet of interior space within a footprint of 26.8" (D) x 70.9" (W) x 55.1" (H), giving food service operators a wide, accessible display without occupying excessive floor space. The stainless steel interior supports easy cleaning and withstands the demands of daily commercial use.

Temperature is maintained between 36°F and 46°F, suitable for refrigerated bakery and prepared food display. The unit runs on 110V/60Hz, draws 5.8 amperes, and operates at 740 watts. Automatic defrost cycling reduces manual maintenance requirements during service hours. The R-290 refrigerant is used in place of higher global-warming-potential alternatives.

Double tempered glass on both the doors and display panels protects product visibility while meeting safety standards for commercial environments. The front glass swings up for easy cleaning access, and included leg levelers allow stable placement on uneven flooring. This unit is ETL Listed, ETL Sanitation Listed, and DOE Compliant, meeting recognized safety and energy standards for commercial food display equipment. A 1-year warranty is included.

CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

DOE 2017 Compliant

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Type	Refrigerated Bakery Display Case	Display Case Type	Straight Glass
Interior Material	Stainless Steel	Features	Front glass swings up for easy cleaning access, Leg levelers are included
Capacity	33.8	Door Type	Double tempered glass
Voltage	110	Hertz	60
Installation Type	Freestanding	Country of Origin	China
Selling Unit	1/Each	Refrigerant Type	R-290
Amps	5.8	Temperature Range	36°F to 46°F
Product Width	70.9	Product Depth	26.8
Product Height	55.1	Lighting	LED
Defrost Type	Automatic	Series	Frigomax Series



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Glass Type	Double Tempered Glass	Wattage	740

Frigomax Series 71" Refrigerated Display Case with Straight Glass, 34 cu. ft., 1 Year Warranty

Model: FRBD71C



SALES & SUPPORT
(866) 446-7322

