



PolarBox Series 6' x 10' Walk-In Cooler & Freezer Combo with Floor & Top Mounted Refrigeration

(Model: PBCMB6X10-5C5F)

★★★★★ (4.7/5)

[Buy Now](#)



WARRANTY

10-Year Panel, 1-Year Door Parts, 2-Year Compressor & Parts, 1-Year Labor on Refrigeration Unit

SPECIAL FEATURES

- High-Volume Storage**
 5 ft freezer and 5 ft cooler sections in this large walk in freezer provide organized storage for both frozen and chilled items.
- Advanced Insulation**
 4-inch polyurethane insulation with R-28 cooler / R-33 freezer rating maintains stable temperatures and reduces energy loss.
- Secure Storage**
 Two solid swing doors with keyed locks, self-closing flush-mounted design, and freezer heating wire/pressure vent protect contents.
- Quick Assembly**
 Modular cam-lock and tongue-and-groove panels allow fast installation and tight sealing for exterior walk in freezer.
- Comprehensive Warranty**
 10-year panel, 2-year compressor & parts, 1-year door parts, and 1-year labor provide long-term coverage for this large walk in freezer.
- Durable Construction**
 Built with 24-gauge white galvanized steel for strength and long-term commercial use.
- Efficient Refrigeration**
 Top-mounted self-contained system with R-448A refrigerant delivers reliable cooling and freezing.
- Clear Visibility**
 LED lighting brightens both cooler and freezer sections for convenient monitoring.
- Certified Quality**
 UL Listed, NSF Listed, and DOE certified for trusted commercial use.



PRODUCT OVERVIEW

The PolarBox Series Walk-In Cooler and Freezer Combo is ideal for commercial kitchens needing organized cold storage. This exterior walk in freezer and cooler combo features a 5 ft freezer section and a 5 ft cooler section, with overall dimensions of 10 ft (L) × 6 ft (W) × 7 ft (H), product width 79 in, height 91 in, depth 118 in, providing ample storage for high-volume operations.

Built in America from 24-gauge white galvanized steel, and 4-inch-thick polyurethane insulation with R-28 cooler / R-33 freezer thermal resistance. Panels are CFC- and HFC-free for environmentally responsible operation.

The combo operates on hardwired 208/230 V, 60 Hz, single-phase power. Its self-contained, top-mounted refrigeration system uses R-448A refrigerant with an included condensing unit and evaporator for efficient cooling.

Secure Access Features of the Large Walk In Freezer
Two solid 77-inch swing doors with keyed locks and self-closing, flush-mounted design keep the large walk in freezer secure. The freezer door has a heating wire and pressure relief vent. Modular cam-lock, tongue-and-groove panels provide tight sealing and quick assembly. Certified UL Listed (US), NSF Listed, and DOE, with a 10-year panel, 1-year door parts, 2-year compressor & parts, and 1-year labor warranty.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Nominal Width	6 foot	Hertz	60 hertz
Phase	1 Phase	Voltage	208/230 volt
Door Type	Solid	Number of Doors	2 Doors
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Door Lock	Keyed Lock	Floor	With Floor
Material	White Galvanized Steel	Plug Type	Hardwired
Refrigerant Type	R-448A	Type	Walk-In Combination Freezer / Cooler
Usage	Indoor/Outdoor	Country of Origin	Proudly Made in America
Selling Unit	1/Each	Product Width	79 inch
Product Depth	118 inch	Product Height	91 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Cooler Section Length	5 foot	Freezer Section Length	5 foot
Door Style	Swing	Gauge	24 Gauge
Thermal Resistance	R-28 Cooler / R-33 Freezer	Features	Self-Closing, Flush-Mounted Door, Heating Wire and Pressure Relief Vent for freezers Only
Included	Condensing Unit and Evaporator	Door Height	77 inch
Nominal Height	7 foot	Compressor Location	Top Mounted
Hinge Type	Modular Cam-Lock, Tongue & Groove Design	Refrigeration Type	Top Mounted Refrigeration
Material Type	CFC & HFC Free	Series	PolarBox Series
Nominal Length	10 foot	Floor Material	Standard Galvanized Steel Floor
Nominal Depth	10 ft		

PolarBox Series 6' x 10' Walk-In Cooler & Freezer Combo with Floor & Top Mounted Refrigeration

Model: PBCMB6X10-5C5F



SALES & SUPPORT
 (866) 446-7322


[Chat on WhatsApp](#)

CONNECT WITH US



