



ProKitchen Series 60" Slanted Glass Bakery Display Case Refrigerator, Black, 110-120V

(Model: PKDRBDC60-4)

★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

Parts & Labor: 1 Year

Compressor: 5 Years



SPECIAL FEATURES

- ✓ Digital Temperature Control**
 Digital controls and display support the listed 35.6°F to 46.4°F temperature range for refrigerated food handling in a commercial kitchen.
- ✓ Adjustable Glass Shelves**
 Three adjustable glass shelves include two 56.1" L x 16.54" D shelves and one 56.1" L x 18.9" D shelf.
- ✓ Listed Certifications**
 cETLus Listed and ETL Sanitation Listed certifications are provided, and the unit conforms to NSF/CSA Standard.
- ✓ Slanted Glass Display**
 The slanted glass display case uses double tempered glass for bakery items in restaurant and café display areas.
- ✓ Rear Sliding Doors**
 Two rear sliding glass doors provide access to displayed bakery food from the service side.
- ✓ Warranty Coverage**
 It includes a 1-year parts and labor warranty and a 5-year compressor warranty by the manufacturer.



PRODUCT OVERVIEW

The ProKitchen Series 60" Slanted Glass Bakery Display Case Refrigerator is designed for bakeries, restaurants, cafés, and commercial kitchen food display areas. Its black glass and stainless steel construction includes a slanted glass display case design, two rear sliding glass doors, and a 30.5 cb3 capacity.

The unit measures 59.1" (L) x 31.7" (W) x 57.48" (H). The interior measures 57.56 inches wide, 27.56 inches deep, and 35 inches high for bakery and refrigerated food display.

Three adjustable glass shelves provide display space: the top and middle shelves measure 56.1" L x 16.54" D, while the bottom shelf measures 56.1" L x 18.9" D. Double tempered glass and brilliant internal LED lighting are included for the display area.

Digital temperature control and a digital display support a temperature range of 35.6°F to 46.4°F. The refrigerator uses ventilated cooling, automatic defrost, R-290 refrigerant, 110-120 V single-phase power, 1/3 HP, 7.4 A, 630 W, and 60 Hz operation through a NEMA 5-15P plug with a 72-inch power cord. Four casters are included, with two brakes and two without brakes. It includes a 1-year parts and labor warranty and a 5-year compressor warranty by the manufacturer.

CERTIFICATIONS

cETLus Listed

ETL Sanitation Listed

Conforms to NSF/CSA Standard

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Type	Bakery Display Case Refrigerator	Display Case Type	Slanted Glass
Material	Glass and Stainless Steel	Door Style	Sliding
Features	Rear Doors	Capacity	30.5 cubic feet
Number of Shelves	3 Shelves	Plug Type	NEMA 5-15P
Power Cord Length	72 inch	Number of Doors	2 Doors
Door Type	Glass	Voltage	110-120 volt
Hertz	60 hertz	Phase	1 Phase
Color	Black	Country of Origin	China
Selling Unit	1/Each	Refrigerant Type	R-290
Horsepower	1/3 horsepower	Amps	7.4 ampere



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Shelf Material	Glass	Temperature Range	35.6°F to 46.4°F
Temperature Control	Digital	Shelf Size	Top & Middle: 56.1" L x 16.54" D / Bottom: 56.1" L x 18.9" D
Product Weight	599 pound	Product Depth	31.7 inch
Product Height	57.48 inch	Product length	59.1 inch
Shipping Depth	35.1 inch	Shipping Height	63.5 inch
Shipping Length	62 inch	Shipping Weight	650 pound
Lighting	Brilliant Internal LED Lighting	Defrost Type	Automatic
Interior Depth	27.56 inch	Interior Height	35 inch
Interior Width	57.56 inch	Series	ProKitchen Series
Glass Type	Double Tempered Glass	Shelf Type	Adjustable
Number of Casters	4 Casters (2 with Brakes, 2 without Brakes)	Wattage	630 watt
Display	Digital	Cooling Type	Ventilated

ProKitchen Series 60" Slanted Glass Bakery Display Case Refrigerator, Black, 110-120V

Model: PKDRBDC60-4



SALES & SUPPORT
(866) 446-7322

Chat on WhatsApp

CONNECT WITH US

