



CoolEdge Series 60" Mega Top Sandwich and Salad Prep Table, Holds (24) 1/6 Pans, Stainless Steel

(Model: CESMT60)

★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

Parts & Labor: 6
Month

Compressor: 6 Month



SPECIAL FEATURES

- High Capacity**
 Mega Top holds 24 1/6 size pans, providing convenient access for ingredient preparation.
- Sturdy Build**
 Constructed from stainless steel with silver finish for durability and easy cleaning.
- Safety Certified**
 ETL Listed and ETL Sanitation certified to meet professional foodservice requirements.
- Flexible Shelving**
 Two adjustable coated wire shelves allow organized storage of pans and ingredients.
- Power Setup**
 Supports 115 V, 60 Hz with NEMA 5-15P plug and 9 ft cord for versatile installation.
- Optimal Temperature Control**
 LED display with digital control enables easy monitoring and adjustment of internal temperatures.
- Efficient Cooling**
 1/5 HP compressor with R290 refrigerant keeps ingredients safely between 33°F and 41°F.
- Frost-Free Operation**
 Auto-defrost system prevents frost accumulation and reduces the need for manual cleaning.
- High-Ambient Performance**
 Operates effectively in commercial kitchen conditions up to 100.4°F.
- Warranty Protection**
 Includes 6-month parts and labor coverage plus a 6-month compressor warranty.



PRODUCT OVERVIEW

The CoolEdge series CESMT60 commercial sandwich and salad prep table is designed for high-volume kitchens handling multiple fresh ingredients. Built from stainless steel in a silver finish, it features two solid swing doors with recessed handles and a self-closing function for efficiency. The unit supports 24 pans of 1/6 size and includes two coated wire adjustable shelves for flexible commercial storage.

This commercial prep table runs on 115 V, 60 Hz power with a 2.4 A draw and a 1/5 HP compressor. It uses R290 refrigerant for effective cooling. The digital control system with LED display maintains accurate temperatures from 33°F to 41°F. An auto defrost system keeps operation consistent, ensuring dependable performance in demanding commercial environments.

The overall dimensions are 60.12 in (W) x 31.5 in (D) x 45.75 in (H). A 9 ft power cord with NEMA 5-15P plug type is provided for quick connection. Four swivel casters with locks, sized at 4 in, allow easy movement and secure positioning. The freestanding installation design makes it practical for busy commercial kitchen layouts.

This commercial prep table is ETL and ETL Sanitation certified. It features a mega top design, adjustable shelves, and recessed handles. With tolerance for maximum ambient temperature up to 100.4°F, it ensures steady cooling under heavy use. A 6-month parts and labor warranty along with 6-month compressor coverage is included for reliability.

CERTIFICATIONS

ETL Listed

ETL Sanitation

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	2 Doors	1/6 Size Pan Capacity	24 Pans
Access Type	Doors	Amps	2.4 ampere
Casters	With Casters	Color	Silver
Door Style	Swing	Door Type	Solid
Features	Self-Closing Doors	Number of Shelves	2 Shelves
Plug Type	NEMA 5-15P	Power Cord Length	9 foot
Refrigerant Type	R-290	Temperature Range	33°F to 41°F
Top Type	Mega Top	Type	Sandwich and Salad Prep Table
Voltage	115 volt	Hertz	60 hertz
Horsepower	1/5 horsepower	Installation Type	Freestanding



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Country of Origin	China	Material	Stainless Steel
Selling Unit	1/Each	Maximum Ambient Temperature	100.4 fahrenheit
Shelf Material	Coated Wire Shelf	Number of Casters	4 Casters
Caster Size	4 inch	Product Weight	275 pound
Product Width	60 inch	Product Depth	32 inch
Product Height	46 inch	Shipping Depth	35.87 inch
Shipping Height	48.37 inch	Shipping Weight	426 pound
Shipping Width	64.37 inch	Defrost Type	Auto Defrost
Series	CoolEdge Series	Shelf Type	Adjustable
Casters Type	Swivel Casters With Locks	Control Type	Digital
Display	LED Display	Wattage	280 watt
Handle	Recessed		

CoolEdge Series 60" Mega Top Sandwich and Salad Prep Table, Holds (24) 1/6 Pans, Stainless Steel

Model: CESMT60



SALES & SUPPORT
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

