



PolarBox Series 6' x 6' Quick Ship Walk-In Cooler With Floor & Top Mounted Refrigeration

(Model: PBWF6X6-TM)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

10-Year Panel, 1-Year Door Parts, 2-Year Compressor & Parts, 1-Year Labor on Refrigeration Unit

SPECIAL FEATURES

- ✓ Efficient Insulation**
 4-inch polyurethane insulation provides R-28 thermal resistance for consistent temperature retention.
- ✓ Easy Assembly**
 Modular cam-lock panels with tongue & groove hinge design ensure a tight fit and smooth installation.
- ✓ Reliable Cooling**
 Self-contained refrigeration system using R-448A refrigerant delivers consistent performance.
- ✓ Eco-Friendly Operation**
 CFC and HFC-free insulation supports environmentally responsible refrigeration.
- ✓ Comprehensive Warranty**
 Covers 10-year panel, 1-year door parts, 2-year compressor & parts, and 1-year labor on the refrigeration unit.
- ✓ Secure Access**
 Solid swing door, 77" in height, with keyed lock and self-closing, flush-mounted design adds safety and convenience.
- ✓ Hygienic Flooring**
 Floor enhances cleanliness and durability under heavy commercial use.
- ✓ Top-Mounted Compressor**
 Optimizes space, airflow, and accessibility for maintenance.
- ✓ Certified Compliance**
 UL Listed US, NSF Listed, and DOE certified for commercial safety and quality standards.



PRODUCT OVERVIEW

The PolarBox Series Walk-In Cooler is ideal for indoor or outdoor refrigeration in commercial spaces. Made in America, it features white galvanized steel construction for durability. The unit measures at 6 ft (W) x 6 ft (D) x 7 ft (H) providing ample storage capacity. Its solid swing door, with a 77-inch height, comes with a keyed lock and self-closing, flush-mounted design for convenient and secure use.

This commercial cooler is built with 4-inch thick polyurethane insulation, providing an R-28 thermal resistance for efficient temperature retention. Its floor adds strength and hygiene benefits, while the modular cam-lock and tongue & groove design offer tight sealing and easy assembly. The CFC & HFC-free insulation material supports safe operation and environmental compliance.

Equipped with a self-contained refrigeration system using R-448A refrigerant, this unit includes a top-mounted condensing unit and evaporator. It operates on 1-phase, 208/230 V, 60 Hz power. Certified UL Listed US, NSF Listed, and DOE compliant, it comes with a 10-year panel warranty, 1-year door parts warranty, 2-year compressor and parts warranty, and 1-year labor warranty on the refrigeration unit.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	59 inch	Product Depth	79 inch
Product Height	87 inch	Door Height	77 inch
Nominal Depth	6 ft	Nominal Width	6 foot
Hertz	60 hertz	Phase	1 Phase
Voltage	208/230 volt	Door Type	Solid
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Door Lock	Keyed Lock	Material	White Galvanized Steel
Type	Walk-In Cooler	Floor	With Floor
Plug Type	Hardwired	Refrigerant Type	R-448A
Usage	Indoor/Outdoor	Country of Origin	Proudly Made in America



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Selling Unit	1/Each	Door Style	Swing
Gauge	24 Gauge	Thermal Resistance	R-28
Features	Self-Closing, Flush-Mounted Door	Included	Condensing Unit and Evaporator
Number of Doors	1 Door	Nominal Height	7 foot
Compressor Location	Top Mounted	Hinge Type	Modular Cam-Lock, Tongue & Groove Design
Refrigeration Type	Top Mounted Refrigeration	Material Type	CFC & HFC Free
Series	PolarBox Series	Floor Material	Standard Galvanized Steel Floor