



Frigomax Series 30" Reach-In Ventilated Freezer, 1 Solid Door, 4 Shelves, White Coated Steel, 1 Year Warranty

(Model: FRVF30A)



★★★★★ (4.7/5)

Buy Now

WARRANTY
1 Year Warranty

SPECIAL FEATURES

- Compact Line Fit**
 At 30½" wide and 30" deep, this reach-in freezer fits into space-constrained back-of-house areas common in restaurant kitchens without reducing storage volume.
- Flexible Shelf Layout**
 Four adjustable epoxy-coated shelves let kitchen staff reconfigure interior space to accommodate sheet pans, hotel pans, or bulk frozen product as menu needs change.
- Clear Temp Monitoring**
 The digital display with electronic temperature control gives chefs an immediate cabinet reading between -8°F and 0°F without opening the door and disrupting cold air retention.
- Easy Electrical Setup**
 The NEMA 5-15P plug runs on standard 115V, 60 Hz, single-phase power at 5.5 amps, allowing connection to a standard commercial kitchen circuit without special wiring.
- Sanitation Compliance Ready**
 ETL Listed and ETL Sanitation Listed certifications confirm the unit meets recognized safety and food-contact sanitation standards required in commercial food-handling operations.
- Covered After Purchase**
 The included 1-year warranty provides a defined period of coverage, giving commercial kitchen operators a clear service timeline from the date of purchase.



PRODUCT OVERVIEW

The Frigomax Series single-door reach-in freezer is designed for commercial kitchens and restaurants that need reliable upright frozen storage in a compact footprint. With an 18 cubic foot interior and four adjustable epoxy-coated shelves, it accommodates a range of frozen goods between restocks on a busy service line.

The unit measures 30" (D) x 30½" (W) x 74½" (H), fitting into tighter back-of-house layouts without sacrificing capacity. The solid swing door is right-hinged and secured with a keyed lock — locks and keys are included — keeping stored inventory protected during service hours.

Temperature is maintained between -8°F and 0°F through a ventilated refrigeration system driven by a ½ HP compressor running on 115V, 60 Hz, single-phase power via a standard NEMA 5-15P plug at 5.5 amps. Electronic temperature control with a digital display gives kitchen staff a clear, at-a-glance reading of cabinet conditions without opening the door.

The freezer uses R-290 refrigerant and is ETL Listed and ETL Sanitation Listed, meeting safety and sanitation standards recognized in commercial food-handling environments. A 1-year warranty is included with purchase.

CERTIFICATIONS

- ETL Listed
- ETL Sanitation Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	1 Door	Access Type	Door
Amps	5.5 ampere	Capacity	18 cubic feet
Door Type	Solid	Number of Shelves	4
Phase	1 Phase	Plug Type	NEMA 5-15P
Refrigerant Type	R-290	Sections	1 Section
Temperature Range	-8°F to 0°F	Type	Upright Ventilated Freezer
Voltage	115 volt	Hertz	60 hertz
Hinge Location	Right	Horsepower	1/2 horsepower
Material	Coated Steel	Selling Unit	1/Each
Shelf Material	Epoxy coated	Refrigeration Type	Ventilated



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Door Style	Swing	Temperature Control	Electronic
Product Width	30.5 inch	Product Depth	30 inch
Product Height	74.13 inch	Country of Origin	China
Lock Type	Keyed Door Lock	Series	Frigomax Series
Shelf Type	Adjustable	Dutch Half Doors	Without Dutch Half Doors
Display	Digital	Included	Locks and keys

Frigomax Series 30" Reach-In Ventilated Freezer, 1 Solid Door, 4 Shelves, White Coated Steel, 1 Year Warranty

Model: FRVF30A



SALES & SUPPORT
(866) 446-7322

Chat on WhatsApp

CONNECT WITH US

