



ProKitchen Series 64" Refrigerated Deli Case, Curved Glass, Stainless Steel, 1 Year Warranty

(Model: PKMDC64-2)


★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

Parts & Labor: 1 Year

Compressor: 5 Years



SPECIAL FEATURES

- Refrigerated Display**
 The deli case provides an 18.8 cu. ft. capacity with a 32°F to 43°F operating temperature range for commercial kitchen display.
- Digital Controls**
 Digital temperature control, an electronic control system, and automatic defrost are specified for refrigeration operation.
- Certified Equipment**
 The deli case is cETLus Listed, ETL Sanitation Listed, and Certified to NSF Standard.
- Adjustable Shelving**
 The unit includes 9 adjustable shelves made from heavy-duty epoxy PVC-coated wire for food display organization.
- Curved Glass Design**
 The curved front glass, sliding rear glass doors, LED interior lighting, and rounded corner design are specified for display applications.
- Warranty Coverage**
 It includes a 1-year parts and labor warranty and a 5-year compressor warranty by the manufacturer.



PRODUCT OVERVIEW

The ProKitchen Series Refrigerated Deli Case is suitable for restaurants, delis, bakeries, cafés, and commercial kitchen display areas. It features a stainless steel exterior with a silver finish, a curved front glass display, and sliding rear glass doors. Overall dimensions are 64.2" (L) x 32.4" (W) x 47.5" (H).

This electric refrigerated deli case has an 18.8 cu. ft. capacity and a bottom-mounted 4/5 HP compressor. It operates within a 32°F to 43°F temperature range using R-290 hydrocarbon refrigerant with automatic defrost, digital temperature control, and an electronic control system.

The display case includes 9 adjustable shelves made from heavy-duty epoxy PVC-coated wire. The interior measures 60.25 in (W) x 26.8 in (D) x 26.8 in (H) and features an aluminum liner with stainless steel construction. Additional features include LED interior lighting, a rounded corner design, and a removable installation board.

The unit operates on 115 V, 3.37 A, 60 Hz, single-phase power and includes a NEMA 5-15P plug with a 96 in power cord for electrical connection. It is equipped with four 5 in casters, including two with brakes and two without brakes, for mobility and positioning. The deli case is cETLus Listed, ETL Sanitation Listed, and Certified to NSF Standard. It includes a 1-year parts and labor warranty and a 5-year compressor warranty by the manufacturer.

CERTIFICATIONS

cETLus Listed

ETL Sanitation Listed

Certified to NSF Standard

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Horsepower	4/5 horsepower	Product Weight	400 pound
Product Width	64.2 inch	Product Depth	32.4 inch
Product Height	47.5 inch	Shipping Depth	36.3 inch
Shipping Height	50.8 inch	Shipping Weight	485 pound
Shipping Width	68.25 inch	Features	Removable Installation Board
Selling Unit	1/Each	Country of Origin	China
Material	Stainless Steel	Type	Refrigerated Deli Case
Interior Depth	26.8 inch	Interior Height	26.8 inch
Interior Width	60.25 inch	Caster Size	5 inch
Series	ProKitchen Series	Casters	With Casters



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Casters	4 Casters (2 with Brakes, 2 without Brakes)	Color	Silver
Capacity	18.8 cubic feet	Refrigerant Type	R-290
Temperature Range	32°F to 43°F	Temperature Control	Digital
Voltage	115 volt	Phase	1 Phase
Hertz	60 hertz	Amps	3.37 ampere
Plug Type	NEMA 5-15P	Power Cord Length	96 inch
Power Type	Electric	Maximum Ambient Temperature	90 fahrenheit
Defrost Type	Automatic	Interior Material	Aluminum Liner and Stainless Steel
Number of Shelves	9 Shelves	Shelf Material	Heavy Duty Epoxy PVC Coated Wire
Shelf Type	Adjustable	Lighting	LED Interior Lighting
Application	Perfect for Restaurants, Delis, Bakeries or Cafes	Control Type	Electronic
Refrigerant Class	Hydro Carbon	Design	Rounded Corner Design
Door Type	Glass	Display Case Type	Curved Front Glass
Door Style	Sliding Rear Glass Doors	Number of Doors	2 Doors
Compressor Location	Bottom Mounted		

ProKitchen Series 64" Refrigerated Deli Case, Curved Glass, Stainless Steel, 1 Year Warranty

Model: PKMDC64-2



SALES & SUPPORT
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

