



ChefPro Series 29" Reach In Freezer, 1 Solid Door, 3 Shelves, 115V

(Model: CPMRR29)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

Parts & Labor: 2 Years

Compressor: 5 Years

SPECIAL FEATURES

- ✓ **Frozen Storage Range**
The unit maintains a temperature range of -8°F to 0°F suitable for frozen food storage in commercial kitchen and restaurant environments.
- ✓ **Adjustable Shelving**
Three heavy-duty coated adjustable shelves provide structured storage for frozen ingredients and packaged goods.
- ✓ **Mobile Configuration**
Four 4" swivel casters support movement and placement flexibility in commercial kitchen environments.
- ✓ **Durable Construction**
Stainless steel exterior with aluminum interior supports commercial food handling and storage applications.
- ✓ **Controlled Access Door**
The solid swing door includes self-closing function, 90° stay-open feature, and lock for kitchen workflow management.
- ✓ **Certified Equipment**
The unit is ETL Sanitation Listed and cETLus Listed and includes a 2-year parts and labor warranty with a 5-year compressor warranty.



PRODUCT OVERVIEW

The ChefPro Series Reach-In Freezer is designed for commercial kitchens, restaurants, and food storage operations requiring a single-section frozen storage unit. This stainless steel unit features a silver finish, solid swing door, and right hinge location. It includes a capacity configuration for 1 section with exterior dimensions of 29" (W) x 25.5" (D) x 82.5" (H) suitable for commercial food handling environments.

This reach-in freezer operates on 115 V, 1 phase electrical supply with a 5.9 A rating and 1/2 HP bottom-mounted compressor. It uses R-290 hydrocarbon refrigerant and electronic control system for temperature management. The unit maintains a temperature range of -8°F to 0°F for frozen food storage in commercial kitchen applications.

The freezer includes a solid swing door with self-closing function, 90° stay-open feature, and built-in lock for controlled access in foodservice operations. Interior incandescent lighting supports visibility, while heavy-duty coated adjustable shelves provide organized storage. The interior is constructed with aluminum material supported by polyurethane insulation.

This commercial freezer includes four 4" swivel casters for mobility within kitchen spaces and features a condenser coil system with adjustable defrost frequency. The unit is ETL Sanitation Listed and cETLus Listed. It includes a 2-year parts and labor warranty and a 5-year compressor warranty by the manufacturer.

CERTIFICATIONS

ETL Sanitation Listed

cETLus Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	1 Door	Access Type	Door
Amps	5.9 ampere	Casters	With Casters
Color	Silver	Compressor Location	Bottom Mounted
Door Type	Solid	Features	Self Closing Doors with 90° Stay Open Feature & Locks, Condenser Coil, Adjustable Defrost Frequency
Number of Shelves	3 Shelves	Phase	1 Phase
Plug Type	NEMA 5-15P	Power Cord Length	7.4 foot
Refrigerant Type	R-290	Sections	1 Section
Temperature Range	-8°F to 0°F	Type	Reach In Freezer
Voltage	115 volt	Hertz	60 hertz
Hinge Location	Right	Horsepower	1/2 horsepower



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Interior Material	Aluminum	Material	Stainless Steel
Selling Unit	1/Each	Shelf Material	Heavy Duty Coated Shelves
Lighting	Incandescent Interior Lighting	Refrigerant Class	Hydrocarbon
Door Style	Swing	Insulation Material	Polyurethane
Product Width	29 inch	Product Depth	25.5 inch
Product Height	82.5 inch	Shipping Weight	297 pound
Country of Origin	China	Caster Type	Swivel Casters
Number of Casters	4 Casters	Series	ChefPro Series
Shelf Type	Adjustable	Control Type	Electronic Control System
Caster Size	4 inch	Power Type	Electric

ChefPro Series 29" Reach In Freezer, 1 Solid Door, 3 Shelves, 115V

Model: CPMRR29



SALES & SUPPORT
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

