



ChefPro Series 68" Full Size Heated Holding & Proofing Cabinet, Clear Door, Insulated, 120V
(Model: KC1836HP)



★★★★★ (4.7/5)

Buy Now

WARRANTY

**6 Months Limited Parts
& Labor Warranty**

SPECIAL FEATURES

- ✓ **Pan Capacity**
The full-size cabinet holds 36 pans in an 18 in x 26 in pan format.

✓ **Controlled Humidity**
The cabinet has a listed humidity range of 30% to 100%.

✓ **Certifications**
The holding and proofing cabinet is NSF Certified and UL Certified.
- ✓ **Heat Proof Modes**
The listed temperature range is 185°F in heat mode and 115°F in proof mode.

✓ **Lip Load Slides**
The interior has lip load slides with 1 1/2 in of clearance between slides.

✓ **Warranty Coverage**
It includes a 6 months limited parts & labor warranty by the manufacturer.



PRODUCT OVERVIEW

The ChefPro Series heated holding & proofing cabinet is a full-size freestanding unit for commercial kitchens, bakeries, restaurants, and food service operations. Its silver stainless steel exterior measures 22.69" (W) x 32.63" (D) x 67.5" (H). The cabinet has one clear door and one section.

The cabinet holds 36 pans in an 18 in x 26 in pan format. Its interior measures 18.19 in wide, 27.13 in deep, and 53.81 in high. Lip load slides are included, with 1 1/2 in of clearance between slides.

The rectangle cabinet has bottom-mounted analog controls, an LED display, adjustable temperature settings, and controlled humidity. The listed temperature range is 185°F in heat mode and 115°F in proof mode. Its listed humidity range is 30% to 100%.

The cabinet operates on 120 V, 60 Hz, 1575 W, and 1 phase power with a NEMA 5-15P plug and 102.38 in power cord. It has four 5 in casters and insulated construction. The unit is NSF Certified and UL Certified. It includes a 6 months limited parts & labor warranty by the manufacturer.

CERTIFICATIONS

NSF Certified

UL Certified

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Color	Silver	Door Type	Clear Door
Features	Full Size, Rectangle Shape, Bottom Mounted Control Location, Controlled Humidity, Lip Load Slides Interior, Adjustable Temperature Settings, 1 1/2" of Clearance Between Slides, 30%-100% Humidity Range	Voltage	120 volt
Country of Origin	China	Material	Stainless Steel
Selling Unit	1/Each	Number of Doors	1 Door
Sections	1 Section	Wattage	1575 watt
Hertz	60 hertz	Phase	1 Phase
Plug Type	NEMA 5-15P	Power Cord Length	102.38 inch
Temperature Range	185°F (Heat Mode) 115°F (Proof Mode)	Type	Heated Holding & Proofing Cabinet
Installation Type	Freestanding	Casters	With Casters
Number of Casters	4 Casters	Access Type	Door



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
18 x 26 Pan Capacity	36 Pans	Control Type	Analog
Display	LED Display	Product Width	22.69 inch
Product Depth	32.63 inch	Product Height	67.5 inch
Interior Depth	27.13 inch	Interior Height	53.81 inch
Interior Width	18.19 inch	Caster Size	5 inch
Series	ChefPro Series	Insulation Type	Insulated

ChefPro Series 68" Full Size Heated Holding & Proofing Cabinet, Clear Door, Insulated, 120V

Model: KC1836HP



SALES & SUPPORT
(866) 446-7322



CONNECT WITH US

