



CoolEdge Series 79" Glass Slide Top Ice Cream Display Freezer with 2 Lids, 6 Baskets

(Model: CEICF79W)

★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

Parts & Labor: 1 Year

Compressor: 1 Year



SPECIAL FEATURES

- ✔ **Glass Sliding Lids**
Two sliding glass lids with UV-filtered, heat-reflective, and anti-fog features support clear visibility during food handling.
- ✔ **Digital Temperature Control**
Digital control with LED display supports adjustments within the 0°F to -8°F operating range.
- ✔ **Sanitation Listed**
ETL Sanitation Listing reflects compliance with recognized sanitation standards for commercial use.
- ✔ **High Storage Organization**
Six lift-out baskets support organized frozen storage in commercial kitchen and restaurant environments.
- ✔ **Efficient Refrigeration**
R290 refrigerant, static cooling, and a 1/5 HP system support consistent low-temperature operation.
- ✔ **Warranty Included**
It includes a 1-year warranty by the manufacturer, covering parts, labor, and the compressor.



PRODUCT OVERVIEW

The CoolEdge Series Chest Freezer is designed for restaurants, cafés, and commercial kitchen spaces requiring reliable low-temperature storage. It measures 79.75" (W) x 29.62" (D) x 33.12" (H) with a coated steel exterior in white. Two sliding glass lids support visibility during use, and the fan-assisted condenser works with the copper evaporator for stable cooling performance.

The curved top incorporates UV-filtered, heat-reflective, and anti-fog glass to support visibility in foodservice environments. Six lift-out baskets offer organized frozen storage for daily commercial handling. The digital control system paired with an LED display provides direct monitoring during operation. Front bumper bars offer added exterior protection in high-traffic areas.

The freezer maintains a temperature range of 0°F to -8°F through digital control adjustments suited for routine use. It features static cooling and uses R290 refrigerant along with a 1/5 HP system for low-temperature operation. The ETL Sanitation Listing reflects compliance with sanitation standards for commercial food handling. Automatic defrost supports simple maintenance.

The unit operates on 110 V, 60 Hz, single-phase power with a 20 A draw using a NEMA 5-15P plug. LED lighting supports interior visibility for staff. The freestanding configuration allows flexible placement in commercial layouts, and the shipping dimensions support safe transport. It includes a 1-year warranty by the manufacturer covering parts, labor, and the compressor.

CERTIFICATIONS

ETL Sanitation Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Access Type	Lid	Amps	20 ampere
Color	White	Phase	1 Phase
Plug Type	NEMA 5-15P	Refrigerant Type	R-290
Temperature Range	0 to -8°F	Type	Chest Freezer
Voltage	110 volt	Hertz	60 hertz
Horsepower	1/5 horsepower	Country of Origin	China
Material	Coated Steel	Selling Unit	1/Each
Number of Lids	2 Lids	Lid Type	Tempered Glass
Lid Style	Sliding	Number of Baskets	6 Baskets
Top Style	Curved	Defrost Type	Automatic



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Lighting	LED Lighting	Temperature Control	Digital Control
Cooling Type	Static Cooling	Product Weight	333 pound
Product Width	79.75 inch	Product Depth	29.62 inch
Product Height	33.12 inch	Shipping Depth	31.62 inch
Shipping Height	34.62 inch	Shipping Weight	390 pound
Shipping Width	81.75 inch	Features	Uv-filtered Glass, Heat Reflective, Anti Fog, Front Bumper Bars, Lift Out Basket
Display	LED Display	Installation Type	Freestanding
Series	CoolEdge Series	Control Type	Digital
Condenser Type	Fan-Assisted Condenser	Evaporator	Copper Evaporator

CoolEdge Series 79" Glass Slide Top Ice Cream Display Freezer with 2 Lids, 6 Baskets

Model: CEICF79W



SALES & SUPPORT
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

