

# TDO-N-3.5 Dispenser w/Solid Lid

Height: 21.8" Width: 6.2" Depth: 18.7"  
(55.4cm) (15.7cm) (47.5cm)



- For use with BUNN TB-3, TB-3Q, ITB and ITCB brewers with 29" trunk height
- Two dispensers placed side-by-side allow for greater capacity, and added flexibility in menu options, within the same footprint as one cylinder or oval dispenser
- 7" cup clearance
- Front - back handles for reduced counterspace usage
- Ships with full-color iced tea decal
- Sump dispense valve assures complete dispensing
- Uses urn liners for quick change-out and reduced cleaning
- Urn liners not included
- Pinch tube faucet requires use of urn liner

Agency:



## Specifications

**Product #:** 39600.0047

**Finish:** Stainless

**Handle:** Front/Back Carry Handles

**Lid Color:** Black

## Additional Features

Pinch Tube Faucet

## Holding Capacity





| English | Metric |
|---------|--------|
| -       | -      |

 **WARNING:**



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

**Last Updated:**  
**07/21/2026**



| Unit    |          |         |          | Shipping |         |          |            |                       |
|---------|----------|---------|----------|----------|---------|----------|------------|-----------------------|
|         | Height   | Width   | Depth    | Height   | Width   | Depth    | Weight     | Volume                |
| English | 21.8 in. | 6.2 in. | 18.7 in. | 23.8 in. | 6.7 in. | 16.5 in. | 10.360 lbs | 1.515 ft <sup>3</sup> |
| Metric  | 55.4 cm  | 15.7 cm | 47.5 cm  | 60.3 cm  | 17.0 cm | 41.9 cm  | 4.699 kgs  | 0.043 m <sup>3</sup>  |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/21/2026

Related Products & Accessories:TDO-N-3.5 Dispenser w/Solid Lid(39600.0047)

|                                                                                                                                                             |                                                                                    |                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p>KIT, DRIP TRAY W/O<br/>MTG TAB, TDO-N</p> <p>Product #: 39626.1001</p> | <p>KIT, TDO-N-3.5 SLIDE-<br/>LID LOCK</p> <p>Product #: 43692.0001<sup>2</sup></p> |  <p>KIT, PINCH TUBE<br/>ADAPTER HANDLE</p> <p>Product #: 57516.0000<sup>2</sup></p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Vivreau Ltd <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



