



Used 32" Reach-In Freezer, 1 Solid Door, Stainless Steel, 1 Year Warranty (Model: IVRFSS32-U)



★★★★★ (4.7/5)

Buy Now

WARRANTY
1 Year Warranty

SPECIAL FEATURES

- Freezer Capacity**
 21 cb3 capacity with 1 section and 3 adjustable shelves supports frozen storage in a commercial kitchen.
- Door Function**
 Solid swing door with self-closing and stay-open at 90° supports access during food service tasks.
- Mobility Setup**
 Includes 4 casters with brakes for positioning within a commercial kitchen.
- Temperature Range**
 Operates between -7°F to 0°F with adjustable digital control for frozen food handling.
- Cooling System**
 Uses R290 refrigerant with adjustable defrost frequency and a 2/3 HP system for freezer operation.
- Warranty & Certification**
 ETL Sanitation Listed, cETLus Listed, and it includes a 1-year warranty by the manufacturer.



PRODUCT OVERVIEW

The IceVault Series reach-in freezer is designed for commercial kitchens handling frozen storage. It features stainless steel and aluminum construction with a silver finish and a stainless steel interior. The unit measures 29" (D) x 32.2" (W) x 82.5" (H) and provides a capacity of 21 cb3 in a single section with 1 solid swing door and recessed handles for access.

This freezer includes 3 adjustable shelves made of heavy-duty PVC-coated steel for organized storage. The temperature range operates between -7°F to 0°F, managed through an adjustable digital control system. It runs on 115 V, 60 Hz, single phase power with a NEMA 5-15P plug, drawing 4.9 A with a 2/3 HP system using R290 refrigerant and adjustable defrost frequency.

The unit includes a self-closing door with stay-open at 90° and lock with key. It is mounted on 4 casters with brakes for positioning and includes easy access to the condenser coil. Certifications include ETL Sanitation and cETLus listings. Shipping dimensions are 34" (D) x 30.3" (W) x 84.4" (H) with a shipping weight of 284 lb. It includes a 1-year warranty by the manufacturer and is listed in scratch and dent condition.

Condition: Dents on the front and rear grills, deep dent on the back panel (no functional impact), several minor dents and scratches on the sides, slightly dirty. No pallet, no packaging.

CERTIFICATIONS

ETL Sanitation Listed

cETLus Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Weight	281.6 pound	Product Width	32.2 inch
Product Depth	29 inch	Product Height	82.5 inch
Shipping Depth	34 inch	Shipping Height	84.4 inch
Shipping Weight	284 pound	Shipping Width	30.3 inch
Selling Unit	1/Each	Country of Origin	China
Color	Silver	Series	IceVault Series
Type	Reach-In Freezer	Material	Stainless Steel / Aluminum
Door Type	Solid Door	Number of Doors	1 Door
Access Type	Door	Shelf Material	Heavy-Duty PVC-Coated Steel
Number of Shelves	3 Shelves	Shelf Type	Adjustable Shelves



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Sections	1 Section	Voltage	115 volt
Amps	4.9 ampere	Hertz	60 hertz
Phase	1 Phase	Plug Type	NEMA 5-15P
Horsepower	2/3 horsepower	Features	Self-Closing Door with Stay-Open at 90°, Easy Access to Condenser Coil
Temperature Control	Adjustable Digital Control	Temperature Range	-7°F to 0°F
Handle Type	Recessed Handles	Number of Casters	4 Casters with Brakes
Capacity	21 cubic feet	Interior Material	Stainless Steel
Condition	Scratch and Dent	Casters	With Casters
Refrigerant Type	R-290	Defrost Type	Adjustable Defrost Frequency
Included	Lock & Key Included	Door Style	Swing
Installation Type	Freestanding	Hinge Location	Right

Used 32" Reach-In Freezer, 1 Solid Door, Stainless Steel, 1 Year Warranty

Model: IVRFSS32-U



SALES & SUPPORT
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

