



PolarBox Series 6' x 6' Quick Ship Floorless Walk-In Cooler with Top Mounted Refrigeration

(Model: PBNF6X6-TM)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

10-Year Panel, 1-Year Door Parts, 2-Year Compressor & Parts, 1-Year Labor on Refrigeration Unit

SPECIAL FEATURES

- ✓ Durable Construction**
 Built from 24-gauge white galvanized steel for long-lasting strength and reliable structural stability.
- ✓ Secure Access**
 Equipped with a solid swing door and keyed lock for restricted entry and added protection of stored contents.
- ✓ Eco-Friendly Material**
 CFC and HFC-free insulation material minimizes environmental impact during operation.
- ✓ Versatile Application**
 Designed for both indoor and outdoor installations, suitable for various food service environments.
- ✓ Extended Warranty Protection**
 Includes 10-year panel, 1-year door parts, 2-year compressor and parts, and 1-year labor coverage.
- ✓ Efficient Insulation**
 Features 4-inch polyurethane insulation with R-28 thermal resistance to maintain consistent interior temperatures.
- ✓ Space-Saving Design**
 Modular cam-lock and tongue & groove panels allow quick setup while maximizing usable storage area.
- ✓ Reliable Cooling**
 Integrated R-448A self-contained refrigeration system with top-mounted condensing unit and evaporator.
- ✓ Certified Safety**
 Meets UL Listed US, NSF, and DOE standards, providing compliance with safety and hygiene regulations.



PRODUCT OVERVIEW

The PolarBox Series Walk-In Cooler is a self-contained refrigeration unit ideal for restaurants, cafes, and food service operations requiring efficient cold storage. Built from 24-gauge white galvanized steel, it offers durable performance with a solid swing door and keyed lock for secure access. Manufactured in America, it features 4-inch polyurethane insulation with R-28 thermal resistance for consistent temperature retention and energy efficiency.

This commercial cooler measures 6 ft (W) x 6 ft (D) x 7 ft (H) and has a 77-inch door height, designed for indoor or outdoor use. The modular cam-lock and tongue & groove panel design provide a tight structural seal, while CFC and HFC-free insulation supports eco-friendly operation. This model operates without a floor, and the self-closing, flush-mounted door helps minimize air loss during frequent access.

Powered by a self-contained R-448A refrigeration system, the top-mounted condensing unit and evaporator offer reliable cooling performance. The system operates on 208/230 V, 1 phase, 60 Hz hardwired connection for stable function. Certified under UL US, NSF, and DOE standards, this unit upholds safety and hygiene compliance. It includes a 10-year panel warranty, 1-year door parts, 2-year compressor and parts, and 1-year labor coverage.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	79 inch	Product Depth	79 inch
Product Height	87 inch	Door Height	77 inch
Nominal Depth	6 ft	Nominal Width	6 foot
Hertz	60 hertz	Phase	1 Phase
Voltage	208/230 volt	Door Type	Solid
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Door Lock	Keyed Lock	Material	White Galvanized Steel
Type	Walk-In Cooler	Floor	Without Floor
Plug Type	Hardwired	Refrigerant Type	R-448A
Usage	Indoor/Outdoor	Country of Origin	Proudly Made in America



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Selling Unit	1/Each	Door Style	Swing
Gauge	24 Gauge	Thermal Resistance	R-28
Features	Self-Closing, Flush-Mounted Door	Included	Condensing Unit and Evaporator
Number of Doors	1 Door	Nominal Height	7 foot
Compressor Location	Top Mounted	Hinge Type	Modular Cam-Lock, Tongue & Groove Design
Refrigeration Type	Top Mounted Refrigeration	Material Type	CFC & HFC Free
Series	PolarBox Series		