



Platinum Frost Series 60" Commercial Undercounter Refrigerator, 14.8 Cu.ft, 2 Door, Stainless Steel, 33°F to 41°F, 115v

(Model: PFUR60)

★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 2 Years
Compressor: 6 Years



SPECIAL FEATURES

- ✔ **Space-Efficient Storage**

14.8 cubic feet capacity designed for undercounter installation in tight commercial spaces, perfect for kitchens, cafés and food prep areas.
- ✔ **Professional Construction**

Durable stainless steel construction with silver finish, featuring two solid swing doors and adjustable left/right hinge locations.
- ✔ **Easy Mobility**

Four heavy-duty casters enable smooth movement and repositioning, perfect for dynamic commercial kitchen environments.
- ✔ **Efficient Cooling System**

Rear-mounted, front/rear breathing compressor system with R-290 refrigerant provides reliable and energy-efficient cooling performance.
- ✔ **Versatile Power**

Operates on standard 115V power with 8ft cord and NEMA 5-15P plug, drawing only 4.4 amps and 215 watts.
- ✔ **Temperature Control**

Electronic temperature control system maintains precise cooling between 33°F and 41°F, ideal for food safety and preservation.
- ✔ **Extended Warranty**

Comprehensive coverage with 2-year parts and labor warranty, plus extended 6-year warranty on the compressor system.
- ✔ **Multiple Certifications**

ETL, ETL Sanitation, cETLus, and Energy Star certified, ensuring safety, efficiency, and compliance with industry standards.
- ✔ **Auto Defrost**

Automatic defrosting system maintains optimal performance while reducing maintenance requirements and operational downtime.
- ✔ **Organized Storage**

Two adjustable shelves provide flexible organization options within the spacious 55.9" x 19.9" x 24.8" interior.



PRODUCT OVERVIEW

This undercounter refrigerator is ideal for commercial kitchens, cafés, and food prep stations that need reliable cold storage in tight spaces. Made from stainless steel with a silver finish, it offers a capacity of 14.8 cubic feet and features two solid swing doors with left/right hinge locations, two shelves, and a rear-mounted, front/rear breathing compressor system.

The interior measures 55.9" x 19.9" x 24.8" (W x D x H) and is equipped with auto defrost and R-290 refrigerant. It maintains temperatures between 33°F and 41°F, controlled electronically. The unit runs on 115V, 60 Hz, single-phase power, drawing 4.4 amps and 215 watts, and connects via a NEMA 5-15P plug with an 8 ft power cord.

It stands on four casters for easy mobility and is designed for freestanding undercounter installation. The product dimensions are 60" x 29.9" x 35.2" (W x D x H). Certified by ETL, ETL Sanitation, cETLus, and Energy Star, it is sold as 1 each and backed by a 2-year parts and labor warranty and a 6-year compressor warranty.

CERTIFICATIONS

- ETL Listed
- ETL Sanitation
- cETLus
- Energy Star

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Voltage	115 volt	Refrigerant Type	R-290
Temperature Range	33°F to 41°F	Hertz	60 hertz
Phase	1 Phase	Number of Doors	2 Doors
Access Type	Door	Amps	4.4 ampere
Capacity	14.8 cubic feet	Casters	With Casters
Color	Silver	Compressor Location	Rear Mounted
Door Type	Solid	Number of Shelves	2 Shelves
Plug Type	NEMA 5-15P	Power Cord Length	8 foot
Shipping Weight	287 pound	Type	Undercounter Refrigerator
Hinge Location	Left / Right	Interior Depth	19.9 inch
Interior Height	24.8 inch	Interior Width	55.9 inch
Country of Origin	China	Material	Stainless Steel
Selling Unit	1/Each	Product Weight	260 pound
Installation Type	Undercounter	Number of Casters	4 Casters
Defrost Type	Auto Defrost	Wattage	215 watt
Shipping Width	62.4 inch	Shipping Depth	31.1 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Shipping Height	38.4 inch	Compressor Style	Front / Rear Breathing
Product Width	60 inch	Product Depth	29.9 inch
Product Height	35.2 inch	Series	Platinum Frost Series

Platinum Frost Series 60" Commercial Undercounter Refrigerator, 14.8 Cu.ft, 2 Door, Stainless Steel, 33°F to 41°F, 115v

Model: PFUR60



SALES & SUPPORT

(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

