



PolarBox Series 5' x 15' Quick Ship Floorless Walk-In Cooler with Top Mounted Refrigeration

(Model: PBCNF5X15-TM)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

10-Year Panel, 1-Year Door Parts, 2-Year Compressor & Parts, 1-Year Labor on Refrigeration Unit

SPECIAL FEATURES

- Galvanized Steel**
 White galvanized steel construction supports structured use in a commercial kitchen environment.
- Top Refrigeration**
 Top mounted refrigeration with compressor location above the unit supports overhead installation.
- Insulated Panels**
 Polyurethane insulation with 4 in thickness and R-28 thermal resistance supports internal temperature holding.
- Door Construction**
 Solid swing door with 77 in height includes self-closing and flush-mounted design for controlled access.
- Certified Unit**
 UL Listed US, NSF Listed, and DOE certifications align with commercial kitchen compliance standards.
- Extended Depth**
 59" x 177" x 87" size with nominal 5 ft x 15 ft x 7 ft supports storage planning in restaurants.
- Electrical Setup**
 Operates on 1 phase, 208/230 V, 60 Hz configuration used in commercial kitchen setups.
- Refrigerant System**
 Uses R-448A refrigerant with included condensing unit and evaporator for cooling operation.
- Secure Locking**
 Keyed door lock supports restricted access in food handling environments.
- Warranty Coverage**
 Includes 10-year panel, 1-year door parts, 2-year compressor & parts, and 1-year labor on refrigeration unit.



PRODUCT OVERVIEW

The PolarBox Series Walk-In Cooler is designed for commercial kitchen storage in restaurants and food handling areas. It features white galvanized steel construction suited for structured use. The unit measures 59" (L) x 177" (W) x 87" (H), with nominal dimensions of 5 ft width, 15 ft depth, and 7 ft height for installation planning.

This walk-in cooler includes top mounted refrigeration with a top mounted compressor location. It operates on 1 phase, 208/230 V, 60 Hz electrical configuration. The refrigeration system uses R-448A refrigerant and includes a condensing unit and evaporator, forming part of the cooling setup. The unit is hardwired and designed for indoor and outdoor usage.

The cabinet uses polyurethane insulation with 4 in thickness and R-28 thermal resistance. The insulation material is CFC & HFC free, and the structure uses 24 gauge panels, supporting defined panel construction in commercial kitchen environments. The unit comes without a floor, allowing placement over existing surfaces.

It includes a solid swing door with a 77 in height, featuring a self-closing and flush-mounted design. The door includes a keyed lock and modular cam-lock, tongue & groove hinge system for assembly. It includes a 10-year panel warranty, 1-year door parts, 2-year compressor & parts, and 1-year labor on the refrigeration unit. Certifications include UL Listed US, NSF Listed, and DOE.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	59 inch	Product Depth	177 inch
Product Height	87 inch	Door Height	77 inch
Nominal Depth	15 ft	Nominal Width	5 foot
Nominal Height	7 foot	Hertz	60 hertz
Phase	1 Phase	Voltage	208/230 volt
Compressor Location	Top Mounted	Door Style	Swing
Door Type	Solid	Insulation Thickness	4 inch
Insulation Material	Polyurethane	Hinge Type	Modular Cam-Lock, Tongue & Groove Design
Door Lock	Keyed Lock	Material	White Galvanized Steel
Type	Walk-In Cooler	Floor	Without Floor



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Plug Type	Hardwired	Refrigerant Type	R-448A
Refrigeration Type	Top Mounted Refrigeration	Usage	Indoor/Outdoor
Country of Origin	Proudly Made in America	Selling Unit	1/Each
Gauge	24 Gauge	Thermal Resistance	R-28
Material Type	CFC & HFC Free	Features	Self-Closing, Flush-Mounted Door
Number of Doors	1 Door	Included	Condensing Unit and Evaporator
Series	PolarBox Series		

PolarBox Series 5' x 15' Quick Ship Floorless Walk-In Cooler with Top Mounted Refrigeration

Model: PBCNF5X15-TM



SALES & SUPPORT
 (866) 446-7322


[Chat on WhatsApp](#)

CONNECT WITH US




