



CoolEdge Series 48" Undercounter Refrigerator, 2 Solid Doors, Stainless Steel
(Model: CEUR48)

★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 6
Month

Compressor: 6 Month



SPECIAL FEATURES

- ✓ **Adjustable Shelves**
Includes two adjustable shelves for organized storage of ingredients or supplies.

✓ **Cooling System**
Bottom-mounted 1/5 HP compressor with 280 W power and R290 refrigerant maintains temperatures between 33°F and 41°F for commercial refrigerated storage.

✓ **Digital Controls**
LED display with digital control type allows clear setting and monitoring of temperatures.

✓ **Certified Safety**
ETL Listed and ETL Sanitation Listed, meeting commercial safety and sanitation standards.
- ✓ **Solid Door Access**
Swing-style solid doors allow access to interior storage while keeping items contained.

✓ **Auto Defrost**
Built-in auto defrost reduces ice buildup and minimizes manual maintenance.

✓ **Caster Mobility**
Four 5 in swivel casters with locks allow the unit to be moved and secured in place.

✓ **Warranty Coverage**
Includes 6 months parts and labor and 6 months compressor warranty.



PRODUCT OVERVIEW

The CoolEdge Series CEUR48 commercial undercounter refrigerator is a freestanding unit with a stainless steel exterior and recessed handles. Measuring 48.25 in (W) x 31.5 in (D) x 36 in (H), it includes two adjustable shelves inside and features solid swing-style doors for product access.

A bottom-mounted 1/5 HP compressor with 280 W power uses R290 refrigerant to maintain a temperature range of 33°F to 41°F. The unit operates on 115 V, 60 Hz, single-phase power at 8 A through a NEMA 5-15P plug with a 9 ft power cord. Auto defrost is included to reduce manual upkeep.

The refrigerator includes digital controls with an LED display for easy temperature management. Solid door design provides secure storage, while the undercounter structure allows placement in tight commercial kitchen spaces.

For mobility, the unit is equipped with four 5 in swivel casters with locks for secure placement. Certified ETL Listed and ETL Sanitation, it complies with commercial safety and sanitation standards. Warranty coverage includes 6 months parts and labor and 6 months compressor protection.

CERTIFICATIONS

ETL Listed

ETL Sanitation

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	2 Doors	Access Type	Door
Casters	With Casters	Color	Silver
Door Type	Solid	Number of Shelves	2 Shelves
Plug Type	NEMA 5-15P	Power Cord Length	9 foot
Refrigerant Type	R-290	Temperature Range	33°F to 41°F
Type	Undercounter Refrigerator	Voltage	115 volt
Hertz	60 hertz	Horsepower	1/5 horsepower
Country of Origin	China	Material	Stainless Steel
Selling Unit	1/Each	Number of Casters	4 Casters
Defrost Type	Auto Defrost	Wattage	280 watt



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Caster Size	5 inch	Product Weight	211 pound
Product Width	48 inch	Product Depth	32 inch
Product Height	36 inch	Shipping Depth	33.12 inch
Shipping Height	39.38 inch	Shipping Weight	267 pound
Shipping Width	49.62 inch	Series	CoolEdge Series
Shelf Type	Adjustable	Handle	Recessed
Casters Type	Swivel Locking Casters	Control Type	Digital
Display	LED Display	Compressor Location	Side Mounted
Compressor Style	Side / Rear Breathing	Hinge Location	Left / Right

CoolEdge Series 48" Undercounter Refrigerator, 2 Solid Doors, Stainless Steel

Model: CEUR48



SALES & SUPPORT
 (866) 446-7322

 Chat on WhatsApp

CONNECT WITH US



