



ProKitchen Series 36" Gas Range with 2 Burners, 24" Griddle & Oven, Liquid Propane - 131,000 BTU

(Model: PKCGR36-8)



★★★★★ (4.7/5)

Buy Now

WARRANTY
1 Year Parts & Labor

SPECIAL FEATURES

- Wide Griddle Area**
24" smooth griddle supports flat-top cooking alongside burner operations in commercial kitchen workflows.
- Cast Iron Cooking**
Cast iron burners and 12" x 12" grates support heavy cookware in restaurant environments.
- LP Gas Setup**
Liquid propane operation with 3/4" NPT rear gas connection and LP conversion kit included.
- High BTU Output**
131,000 BTU total output with 30,000 BTU burners and 40,000 BTU griddle performance.
- Oven Temperature Range**
Oven operates between 250°F and 550°F for baking and roasting applications.
- Certified Equipment**
cETLus, ETL Sanitation, NSF certified with 1-year parts & labor warranty.



PRODUCT OVERVIEW

The ProKitchen Series Gas Range with Griddle & Oven is a freestanding commercial kitchen cooking unit designed for restaurants, hotels, and catering operations requiring multi-function cooking with burners, griddle, and oven capability. The unit is built with a welded stainless steel frame suitable for commercial kitchen environments.

This gas range operates on liquid propane with a total BTU output of 131,000 BTU. It includes 2 open lift-off burners, each rated at 30,000 BTU, constructed with cast iron burner material and 12" x 12" cast iron grates. A 24" smooth griddle section with 40,000 BTU output supports flat-top cooking applications in food service operations.

The integrated standard oven delivers 31,000 BTU with a U-shape burner system. It operates within a temperature range of 250°F to 550°F. The oven interior measures 26.6" (W) x 26" (D) x 13.9" (H) and includes 2 oven racks for baking and roasting workflows in commercial kitchen use.

The unit measures 36" W x 32.6" D x 60.3" H and weighs 403 lb. It features four casters, including two with brakes, stainless steel back riser and shelf, removable grates, kick plate access, and a pull-out crumb tray with angled handle. It includes a 3/4" NPT rear gas connection, LP conversion kit, standing stainless steel pilot, anti-clogging cover, thermal safety valve, and stainless steel oven door. It is cETLus, ETL Sanitation, NSF certified, with a 1-year warranty.

CERTIFICATIONS

cETLus Listed

ETL Sanitation Listed

Certified to NSF Standards

ETL US & Canada

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Burners	2 Burners	Burner BTU	30,000 BTU
Burner Style	Grates	Control Type	Manual
Features	Kick Plate Access, Stainless Steel Back Riser & Shelf, Removable Grates	Number Of Ovens	1 Oven
Oven BTU	31,000 BTU	Power Type	Gas
Total BTU	131,000 BTU	Type	Gas Range with Griddle & Oven
Installation Type	Freestanding	Oven Interior Width	26.6 in
Oven Interior Depth	26 in	Oven Interior Height	13.9 in
Griddle Width	24 inch	Griddle BTU	40,000 BTU
Country of Origin	China	Material	Stainless Steel
Color	Silver	Selling Unit	1/Each



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Gas Type	Liquid Propane	Plate Type	Smooth
Number of Casters	4 Casters (2 with Brakes, 2 without Brakes)	Burner Type	Open Lift-Off Burners
Burner Shape	U-Shape Oven Burner	Oven Temperature Range	550°F
Product Weight	403 pound	Product Width	36 inch
Product Depth	32.6 inch	Product Height	60.3 inch
Shipping Depth	40 inch	Shipping Height	52 inch
Shipping Weight	507 pound	Shipping Width	41 inch
Series	ProKitchen Series	Included	LP Conversion Kit Included
Burner Material	Cast Iron	Pilot Material	Standby Stainless Steel Pilot
Grate Material	Cast Iron	Tray Type	Pull Out Crumb Tray with Angled Handle Front
Grate Size	12" x 12"	Oven Racks	2 Oven Racks
Safety Features	Thermal Coupling Safety Valve	Oven Type	Standard Oven
Handle Material	Stainless Steel Handle for Bottom Oven	Pilot Protection	Anti-Clogging Pilot Cover
Gas Inlet Size Group	3/4" NPT Rear Gas Connection	Total Burner BTU	60,000 BTU
Total Oven BTU	31,000 BTU	Frame Type	Welded
Thermostat Temperature	250°F to 550°F	Door Material	Stainless Steel Oven Door

ProKitchen Series 36" Gas Range with 2 Burners, 24" Griddle & Oven, Liquid Propane - 131,000 BTU

Model: PKCGR36-8



SALES & SUPPORT
(866) 446-7322

Chat on WhatsApp

CONNECT WITH US

