



CoolEdge Series 48" Kegerator / Beer Dispenser, 110V/60Hz
(Model: CEBD482D)



★★★★★ (4.7/5)

Buy Now

WARRANTY
1 Year Limited Warranty

SPECIAL FEATURES

- ✓ **Dual Tap Dispensing**
Two taps allow simultaneous draft beer service, supporting beverage efficiency in restaurant and bar operations.

✓ **Electronic Temperature Control**
The electronic control system maintains a temperature range of 33°F to 38°F for regulated beer storage.

✓ **Mobile Design**
Four casters support repositioning of the freestanding unit within a restaurant, bar, or catering setup.
- ✓ **Two Solid Doors**
The 2-door solid access design organizes keg storage while maintaining internal temperature stability in a commercial kitchen setting.

✓ **R290 Refrigerant**
The use of R290 refrigerant aligns with modern refrigeration standards in commercial food and beverage handling environments.

✓ **Manufacturer Warranty**
It includes a 1 year limited warranty by the manufacturer, along with a keyed lock system for controlled access in commercial settings.



PRODUCT OVERVIEW

The CoolEdge Series Kegerator / Beer Dispenser is a freestanding draft beer system designed for restaurants, bars, catering services, and commercial kitchens requiring controlled beverage storage and dispensing. This unit features a stainless steel exterior with a black finish, offering durability suitable for high-traffic foodservice environments. The stainless steel interior supports hygienic beer storage and simplified cleaning procedures in beverage stations.

It is equipped with 2 solid doors with a keyed lock system, supporting controlled access in shared commercial settings. The two-door access design provides organized keg storage within a standard nominal depth cabinet. The dispenser includes 2 taps, allowing simultaneous draft service in restaurant or bar operations.

The unit operates within a temperature range of 33°F to 38°F, maintained through an electronic control system for consistent cold beverage dispensing. It uses R290 refrigerant, supporting modern refrigeration standards. The system runs on 110 V, 60 Hz, 1 phase, and connects through a NEMA 5-15P plug, compatible with standard commercial outlets.

This kegerator measures 48" (W) x 27.75" (D) x 35.88" (H), providing a standard footprint for bar counters or beverage stations. It includes 4 casters, supporting repositioning within the commercial kitchen or service area. The installation type is freestanding, allowing placement flexibility without built-in cabinetry requirements.

CERTIFICATIONS

No certifications

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	2 Doors	Door Type	Solid
Number of Taps	2 Taps	Phase	1 Phase
Plug Type	NEMA 5-15P	Refrigerant Type	R-290
Temperature Range	33°F to 38°F	Country of Origin	China
Material	Stainless Steel	Color	Black
Selling Unit	1/Each	Installation Type	Freestanding
Casters	With Casters	Number of Casters	4 Casters
Type	Kegerator / Beer Dispenser	Access Type	Door
Nominal Depth	Standard	Series	CoolEdge Series
Voltage	110 volt	Lock Type	Keyed Lock



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Control Type	Electronic Control	Interior Material	Stainless Steel
Defrost Type	Automatic Defrost	Hertz	60 hertz
Horsepower	0.5 horsepower	Product Width	48 inch
Product Depth	27.75 inch	Product Height	35.88 inch

CoolEdge Series 48" Kegerator / Beer Dispenser, 110V/60Hz

Model: CEBD482D



SALES & SUPPORT
(866) 446-7322

Chat on WhatsApp

CONNECT WITH US

