



ProKitchen Series 40" Grab and Go Open Air Merchandiser, Stainless Steel, 1 Year Warranty
(Model: PKACM40)



★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 1 Year
Compressor: 5 Year

SPECIAL FEATURES

- ✔ **Vertical Display Design**
Vertical structure with 3 adjustable stainless steel and glass shelves supports organized chilled merchandising in commercial kitchen and retail settings.

✔ **Digital Temperature Control**
Digital thermostat maintains a temperature range of 30.2°F to 44.6°F for chilled storage conditions.

✔ **Certified Compliance Standards**
cETLus, ETL Sanitation, and NSF certifications align with commercial kitchen safety and food handling requirements.
- ✔ **Glass Steel Build**
Glass and stainless steel construction with double tempered glass supports clear product visibility in food display applications.

✔ **Ventilated Cooling System**
Ventilated cooling with filter mesh supports airflow-based refrigeration for commercial kitchen environments.

✔ **Warranty Coverage**
It includes a 1-year warranty by the manufacturer and a 5-year compressor warranty for refrigeration components.



PRODUCT OVERVIEW

The ProKitchen Series Vertical Air Curtain Merchandiser is designed for commercial kitchen and food retail environments such as supermarkets, cafés, and grab-and-go food service outlets requiring vertical chilled open display storage. It features a 13.4 cb3 capacity with a freestanding installation type supported by 4 casters for positioning flexibility in commercial kitchen layouts.

Constructed with glass and stainless steel, the unit measures 39.4" (W) x 35.1" (D) x 59.8" (H), supporting vertical merchandising across 3 adjustable shelves made of stainless steel and glass. The shelf configuration supports organized chilled food display in commercial kitchen and retail environments with structured product presentation.

The system operates on 120 V, 60 Hz, single phase power with 11.8 A current draw and 1220 W wattage. It uses R-290 refrigerant with a self-contained refrigeration system, supported by digital thermostat and digital temperature control. The temperature range is maintained between 30.2°F and 44.6°F for chilled display applications in food retail environments.

The unit includes ventilated cooling with filter mesh and condensation auto-evaporation system, supported by automatic defrost. LED illumination and night curtain support product visibility and off-hour coverage. Double tempered glass construction supports clear display visibility. It operates within a maximum ambient temperature of 75°F and includes cETLus, ETL Sanitation, and NSF certifications. It includes a 1-year warranty by the manufacturer and a 5-year compressor warranty.

CERTIFICATIONS

cETLus

ETL Sanitation

NSF

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Amps	11.8 ampere	Capacity	13.4 cubic feet
Casters	With Casters	Color	Silver
Number of Shelves	3 Shelves	Phase	1 Phase
Plug Type	NEMA 5-15P	Power Cord Length	79 inch
Refrigerant Type	R-290	Temperature Range	30.2°F to 44.6°F
Type	Vertical Air Curtain Merchandiser	Voltage	120 volt
Hertz	60 hertz	Installation Type	Freestanding
Country of Origin	China	Material	Glass and Stainless Steel
Selling Unit	1/Each	Product Weight	236 pound
Product Width	39.4 inch	Product Depth	35.1 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Height	59.8 inch	Shipping Depth	36.6 inch
Shipping Height	66.6 inch	Shipping Weight	285 pound
Shipping Width	42.3 inch	Features	Night Curtain, LED Illumination, Double Tempered Glass, Ventilated Cooling, Filter Mesh, Condensation Auto-Evaporation
Series	ProKitchen Series	Style	Vertical
Lighting	LED	Number of Casters	4 Casters
Temperature Control	Digital	Defrost Type	Automatic
Cooling Type	Refrigerator	Shelf Type	Adjustable
Thermostat Type	Digital	Maximum Ambient Temperature	75 fahrenheit
Shelf Material	Stainless Steel And Glass	Wattage	1220 watt

ProKitchen Series 40" Grab and Go Open Air Merchandiser, Stainless Steel, 1 Year Warranty

Model: PKACM40



SALES & SUPPORT
 (866) 446-7322


[Chat on WhatsApp](#)

CONNECT WITH US



