




Super Jolly Up

Doser · A lifetime of great espresso



Super Jolly Up

Premium grinder for **small to medium** sized caf  s looking for **quality, durability** and **consistent results**.

Super Jolly Up doser is available in the following 3 versions: with **MANUAL** switch; **TIMER** with time switch; **AUTOMATIC** with start every 12 doses and stop when the coffee doser reaches full capacity.

→ WHAT'S NEW

Twice as fast

Compared to the previous model (range: 4,0–5,2 g/s) thanks to its new bespoke high torque asynchronous motor.

Maximum consistency

The new motor delivers enhanced performance while staying cool. Grind size stays consistent across all workloads, eliminating the need for adjustments.

No coffee waste

A new removable outlet funnel and upgraded stainless steel adjustable portafilter holder keep the flow of grounds perfectly centered, reducing mess and ensuring consistent dosing.



→ NEW BURRS

 **64 mm**
flat burrs



STANDARD

205D

FLAVOR PROFILE: Classic, well-balanced cups with relevant body and chocolatey notes.

IDEAL FOR: medium to dark roasts and milk-based drinks.

MATERIAL: Bearing steel.



ZZ BURRS • OPTIONAL

ZZ k206P

FLAVOR PROFILE: Well-rounded cups with a complex structure of flavours, nice acidity, fruity notes, a soft, velvety texture, and light-medium body.

IDEAL FOR: light and medium roasts.

MATERIAL: Special steel ensures longer lifespan and ultra-precise machining for maximum consistency.

INNOVATIVE GEOMETRY: long-winded, continuous, sharp teeth which gradually refine the particle to the end.



FEATURES



Adjustable portafilter holder



Removable funnel to consistently center the flow of grinds into the basket and reduce coffee dust on the counter



Stepless micrometrical grind adjustment



Doser designed to keep your coffee fresh;
Easy to use dosing lever for barista ergonomics



93% of the grinder is made from premium materials like stainless steel, aluminum, brass, and copper, making it durable, recyclable, and eco-friendly

TECH SPECS

POWER • 550 Watt

GRIND ADJUSTMENT • stepless micrometrical

GRIND SPEED • 1400 rpm (50 Hz) - 1600 rpm (60Hz)

SINGLE PHASE BURRS • Ø 64 mm flat (2½ in) | 205D, ZZ k206P

THREE PHASE BURRS • Ø 64 mm flat (2½ in) | 205D

BODY • aluminum die casting

HOPPER CAPACITY • 1.1 kg (2.4 lbs) or 280 g (0.6 lbs)

DOSER CAPACITY • 280 g (0.6 lbs)

DOSE ADJUSTMENT • 5.5-8 g (0.19-0.28 oz)

NET WEIGH • 16.5 kg (36.3 lbs)

EQUIPMENT FEATURES • plastic static tamper, 2 funnels

OPTIONAL • ZZ k206P burrs, oversized dose (8-10.5 g | 0.28-0.36 oz), spring tamper with extended portafilter support, easy tamper for doser, tag holder

COLORS



*On request with extra charge


CERTIFICATIONS



LEARN MORE



ESPRESSO



A	207 mm - 8¼ in	D	404 mm - 16 in
B	240 mm - 9½ in	H	601 mm - 23½ in
C	255 mm - 10 in	E	209 mm - 8¼ in



MAZZER LUIGI S.p.a.
Via Moglianese Gardigiano 113
30037 Scorzè (VE) - Italy
mazzer@mazzer.com
www.mazzer.com

DPSJUDO032026

The manufacturer reserves the right to change specifications without notice