



CoolEdge Series 83" Reach-In Freezer, 65 Cu. Ft., 3 Solid Doors, Stainless Steel

(Model: CERF83)



★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 6
Month

Compressor: 6 Month

SPECIAL FEATURES

- ✓ **Large Capacity**
65 cu ft of storage space with 12 adjustable shelves for organized frozen product storage.
- ✓ **Convenient Doors**
Three solid swing doors with recessed handles and self-closing feature.
- ✓ **Reliable Cooling**
Digital control with LED display, adjustable from 0°F to -8°F.
- ✓ **Eco-friendly Operation**
Uses R290 refrigerant an environmentally responsible cooling solution.
- ✓ **Warranty Protected**
6-month parts and labor, 6-month compressor.
- ✓ **Durable Construction**
Silver stainless steel interior and exterior for durability and ease of cleaning.
- ✓ **Bright Visibility**
LED lighting for clear visibility of stored items.
- ✓ **Simple Maintenance**
Auto defrost reduces manual upkeep.
- ✓ **Safety Certified**
ETL Listed and ETL Sanitation certified.
- ✓ **Hot Kitchen Performance**
Designed to operate in environments up to 100.4°F.



PRODUCT OVERVIEW

The CoolEdge Series Reach-In Freezer (CERF83) provides 65 cu ft of frozen storage capacity with 12 adjustable shelves. The unit is constructed with a stainless steel interior and exterior in silver finish and features three solid swing doors with recessed handles and a self-closing design.

This freezer operates on 115 V, 60 Hz, 16 A, 1300 W power and is equipped with a bottom-mounted compressor using R290 refrigerant. Temperature is managed through a digital control panel with LED display, maintaining a range from 0°F to -8°F. An auto defrost system supports consistent functionality.

The unit measures 82.625 in (W) × 32.62 in (D) × 83.5 in (H), weighs 595 lb, and includes a 9 ft power cord with NEMA 5-20P plug. It is mounted on four 5 in locking swivel casters for mobility and stability.

Additional specifications include LED interior lighting, freestanding installation, ETL Listed and ETL Sanitation certifications, and operation in ambient conditions up to 100.4°F. Warranty coverage is 6 months for parts and labor and 6 months for the compressor.

CERTIFICATIONS

ETL Listed

ETL Sanitation

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	3 Doors	Access Type	Doors
Amps	16 ampere	Capacity	65 cubic feet
Casters	With Casters	Color	Silver
Compressor Location	Bottom Mounted	Door Type	Solid
Features	Self-Closing Doors	Number of Shelves	12 Shelves
Plug Type	NEMA 5-20P	Power Cord Length	9 foot
Refrigerant Type	R-290	Temperature Range	0°F to -8°F
Type	Reach-In Freezer	Voltage	115 volt
Hertz	60 hertz	Installation Type	Freestanding
Material	Stainless Steel	Selling Unit	1/Each



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Lighting	LED lighting	Defrost Type	Auto Defrost
Ambient Temperature Range	100.4°F	Caster Size	5 inch
Product Weight	595 pound	Product Width	83 inch
Product Depth	33 inch	Product Height	84 inch
Shipping Depth	34.25 inch	Shipping Height	87.37 inch
Shipping Weight	794 pound	Shipping Width	84.25 inch
Country of Origin	China	Number of Casters	4 Casters
Door Style	Swing	Series	CoolEdge Series
Shelf Type	Adjustable	Handle	Recessed
Casters Type	Locking Swivel Casters	Control Type	Digital
Display	LED Display	Wattage	1300 watt
Sections	3 Sections	Hinge Location	Left / Right

CoolEdge Series 83" Reach-In Freezer, 65 Cu. Ft., 3 Solid Doors, Stainless Steel

Model: CERF83