



ChillCore Series 47" Open Air Refrigerated Display Case, 5.6 Cu.ft, LED Lighting

(Model: CDOADCR47)

★★★★★ (4.7/5)

Buy Now

WARRANTY
1 Year Parts & Labor



SPECIAL FEATURES

- Ventilated Cooling**
 Ventilated cooling operates within the 35.6°F to 50°F temperature range for food display in commercial kitchen environments.
- Two-Side Glass**
 Double tempered glass at two sides supports visibility of items from multiple angles in display areas.
- Mobile Placement**
 Four casters with two adjustable feet support positioning within commercial kitchen layouts.
- Digital Temperature Control**
 A digital temperature controller with LED display supports monitoring during restaurant food handling operations.
- LED Lighting**
 Top LED lighting provides illumination for stored items inside the display case refrigerator.
- Certified Unit**
 cETLus Listed, ETL Sanitation Listed, and NSF Certified, with a 1-year warranty by the manufacturer.



PRODUCT OVERVIEW

The ChillCore Series Refrigerated Display Case is a freestanding open air / refrigerated unit designed for commercial kitchens, bakeries, cafés, and food retail environments. It operates on 110 V, 1 phase, 60 Hz with a 10 A electrical load and uses ventilated cooling for consistent air distribution across the display area.

The body is constructed using powder coated steel and glass with a black finish and double tempered glass at two sides. It features a rectangular design measuring 46.7" (W) x 33.9" (D) x 33.8" (H), suitable for compact commercial counter and floor display installations. The interior uses a stainless steel step finish for structured food placement.

Temperature is maintained between 35.6°F and 50°F through a digital temperature controller with LED display. The system includes automatic defrost and automatic condensate evaporation, supporting continuous refrigerated operation in food service environments.

This unit includes LED lighting at the top for product visibility and comes with a front curtain for covering the display when required. It is supported by 4 casters and 2 adjustable feet for movement and leveling. The display case is cETLus Listed, ETL Sanitation Listed, and NSF Certified and includes a 1-year warranty by the manufacturer.

CERTIFICATIONS

cETLus Listed

ETL Sanitation Listed

NSF Certified

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Amps	10 ampere	Capacity	5.6 cubic feet
Casters	With Casters	Color	Black
Phase	1 Phase	Temperature Range	35.6°F to 50°F
Type	Horizontal Air Curtain Merchandiser	Voltage	110 volt
Hertz	60 hertz	Installation Type	Freestanding
Interior Material	Stainless Steel Step	Country of Origin	China
Material	Powder Coated Steel	Selling Unit	1/Each
Product Weight	243.6 pound	Product Width	46.7 inch
Product Depth	33.9 inch	Product Height	33.8 inch
Shipping Depth	35.4 inch	Shipping Height	40.2 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Shipping Weight	299.8 pound	Shipping Width	49.1 inch
Features	Automatic Condensate Evaporation	Series	ChillCore Series
Lighting	LED Lighting (Top)	Number of Casters	4 Casters
Temperature Control	Digital Temperature Controller	Glass Type	Double Tempered Glass at 2 Sides
Defrost Type	Automatic Defrost	Cooling Type	Ventilated Cooling
Included	Front Curtain	Feet Type	2 Adjustable Feet
Display	LED Display	Compressor Location	Bottom Mounted
Display Case Type	Open Air / Refrigerated	Shape	Rectangular

ChillCore Series 47" Open Air Refrigerated Display Case, 5.6 Cu.ft, LED Lighting

Model: CDOADCR47



SALES & SUPPORT
 (866) 446-7322

 Chat on WhatsApp

CONNECT WITH US



