



Platinum Frost Series 48" Prep Table Refrigerator, 12.9 Cu.ft, 12 Pans, Stainless Steel, 33°F to 41°F, 115v

(Model: PFPT12)

★★★★★ (4.7/5)

Buy Now

WARRANTY

2 Years Parts & Labor; 6 Years Compressor



SPECIAL FEATURES

- ✓ **Professional Food Prep**
48-inch stainless steel prep table with 12.9 cubic feet capacity and 12 pan accommodation, perfect for commercial kitchens and sandwich shops.
- ✓ **Extended Warranty Protection**
Comprehensive 2-year parts and labor warranty with extended 6-year compressor coverage for long-term reliability.
- ✓ **Safety Certified**
ETL Safety and Sanitation certified, rated for ambient temperatures up to 100°F, ensuring compliance with commercial standards.
- ✓ **Organized Storage**
Two epoxy-coated interior shelves and insulated hood provide organized, temperature-controlled storage space.
- ✓ **Temperature Control**
Maintains precise temperatures between 33°F to 41°F using R-290 refrigerant and side-mounted compressor with 1/3 HP motor.
- ✓ **Mobile Storage Solution**
Four swivel casters with brakes provide easy mobility, while two solid swing doors offer convenient access.
- ✓ **Easy Installation**
Includes 6.6 ft power cord with NEMA 5-15P plug, operates on standard 115V, 60 Hz, 1 phase power.
- ✓ **Auto Defrost**
Automatic defrost system maintains optimal performance with minimal maintenance requirements.



PRODUCT OVERVIEW

The 48" Standard Top Sandwich Prep Table is ideal for cafes, sandwich shops, and commercial kitchens needing compact cold storage with prep space. Built from stainless steel and finished in silver, this refrigerated unit offers a 12.9 cubic feet capacity and accommodates up to 12 1/6-size pans under a single insulated hood. It includes two solid swing doors, two epoxy-coated interior shelves, and a 48" W x 12.1" D x 1/2" thick cutting board for efficient food prep.

Powered by a side-mounted compressor using R-290 refrigerant, it maintains temperatures between 33°F to 41°F. The table runs on 115V, 60 Hz, 1 phase, drawing 3.2 amps and features a 1/3 HP motor. It comes with a 6.6 ft power cord and a NEMA 5-15P plug.

With a durable base-style refrigerated cabinet and auto defrost, it's mounted on four swivel casters with brakes for easy mobility. External dimensions are 48" W x 30" D x 42.4" H. It's ETL Safety and Sanitation certified and rated for ambient temperatures up to 100°F. Backed by a 2-year parts and labor warranty and 6-year compressor coverage.

CERTIFICATIONS

- ETL Listed
- ETL Sanitation Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Power Cord Length	6.6 foot	Amps	3.2 ampere
Hertz	60 hertz	Phase	1 Phase
Voltage	115 volt	Horsepower	1/3 horsepower
Plug Type	NEMA 5-15P	Refrigerant Type	R-290
Temperature Range	33°F to 41°F	Number of Doors	2 Doors
1/6 Size Pan Capacity	12 Pans	Access Type	Doors
Capacity	12.9 cubic feet	Casters	With Casters
Color	Silver	Compressor Location	Side Mounted
Compressor Style	Side / Rear Breathing	Cutting Board Depth	12.1 inch
Cutting Board Width	48 inch	Door Type	Solid
Features	Self closing doors, Automatic Defrost System	Number of Shelves	2 Shelves
Shipping Weight	313 pound	Top Type	Standard Top
Type	Sandwich Prep Table	Interior Depth	25.2 inch
Interior Height	26.4 inch	Interior Width	44 inch
Material	Stainless Steel	Selling Unit	1/Each
Product Weight	270 pound	Cutting Board Thickness	1/2 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Maximum Ambient Temperature	100 fahrenheit	Base Style	Refrigerated
Shipping Width	50.4 inch	Shipping Depth	32.3 inch
Shipping Height	45.7 inch	Number of Casters	4 Casters
Caster Type	Swivel with Brakes	Number of Hoods	1 Hood
Product Width	48 inch	Product Depth	30 inch
Product Height	42.4 inch	Series	Platinum Frost Series
Country of Origin	China		

Platinum Frost Series 48" Prep Table Refrigerator, 12.9 Cu.ft, 12 Pans, Stainless Steel, 33°F to 41°F, 115v

Model: PFPT12



SALES & SUPPORT
 (866) 446-7322


[Chat on WhatsApp](#)

CONNECT WITH US



