

2026

- IMMERSION BLENDERS & ACCESSORIES
- BLENDERS
- PLANETARY MIXER
- SALAD SPINNERS
- CITRUS JUICERS
- MANUAL DICER

DYNAMIC continues to set the standard in professional food preparation. Driven by innovation and built on decades of expertise, we're proud to present our latest generation of equipment — including the new **BlendPro3 Series, JuicePro Series** and **LT7 Planetary Mixer**, along with our expanded line of **immersion blenders, salad spinners, and the world's No. 1 manual dicer** — all engineered for performance, durability, and everyday efficiency.

Trusted by foodservice professionals worldwide, **Dynamic** delivers reliable tools that drive creativity, consistency, and excellence in every kitchen.



EM25
SPINNER
ELECTRIC SALAD DRYER
E008.1



PAGE 21

BLENDPRO3
HIGH PERFORMANCE BLENDER
BL003.1



PAGE 18

BLENDPRO3SE
SHIELDED BLENDER
BL003.1SE



PAGE 18

JUICEPRO1&2
ORANGE JUICERS
JP001.1 / JP002.1



PAGE 22

PAGE 22

LT7 MIXER
PM001.1



PAGE 19

**COMPLETE YOUR
DYNAMIC LINE UP!**



PRICING. All prices are subject to change without notice. Prices do not include freight, handling or delivery charges, air shipment charges or taxes (sales, excise, duties, etc.). The Purchaser shall be responsible for collecting and/or paying any and all such taxes. Such charges may, at Dynamic's sole and exclusive discretion, be prepaid by Dynamic and reimbursed by the Purchaser.

ORDERS. No minimum orders required. Each order must reference Dynamic's quote (if any), the requested Products, and any other information requested by Dynamic. All orders and transactions are subject to acceptance or cancellation by Dynamic, in Dynamic's sole discretion. Each accepted order will be interpreted as a single agreement, independent of any other orders. All orders must be sent by email at orders@dynamicmixers.com.

RETURNS. Returns cannot be accepted without a Return Authorization number issued by Dynamic and a return request must be submitted within seven (7) days of invoice date. Product returns must be in original packaging and unopened. Damaged and/or used Products will not be accepted. A 25% restocking charge will apply on all returns. Products deemed «Special Order» cannot be returned.

WARRANTY. Dynamic will guarantee all new Products to be free from defects in materials and workmanship. Electric Products include a one (1) year parts and labor carry in bench warranty with the exception of component replacements necessary through regular "wear and tear". Manual Products include a one (1) year limited parts warranty. Warranty is valid, providing the Products have been used in accordance with Dynamic's operating recommendations and guidelines. Dynamic or any authorized service center will repair or replace, at Dynamic's discretion and after examination, any or all manufacturer's defective parts during the warranty period. Any damage caused by improper use, abuse, dropping, or similar accidental damage resulting in breakage will render the warranty null and void. During the warranty period, only Dynamic or one of its authorized service centers may perform evaluations or repairs to Products. Warranty will be void on any equipment which has been dismantled or tampered with during the warranty period if this has been done by unauthorized centers or personnel.

■ IMMERSION BLENDERS & ACCESSORIES	6
■ BLENDERS	18
■ PLANETARY MIXER	19
■ SALAD SPINNERS	20
■ CITRUS JUICERS	22
■ MANUAL DICER	23



Dynamic

IMMERSION BLENDERS
& ACCESSORIES
MINI SERIES



OFFERED IN 7 COLORS



MiniPro

Table with 2 columns: Reference, MX070.1. Rows include Total length, Mixer tool length, Diameter, Actual weight, Shipping weight, Output, and Speed.

MiniPro Blender

Table with 2 columns: Reference, MX069.1. Rows include Total length, Mixer tool length, Diameter, Actual weight, Shipping weight, Output, and Speed.

MiniPro Cordless

Table with 2 columns: Reference, MX135.1. Rows include Total length, Mixer tool length, Diameter, Actual weight, Shipping weight, Output, and Speed.

MiniPro comes with 4 blades :



MiniPro Cordless comes complete with :

2 Batteries (AC585 - 20 minutes run-time)
1 Charger (AC590.1 - 45 minutes charge time / battery)



MD95 / MD95E

Table with 2 columns: Reference, MX010.1.V. Rows include Total length, Mixer tool length, Diameter, Actual weight, Shipping weight, Output, and Speed.

MD95 with variable speed

Table with 2 columns: Reference, MX010.1.V. Rows include Speed.

MD95 (MX010.1) with standard blade

MD95E (MX008.1) with emulsifying blade



Dynashake

Table with 2 columns: Reference, MX054.1. Rows include Total length, Mixer tool length, Diameter, Actual weight, Shipping weight, Output, and Speed.

Dynashake comes complete with: 1 Dynashake mixer, 1 emulsifying blade, 1 standard blade, 1 batter blade, 1 dairy blade, 1 litre graduated cup + lid



01 - MiniPro motor block

Table with 2 columns: Reference, AC515.1. Rows include Total length, Diameter, Actual weight, Shipping weight, Output, and Speed.

- 02 - MiniPro mixer tool with standard blade
- 03 - Dynashake mixer tool with standard blade
- 04 - MiniPro whisk tool
- 05 - MiniPro blender tool
- 06 - MiniPro ricer / food mill
- 07 - MiniPro food processor bowl
- 08 - Dynashake graduated cup with lid
- 09 - MiniPro stainless steel cup
- 10 - MiniPro stand

IMMERSION BLENDERS
& ACCESSORIES
JUNIOR SERIES



Option
variable
speed



225 mm / 9"



Variable
speed



185 mm / 7"



Ref. 089959
Wall support
included



Junior Standard
non-detachable

Reference	MX020.1
Total length	505 mm / 20"
Mixer tool length	225 mm / 9"
Diameter	94 mm / 4"
Actual weight	1.7 Kg / 3.7 lbs
Shipping weight	2.0 Kg / 4.4 lbs
Output	250 W
Speed	9 500 R.P.M.

Junior Standard
non-detachable
with variable speed

Reference	MX020.1.V
Speed	0 to 9 500 R.P.M.

Junior Whisk
non-detachable

Reference	FT005.1
Total length	500 mm / 20"
Whisk length	185 mm / 7"
Diameter	94 mm / 4"
Actual weight	1.4 Kg / 3 lbs
Shipping weight	1.7 Kg / 3.7 lbs
Output	200 W
Speed	0 to 2 000 R.P.M.



Ref. 0880.1 Convenient and secure :
Wall storage bracket for mixer and accessories
included with Junior Whisk and motor block.



Variable
speed



AC101 - 225 mm / 9"



AC066 - 225 mm / 9"



AC102 - 185 mm / 7"



AC103 - 200 mm / 8"



AC104

01 - Junior motor block

Reference	AC100.1
Total length	305 mm / 12"
Diameter	94 mm / 4"
Actual weight	1.9 Kg / 4 lbs
Shipping weight	2.3 Kg / 5 lbs
Output	250 W
Speed	0 to 9 500 R.P.M.

- 01 - Junior motor block
- 02 - Junior mixer tool
- 03 - Junior blender tool
- 04 - Junior whisk tool
- 05 - Junior ricer / food mill
- 06 - Junior processor bowl

IMMERSION BLENDERS & ACCESSORIES

SENIOR SERIES



PMX98 Standard non-detachable	
Reference	MX007.1
Total length	600 mm / 24"
Mixer tool length	300 mm / 12"
Diameter	97 mm / 4"
Actual weight	2.4 Kg / 5.3 lbs
Shipping weight	2.9 Kg / 6.4 lbs
Output	300 W
Speed	9 500 R.P.M.
PMX98 Standard non-detachable with variable speed	
Reference	MX007.1.V
Speed	0 to 9 500 R.P.M.



01 - Senior motor block BM250

Included with Senior motor block

Reference	AC005.1
Total length	330 mm / 13"
Diameter	97 mm / 4"
Actual weight	2.0 Kg / 4.4 lbs
Shipping weight	3.1 Kg / 6.8 lbs
Output	300 W
Speed	0 to 9 500 R.P.M.



0880 Wall storage bracket for mixer and accessories

300 watts motor block can be used with the mixer tool and whisk attachment.

- 01 - Senior motor block
- 02 - Senior mixer tool M250
- 03 - Senior ricer / food mill
- 04 - Senior whisk F250



AC006 - 300 mm / 12"



AC004 - 420 mm / 16.5"



AC007 - 205 mm / 8"



Precise alignment of motor block and mixer tool requires only a 1/4 turn to secure.



Ejectable whisks for easy cleaning.



IMMERSION BLENDERS
& ACCESSORIES
MASTER SERIES

15 GAL.
60 L

Option variable speed

410 mm / 16"

Ref. 0881
Wall support
included

MX91 *Classic*
non-detachable

Reference	MX005.1
Total length	715 mm / 28"
Mixer tool length	410 mm / 16"
Diameter	110 mm / 4.5"
Actual weight	3.4 Kg / 7.5 lbs
Shipping weight	3.8 Kg / 8.4 lbs
Output	460 W
Speed	9 500 R.P.M.

MX91 Classic
non-detachable
with variable speed

Reference	MX005.1.V
Speed	0 to 9 500 R.P.M.



Emulsifying blade
7910

15 GAL.
60 L

Option variable speed

410 mm / 16"

Ref. 0862
Wall support
included

MX2000
non-detachable

Reference	MX004.1
Total length	720 mm / 28.5"
Mixer tool length	410 mm / 16"
Diameter	122 mm / 5"
Actual weight	3.5 Kg / 7.7 lbs
Shipping weight	4.1 Kg / 9 lbs
Output	460 W
Speed	9 500 R.P.M.

MX2000 non-detachable with
variable speed

Reference	MX004.1.V
Speed	0 to 9 500 R.P.M.

Only available for the MX2000



Safety button

Continuous
function auto
run button also
allows to mix
continuously
by pulse.

5 GAL.
20 L

Variable speed

245 mm / 10"

FT97 Master Whisk
non-detachable

Reference	FT001.1
Total length	650 mm / 25.5"
Whisk tool length	245 mm / 10"
Diameter	110 mm / 4.5"
Actual weight	3.3 Kg / 7.3 lbs
Shipping weight	3.7 Kg / 8.1 lbs
Output	460 W
Speed	0 to 900 R.P.M.

Ejectable wisks for easy cleaning



1A

1B

Variable speed

1A Master motor block BM2000

Reference	AC001.1
Output	460 W

1B Master motor block BM3000

Reference	AC001.1.A
Output	550 W

Total length	350 mm / 13.8"
Diameter	122 mm / 4.8"
Actual weight	2.7 Kg / 6.0 lbs
Speed	0 to 9 500 R.P.M.

Included with
Master motor blocks



SM020 Mixer weight
support clamp



0880 Wall storage bracket
for mixer and accessories



AC002 - 410 mm / 16"



AC500 - 457 mm / 18"



AC070 - 410 mm / 16"



AC003 - 245 mm / 10"



AC004 - 420 mm / 16.5"



- 1A - Master motor block BM2000
- 1B - Master motor block BM3000
- 02 - Master mixer tool M90
- 03 - Master mixer tool M100
- 04 - Master blender tool
- 05 - Master whisk tool F90
- 06 - Master ricer / food mill AP90

09 10 11 Master whip

Reference FM1	AC202
Length FM1	420 mm / 16.5"
Reference FM2	AC200
Length FM2	600 mm / 24"
Reference FM3	AC201
Length FM3	700 mm / 28"
Speed FM1-2-3	0 to 500 R.P.M.

All stainless steel, handle support included.

IMMERSION BLENDERS
& ACCESSORIES
SMX SERIES

For all mixers:
Diameter 125 mm / 5"
Speed 11 000 R.P.M.



12"
600W
SMX250ES

10 GAL.
40 L

REFERENCE	MX041.1ES
TOTAL LENGTH	575 mm / 22"
ACTUAL WEIGHT	5.3 Kg / 11 lbs
SHIPPING WEIGHT	6.8 Kg / 15 lbs

14"
600W
SMX350ES

15 GAL.
55 L

REFERENCE	MX042.1ES
TOTAL LENGTH	626 mm / 24"
ACTUAL WEIGHT	5.5 Kg / 12 lbs
SHIPPING WEIGHT	7 Kg / 15.4 lbs

16"
600W
SMX450ES

30 GAL.
115 L

REFERENCE	MX043.1ES
TOTAL LENGTH	676 mm / 26"
ACTUAL WEIGHT	5.7 Kg / 12.6 lbs
SHIPPING WEIGHT	7.2 Kg / 16 lbs

18"
600W
SMX550ES

40 GAL.
150 L

REFERENCE	MX044.1ES
TOTAL LENGTH	728 mm / 28"
ACTUAL WEIGHT	5.9 Kg / 13 lbs
SHIPPING WEIGHT	7.4 Kg / 16.3 lbs

21"
650W
SMX650ES

50 GAL.
190 L

REFERENCE	MX002.1ES
TOTAL LENGTH	800 mm / 31.5"
ACTUAL WEIGHT	6.1 Kg / 13.4 lbs
SHIPPING WEIGHT	7.7 Kg / 17 lbs

24"
750W
SMX750ES

60 GAL.
225 L

REFERENCE	MX040.1ES
TOTAL LENGTH	870 mm / 34"
ACTUAL WEIGHT	6.5 Kg / 14.3 lbs
SHIPPING WEIGHT	8 Kg / 17.6 lbs

27"
850W
SMX850ES

75 GAL.
285 L

REFERENCE	MX001.1ES
TOTAL LENGTH	950 mm / 37.5"
ACTUAL WEIGHT	6.7 Kg / 14.7 lbs
SHIPPING WEIGHT	8.2 Kg / 18 lbs

Ref. 0862
Wall support included

SM020
Mixer weight support
clamp included with
SMX750ES / SMX850ES.

DETACHABLE FOR MAINTENANCE ONLY

DETACHABLE FOR MAINTENANCE ONLY

Top mounted support brackets Side mounted support brackets

SM020 AC072T - 17"

AC075T - 24" AC076T - 27"

01-Top mounted support brackets

	Dimension	Weight	CODE
SM4	400 mm / 16"	1.9 Kg / 4.2 lbs	SM001
SM6	600 mm / 24"	2.3 Kg / 5 lbs	SM002
SM8	800 mm / 32"	2.6 Kg / 5.7 lbs	SM003
SM10	1000 mm / 40"	2.8 Kg / 6.2 lbs	SM004
SM12	1200 mm / 48"	3.2 Kg / 7 lbs	SM005

02-Side mounted support brackets

	Weight	CODE
SA	0.7 Kg / 1.5 lbs	SM006

All brackets are easily dismantled and can be cleaned in the dishwasher. Adaptable only for Master and SMX series of mixers. Adjustable length. Practical and convenient, allows adjustable height and angle.

03-Mixer weight support clamp SM020

Mixer weight support clamp included with the Master detachable mixers, the SMX750ES and the SMX850ES.

04-SMX blender tool AC072T
(only for SMX750ES and SMX850ES)

Total length	432 mm / 17"
Capacity	200 L

05-Mixer tool for SMX750ES AC075T

Total length	610 mm / 24"
Capacity	225 L


06-Mixer tool for SMX850ES AC076T

Total length	686 mm / 27"
Capacity	300 L



14

15

IMMERSION BLENDERS
& ACCESSORIES
POWER PRO MOBILE MIXER



REFERENCE
TB002
VOLTAGE
230V, 3 phase, 50/60Hz
SPEED
0 to 4000 R.P.M.



Whisk tool	
Variable speed compulsory	
Reference	TB014
Speed	2 800 – 4 000 R.P.M.
Speed 1	800 R.P.M.
Speed 2	1 600 R.P.M.
Diameter	170 mm / 6.5"
Height	470 mm / 18.5"

The whisk tool is ideal for delicate recipes and provides the ultimate in mixing flexibility.



Blender tool	
Reference	TB004
Speed	2 800 to 4 000 R.P.M.
Diameter	100 mm / 3.8"
Height	90 mm / 3.5"

The blender tool is ideal for emulsifying soups and sauces.



Mixer tool	
Reference	TB012
Speed	2 800 – 4 000 R.P.M.
Speed 1	800 R.P.M.
Speed 2	1 600 R.P.M.
Diameter	280 mm / 11"
Height	160 mm / 6.5"

The mixer tool is ideal for mixing large preparations like soups and sauces in less than 5 minutes.



Potato masher tool	
Variable speed compulsory	
Reference	TB013
Speed 1	800 R.P.M.
Speed 2	1 600 R.P.M.
Diameter	147 mm / 5.8"
Height	251 mm / 9.9"

The potato masher tool is designed for high volume purées that require 50 to 150 kg of potatoes.



Foot Extension	
Reference	TB015
Speed	-
Diameter	-
Height	300 mm / 12"

Allows for additional foot depth for added mixing flexibility.



01 Dispenser pump	
Reference	TB030 (TB004 required)
Speed	-
Diameter	178 mm / 7"
Height	90 mm / 3.5"

The pump has a 2.5 m (8'2") long rubber tube which allows for an effortless and fast transfer of food preparations. Tube diameter 19mm (3/4"). Adaptable on the blender tool only (sold separately).

02 Portion control gun	
Reference	TB040 (TB030 required)
Speed	-
Length	202 mm / 8"
Height	243 mm / 9.6"

The gun can be used as a complimentary tool for the transfer of food preparations in smaller containers. Adaptable on the pump attachment only (sold separately).

NEW

NEW



BLENDPRO3
Capacity 68 Ounces (2 Liters)

Reference	BL003.1
Shipping weight	~ 10.5 lbs (4.8 kg)
Box dimensions (in)	16" X 8.5" X 9.25"
Box dimensions (cm)	41 X 22 X 24 cm
Cubic measure	1.6 ft3 / 0.05 m3
Voltage	115 V or 230 V

- 3 H.P.
- Light weight
- Front and back of the house

BLENDPRO3SE
Capacity 68 Ounces (2 Liters)

Reference	BL003.1SE
Shipping weight	~ 15.5 lbs (7.03 kg)
Box dimensions (in)	10" X 10" X 19"
Box dimensions (cm)	25 X 25 X 48 cm
Cubic measure	1.9 ft3 / 0.05 m3
Voltage	115 V or 230 V

- 3 H.P.
- Light weight
- Front and back of the house
- Integrated sound enclosure with 80% noise reduction and convenient tool free removal



Container only.
BL756DT - Capacity: 2L



Container only.
BL756CT - Capacity: 4L



Blend-in-cup
travel bottle
BL900



Blend-in-cup
cutting base
BL110



Premium
Touchscreen
Interface



LT7
Capacity 7 Liters / 8 Quarts

Reference	PM001.1
Shipping weight	~ 65 lbs (29.5 kg)
Box dimensions (in)	20" x 11.5" x 18"
Box dimensions (cm)	51 x 30 x 46 cm
Cubic measure	~ 2.4 ft3 / 0.07 m3
Voltage	115 V or 230 V

Includes Three
Professional-Grade Attachments



Wire Whip



Flat Beater




Dough Hook

- 7L/8QT brushed stainless steel bowl w/handle
- Includes dough hook, batter beater and whip
- Removable polycarbonate safety guard
- 11 mixing speeds and 30 minute timer with 30 second increments
- Electronic touch screen with intuitive timer and speed adjustments
- Advanced drive system allowing for quiet operation
- Adjustable head lift knob for easy control
- Integrated metal housing with no exposed screws

SALAD SPINNERS
MANUAL

AC019



SSB1 Stabilizing base*

* FOR SD92, SD92SC AND EM98

TOTAL HEIGHT
170 mm / 6.7"
DIAMETER
360 mm / 14.2"

E007



SD MINI Manual salad spinner sealed cover

1.25 GAL. 5 L
TOTAL HEIGHT
342 mm / 13.5"
DIAMETER
275 mm / 10.8"
ACTUAL WEIGHT
1.6 Kg / 3.5 lbs
SHIPPING WEIGHT
1.6 Kg / 3.5 lbs

Maximum
2 heads of lettuce

E001



SD99 Manual salad spinner

2.5 GAL. 10 L
TOTAL HEIGHT
460 mm / 18"
DIAMETER
330 mm / 13"
ACTUAL WEIGHT
2.4 Kg / 5.3 lbs
SHIPPING WEIGHT
3.1 Kg / 6.8 lbs

Maximum
4 heads of lettuce

E002



SD92 Manual salad spinner

SD92 COMPLETE COVER

E004



SD92SC Manual salad spinner SEALED COVER

SD92SC COMPLETE SEALED COVER

E002.B



SD92 Manual salad spinner with stabilizing base

SD92 COMPLETE COVER

E004.B



SD92SC Manual salad spinner SEALED COVER with stabilizing base

SD92SC COMPLETE SEALED COVER

TOTAL HEIGHT
530 mm / 21"
DIAMETER
430 mm / 17"
ACTUAL WEIGHT
3.6 Kg / 7.9 lbs
SHIPPING WEIGHT
4.8 Kg / 10.5 lbs

Maximum
8 heads of lettuce

SALAD SPINNERS
ELECTRIC

NEW



WITH 1-MINUTE TOUCH BUTTON TIMER AND COMPLETE SEALED COVER

E003.1.B.T

EM98 Electric salad spinner with stabilizing base SSB1

5 GAL. 20 L
TOTAL HEIGHT
630 mm / 25"
DIAMETER
430 mm / 17"
ACTUAL WEIGHT
8.3 Kg / 18.3 lbs
SHIPPING WEIGHT
10 Kg / 22 lbs
OUTPUT
200 W
SPEED
500 R.P.M.



E008.1

EM25 Electric salad spinner

2.5 GAL. 10 L
TOTAL HEIGHT
460 mm / 18"
DIAMETER
330 mm / 13"
ACTUAL WEIGHT
2.4 Kg / 5.3 lbs
SHIPPING WEIGHT
3.1 Kg / 6.8 lbs
OUTPUT
200 W
SPEED
500 R.P.M.

CITRUS JUICERS
JUICEPRO / PA96

NEW



JUICEPRO1
Production: up to 12 oranges per minute

Reference	JP001.1
Shipping weight	~ 65 lbs (29.5 kg)
Net weight	~ 60 lbs (27 kg)
Box dimensions (in)	15" x 18" x 32"
Box dimensions (cm)	38 x 46 x 81 cm
Cubic measure	~ 5.0 ft ³ / 0.14 m ³
Voltage	115 V or 230 V

- Feeder capacity 3 oranges
- Orange diameter max 75mm / 3 inches approx

JUICEPRO2
Production: up to 25 oranges per minute

Reference	JP002.1
Shipping weight	~ 85 lbs (38.5 kg)
Net weight	~ 80 lbs (36.3 kg)
Box dimensions (in)	22" x 18" x 33"
Box dimensions (cm)	56 x 46 x 84 cm
Cubic measure	~ 7.5 ft ³ / 0.21 m ³
Voltage	115 V or 230 V

- Feeder capacity 6-7 oranges
- Orange diameter max 85mm / 3 ¼ inches approx



PA96
Production: up to 6 oranges per minute (depending on fruit size and operator speed)

Reference	PA001.1
Total length	330 mm / 13"
Diameter	220 mm / 8.6"
Actual weight	6.3 Kg / 13.9 lbs
Voltage	115 V or 230 V
Output	200 W
Speed	1 500 R.P.M.

- 2 juicing cones included



Grid set with pusher.
Cutting grid sizes are estimates only.



1 DYNACUBE
N°1 MANUAL DICER in the world !



Demo Video

Total height	330 mm / 13"
Diameter	400 mm / 15.8"
Actual weight	3.1 Kg / 6.8 lbs
Shipping weight	4.4 Kg / 9.7 lbs

- No direct contact with blades
- 6 cutting grid sizes available
- Versatile
- 100% Product yield and consistent cuts

1 Dynacube	+	2 AC065 - 5x5mm / 3/32" x 3/32"	=	CL007
1 Dynacube	+	3 AC062 - 10x10mm / 3/8" x 3/8"	=	CL006
1 Dynacube	+	4 AC061 - 8.5x,5mm / 1/4" x 1/4"	=	CL003
1 Dynacube	+	5 AC064 - 17x17mm / 3/4" x 3/4"	=	CL009
1 Dynacube	+	6 AC063 - 14x14mm / 1/2" x 1/2"	=	CL008
1 Dynacube	+	7 AC060 - 7x7mm / 1/8" x 1/8"	=	CL005



DYNAMIC USA

1320 ROUTE 9 #1352 CHAMPLAIN, NY - 12919

dynamicmixersusa.com



DYNAMIC CANADA

3227 BOUL. PITFIELD, MONTREAL, QUEBEC - H4S 1H3

dynamicmixers.ca

GENERAL

info@dynamicmixers.com

ORDERS

orders@dynamicmixers.com

CUSTOMER SERVICE

800.267.7794 / 514.956.0127



**GROUPE
NADIA**