



PolarBox Series 10' x 12' Quick Ship Walk-In Cooler With Floor & Top Mounted Refrigeration

(Model: PBWF10X12-TM)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

**10-Year Panel, 1-Year
Door Parts, 2-Year
Compressor & Parts, 1-
Year Labor on
Refrigeration Unit**

SPECIAL FEATURES

- ✓ **Efficient Insulation**
4-inch polyurethane insulation delivers R-28 thermal resistance for effective temperature retention.
- ✓ **User-Friendly Door**
Self-closing, flush-mounted design helps reduce temperature fluctuations and maintain cooling consistency.
- ✓ **Reliable Cooling**
Self-contained, top-mounted refrigeration system with R-448A refrigerant maintains dependable cold storage.
- ✓ **Certified Compliance**
UL Listed US, NSF Listed, and DOE certified for verified safety and performance standards.
- ✓ **Secure Access**
Solid swing door with keyed lock adds security, while a 77-inch height allows comfortable entry.
- ✓ **Reinforced Flooring**
Floor construction provides durability and simplifies maintenance during daily operations.
- ✓ **Convenient Assembly**
Modular cam-lock and tongue-and-groove hinge system allow quick installation with a tight, insulated seal.
- ✓ **Comprehensive Warranty**
Covered by 10-year panel, 1-year door parts, 2-year compressor & parts, and 1-year labor warranty.



PRODUCT OVERVIEW

The PolarBox Series Walk-In Cooler is ideal for indoor or outdoor food storage applications requiring consistent refrigeration performance. Made in America, it features a white galvanized steel exterior for corrosion resistance and longevity. The cooler measures 10 (W) x 12 (D) x 7 (H) ft and includes one solid swing door with a keyed lock for security and a 77-inch height for easy accessibility.

Built with 4-inch thick polyurethane insulation, this unit achieves R-28 thermal resistance, maintaining cold retention efficiently. The self-contained, top-mounted refrigeration system with R-448A refrigerant supports stable operation, while the floor adds strength and ease of cleaning. Its hardwired plug type and 1-phase, 208/230 V power supply offer dependable electrical performance for commercial setups.

This commercial walk-in cooler includes a self-closing, flush-mounted door that minimizes temperature loss and a modular cam-lock tongue-and-groove hinge system for tight sealing and simplified assembly. Certified UL Listed US, NSF Listed, and DOE compliant, it meets safety and efficiency standards. The package includes a condensing unit and evaporator with a 10-year panel, 1-year door parts, 2-year compressor & parts, and 1-year labor warranty.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	118 inch	Product Depth	138 inch
Product Height	87 inch	Door Height	77 inch
Nominal Depth	12 ft	Nominal Width	10 foot
Hertz	60 hertz	Phase	1 Phase
Voltage	208/230 volt	Door Type	Solid
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Door Lock	Keyed Lock	Material	White Galvanized Steel
Type	Walk-In Cooler	Floor	With Floor
Plug Type	Hardwired	Refrigerant Type	R-448A
Usage	Indoor/Outdoor	Country of Origin	Proudly Made in America



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Selling Unit	1/Each	Door Style	Swing
Gauge	24 Gauge	Thermal Resistance	R-28
Features	Self-Closing, Flush-Mounted Door	Included	Condensing Unit and Evaporator
Number of Doors	1 Door	Nominal Height	7 foot
Compressor Location	Top Mounted	Hinge Type	Modular Cam-Lock, Tongue & Groove Design
Refrigeration Type	Top Mounted Refrigeration	Material Type	CFC & HFC Free
Series	PolarBox Series	Floor Material	Standard Galvanized Steel Floor