



ChillCore Series 72.8" Kegerator / Beer Dispenser, (3) 1/2 Keg Capacity (Model: CDBD72)

★★★★★ (4.7/5)

Buy Now

WARRANTY
6 Month Warranty



SPECIAL FEATURES

- Fast Service**
Four taps allow bartenders to pour multiple brews at once, keeping service quick.
- Clear Visibility**
LED interior lighting makes keg checks and adjustments easy even in low-light.
- Sturdy Construction**
Black vinyl-coated steel construction with a sleek black finish for long-lasting durability.
- Effortless Mobility**
Fitted with casters, the unit can be easily moved for cleaning or repositioning.
- Certified Performance**
ETL, ETL Sanitation, and NSA certifications for compliance with strict foodservice standards.
- High-Capacity Storage**
Three 1/2-barrel keg capacity supports large-scale draft beer service.
- Reliable Cooling**
R134a refrigerant (3.52 oz) maintains beverages consistently between 33°F and 38°F.
- Convenient Access**
Three solid swing doors provide smooth access for keg loading and serving.
- Simple Installation**
115V, 60Hz, single-phase power with a NEMA 5-15P plug for quick setup.



PRODUCT OVERVIEW

The ChillCore Series CCBD72 Kegerator/Beer Dispenser is a commercial-grade draft system designed for bars, clubs, restaurants, and catering setups. Constructed from black vinyl-coated steel with a sleek black finish, this freestanding unit offers durability. It accommodates three 1/2-barrel kegs and is equipped with three solid swing doors for reliable storage.

This commercial beer dispenser runs on 115V, 60Hz, single-phase power and operates at 7.4 amps. The cooling system uses R134a refrigerant with a 3.52 oz capacity, maintaining beverages at an optimal 33°F to 38°F. With four taps, bartenders can do multiple servings quickly. LED lighting enhances internal visibility for smooth operation in dim bar environments.

This commercial kegerator measures 72.8" W x 24.4" D x 35.6" H and offers a 6.21 cu. ft. capacity with a standard depth configuration. It comes with casters for easy mobility and relocation. The unit is supplied with a NEMA 5-15P plug type for easy installation. Certified by ETL, ETL Sanitation, and NSA, this dispenser complies with commercial foodservice standards. Each unit is backed by a 6-month warranty for dependable use.

CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

NSA Approved

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	3 Doors	Amps	7.4 ampere
Capacity	6.21 cubic feet	Door Type	Solid
Number of Taps	4 Taps	Phase	1 Phase
Plug Type	NEMA 5-15P	Refrigerant Type	R134a
Temperature Range	33°F to 38°F	Voltage	115 volt
Hertz	60 hertz	Country of Origin	China
Material	Black Vinyl Coated Steel	Color	Black
Selling Unit	1/Each	Installation Type	Freestanding
Refrigerant Capacity	3.52 oz	Casters	With Casters
Product Weight	330.7 pound	Product Width	72.8 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Depth	24.4 inch	Product Height	35.6 inch
Shipping Depth	28 inch	Shipping Height	43 inch
Shipping Weight	375 pound	Shipping Width	76 inch
Type	Kegerator / Beer Dispenser	Access Type	Door
Nominal Depth	Standard	Style	1/2 Barrel
Number of Kegs	3 Kegs	Lighting	LED lighting
Series	ChillCore Series		

ChillCore Series 72.8" Kegerator / Beer Dispenser, (3) 1/2 Keg Capacity

Model: CDBD72



SALES & SUPPORT
 (866) 446-7322


[Chat on WhatsApp](#)

CONNECT WITH US



