



CoolEdge Series 47" Reach-In Refrigerator with 2 Solid Doors, Stainless Steel
(Model: CEMR47SD)



★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 1 Year
Compressor: 1 Year

SPECIAL FEATURES

- ✓ **Stainless Interior**
Stainless steel interior construction supports food handling requirements in a commercial kitchen environment.

✓ **Adjustable Shelving**
Eight adjustable and removable wire shelves support organized refrigerated storage for restaurant operations.

✓ **Certified Design**
ETL Listed, ETL Sanitation, and NSF Listed certifications align with commercial kitchen standards.
- ✓ **Digital Control**
Digital temperature control with LED display reflects the specified control type and temperature range.

✓ **Forced Air Cooling**
Forced air cooling with automatic defrost aligns with continuous refrigerator operation.

✓ **Warranty Coverage**
It includes a 1-year warranty by the manufacturer for parts, labor, and compressor.



PRODUCT OVERVIEW

The cooledge Reach-In Refrigerator from the cooledge Series is designed for restaurants and commercial kitchen operations requiring upright refrigerated storage. It features a stainless steel exterior in a silver finish with a stainless steel interior suited for food handling areas. The unit operates with a self-contained refrigeration system using R-290 refrigerant and forced air cooling with automatic defrost.

This reach-in refrigerator is configured with two solid swing doors featuring left and right hinge locations and recessed handles for streamlined access. The doors include a self-closing feature, and the interior is designed with rounded corners to support routine cleaning procedures in a commercial kitchen. Access is through doors, and the cabinet is divided into two sections for organized refrigerated storage. LED interior lighting and an LED display.

The interior includes eight adjustable and removable wire shelves to accommodate various food containers and storage needs. Digital temperature control manages a temperature range of 33°F to 41°F, aligned with refrigerated food storage requirements. The unit is designed to operate with a maximum ambient temperature of 100.4°F, supporting consistent use in foodservice areas. Electrical operation at 110 V, 1 phase, 60 Hz operation with a bottom-mounted 1/2 HP compressor and NEMA 5-15P plug.

This CoolEdge reach-in refrigerator measures 47.25" (L) x 28" (W) x 79" (H) and is intended for freestanding installation. It includes four 5" casters to support repositioning within a commercial kitchen layout. Certifications include ETL Listed, ETL Sanitation, and NSF Listed. It includes a 1-year warranty by the manufacturer covering parts, labor, and compressor.

CERTIFICATIONS

ETL Listed

ETL Sanitation

NSF Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	2 Doors	Access Type	Doors
Casters	With Casters	Color	Silver
Compressor Location	Bottom Mounted	Door Type	Solid
Features	Self-Closing, Rounded Corner For Easy Cleaning	Material	Stainless Steel
Number of Shelves	8 Shelves	Phase	1 Phase
Plug Type	NEMA 5-15P	Refrigerant Type	R-290
Sections	2 Sections	Shelf Material	Wire
Temperature Range	33°F to 41°F	Type	Reach-In Refrigerator
Voltage	110 volt	Hertz	60 hertz
Hinge Location	Left / Right	Horsepower	1/2 horsepower



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Installation Type	Freestanding	Country of Origin	China
Selling Unit	1/Each	Number of Casters	4 Casters
Interior Material	Stainless Steel	Temperature Control	Digital Control
Maximum Ambient Temperature	100.4 fahrenheit	Series	CoolEdge Series
Product Width	47.25 inch	Product Depth	28 inch
Product Height	79 inch	Lighting	LED lighting
Defrost Type	Automatic	Shelf Type	Adjustable And Removable
Control Type	Digital	Display	LED Display
Caster Size	5 inch	Handle Type	Recessed
Cooling Type	Forced Air, Optimal Cooling Performance		

CoolEdge Series 47" Reach-In Refrigerator with 2 Solid Doors, Stainless Steel

Model: CEMR47SD



SALES & SUPPORT
 (866) 446-7322


[Chat on WhatsApp](#)

CONNECT WITH US



