



PolarBox Series 5' x 13' Walk-In Cooler & Freezer Combo with Floor & Top Mounted Refrigeration

(Model: PBCMB5X13-8C5F)

★★★★★ (4.7/5)

[Buy Now](#)



WARRANTY

10-Year Panel, 1-Year Door Parts, 2-Year Compressor & Parts, 1-Year Labor on Refrigeration Unit

SPECIAL FEATURES

- Dual Temperature Sections**
 Includes an 8 ft cooler section and a 5 ft freezer section in a walk in cooler freezer, supporting commercial food handling workflows.
- Advanced Insulation**
 Four-inch polyurethane panels deliver R-28 thermal resistance for the cooler and R-33 for the freezer, helping maintain consistent storage temperatures.
- Top-Mounted Refrigeration**
 Includes a condensing unit and evaporator mounted on top for consistent cooling and freezing in the walk in freezer cooler combo.
- Warranty Coverage**
 10-year panel, 1-year door parts, 2-year compressor and parts, and 1-year labor on the refrigeration unit provide structured coverage for restaurant operations.
- Durable Construction**
 24-gauge white galvanized steel panels provide long-lasting durability in restaurant and commercial kitchen environments.
- Controlled Access Doors**
 Solid swing doors with keyed locks, self-closing hinges, and flush-mounted design support secure food storage in commercial kitchens.
- Certified Compliance**
 Self-closing, flush-mounted doors minimize temperature loss during frequent openings.



PRODUCT OVERVIEW

The PolarBox Series Walk in Cooler Freezer and Cooler Combo is designed for commercial kitchens, restaurants, and foodservice operations that require both refrigerated and frozen storage in a single unit. It is constructed with 24-gauge white galvanized steel, providing durability for daily use in a commercial kitchen. The modular cam-lock, tongue-and-groove panel design allows for secure alignment and assembly of the sections.

The unit measures 13 ft (L) x 5 ft (W) x 7 ft (H), with an 8 ft cooler section and a 5 ft freezer section. It features solid swing doors with a height of 77 in, keyed locks for controlled access, and freezer doors include heating wire and a pressure relief vent. The insulation is 4 inches of polyurethane, with thermal resistance rated R-28 for the cooler and R-33 for the freezer.

The top-mounted refrigeration system includes a condensing unit and evaporator, operating on 208/230 V, 60 Hz, single-phase power, using R-448A refrigerant. This unit is suitable for indoor and outdoor installation and includes a reinforced floor. It is CFC and HFC free and holds certifications including UL Listed (US), NSF Listed, and DOE.

Walk in Freezer Cooler Combo: Dual Storage and Warranty
 This walk in freezer cooler combo provides both refrigerated and frozen storage in one footprint and includes a 10-year panel warranty, 1-year door parts warranty, 2-year compressor and parts warranty, and 1-year labor on the refrigeration unit.

CERTIFICATIONS

No certifications

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Nominal Width	5 foot	Hertz	60 hertz
Phase	1 Phase	Voltage	208/230 volt
Door Type	Solid	Number of Doors	2 Doors
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Door Lock	Keyed Lock	Floor	With Floor
Material	White Galvanized Steel	Plug Type	Hardwired
Refrigerant Type	R-448A	Type	Walk-In Combination Freezer / Cooler
Usage	Indoor/Outdoor	Country of Origin	Proudly Made in America
Selling Unit	1/Each	Product Width	59 inch
Product Depth	158 inch	Product Height	91 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Cooler Section Length	8 foot	Freezer Section Length	5 foot
Door Style	Swing	Gauge	24 Gauge
Thermal Resistance	R-28 Cooler / R-33 Freezer	Features	Self-Closing, Flush-Mounted Door, Heating Wire and Pressure Relief Vent for freezers Only
Included	Condensing Unit and Evaporator	Door Height	77 inch
Nominal Height	7 foot	Compressor Location	Top Mounted
Hinge Type	Modular Cam-Lock, Tongue & Groove Design	Refrigeration Type	Top Mounted Refrigeration
Material Type	CFC & HFC Free	Series	PolarBox Series
Nominal Length	13 foot	Floor Material	Standard Galvanized Steel Floor
Nominal Depth	13 ft		