



Platinum Frost Series 72" Commercial Undercounter Freezer, 17.7 Cu.ft, 3 Door, Stainless Steel, -8°F to 0°F

(Model: PFUF72)

★★★★★ (4.7/5)

Buy Now

WARRANTY

Parts & Labor: 2 Years
Compressor: 6 Years



SPECIAL FEATURES

- ✓ **Maximum Storage Capacity**
Spacious 17.7 cubic feet interior with three sections and three epoxy-coated steel wire shelves for optimal commercial storage organization.

✓ **Premium Construction Quality**
Durable stainless steel interior and exterior construction with silver finish ensures long-lasting performance and easy cleaning.

✓ **Professional Certification**
OE, ETL, and ETL Sanitation certifications guarantee compliance with industry safety and hygiene standards.

✓ **Efficient Cooling System**
Self-contained system with R-290 hydrocarbon refrigerant and auto defrost maintains optimal freezing performance.

✓ **Secure Sealing**
Magnetic door gaskets ensure airtight closure, maintaining temperature consistency and energy efficiency.
- ✓ **Precise Temperature Control**
Electronic temperature control system maintains consistent temperatures between -8°F to 0°F for reliable food preservation.

✓ **Enhanced Access Design**
Three solid swing doors with 90° stay-open function and self-closing mechanism for convenient loading and unloading.

✓ **Comprehensive Warranty**
Two-year parts and labor warranty plus six-year compressor coverage provides long-term protection and peace of mind.

✓ **Easy Installation**
Freestanding design with casters and standard 115V power connection enables flexible placement and simple setup.

✓ **Mobile Functionality**
Four heavy-duty casters provide smooth mobility for cleaning and repositioning in commercial environments.



PRODUCT OVERVIEW

This undercounter freezer is made of stainless steel with a silver finish and has a capacity of 17.7 cubic feet. It features three solid swing doors (hinged left/right), three sections, and three epoxy-coated steel wire shelves. The interior is stainless steel with dimensions of 67.7" W x 19.9" D x 24.8" H and includes magnetic door gaskets.

It runs on 115V, 60 Hz, 1 phase power, draws 4.1 amps, and connects via a NEMA 5-15P plug with an 8.2 ft power cord. The R-290 hydrocarbon refrigerant is used in a self-contained system with auto defrost. Temperature is controlled electronically and ranges from -8°F to 0°F.

Key features include a precision refrigeration system, self-closing doors, and a 90° stay-open function. It has casters, a freestanding installation type, and an access type of doors. Product dimensions are 72" W x 29.9" D x 35.2" H.

It stands on 4 casters, each magnetic gasket-equipped, and has OE, ETL, and ETL Sanitation certifications. Warranty includes 2 years parts & labor, 6 years compressor.

CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

OE certified

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Power Cord Length	8.2 foot	Amps	4.1 ampere
Voltage	115 volt	Plug Type	NEMA 5-15P
Refrigerant Type	R-290	Temperature Range	-8°F to 0°F
Hertz	60 hertz	Phase	1 Phase
Number of Doors	3 Doors	Access Type	Door
Capacity	17.7 cubic feet	Casters	With Casters
Color	Silver	Door Type	Solid
Features	Precision Refrigeration System, Self-closing Doors, 90° Stay-open	Number of Shelves	3 Shelves
Sections	3 Sections	Shipping Weight	353 pound
Type	Undercounter Freezer	Hinge Location	Left / Right
Interior Depth	19.9 inch	Interior Height	24.8 inch
Interior Width	67.7 inch	Material	Stainless Steel
Selling Unit	1/Each	Product Weight	331 pound
Defrost Type	Auto Defrost	Temperature Control	Electronic Control
Interior Material	Stainless Steel	Shelf Material	Epoxy Coated Steel Wire
Door Gasket	Magnetic Door Gasket	Drawer Gasket	Magnetic Door Gasket



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Refrigerant Class	Hydrocarbon	Refrigeration Type	Self-contained
Installation Type	Freestanding	Shipping Width	74.2 inch
Shipping Depth	31.1 inch	Shipping Height	38.4 inch
Product Width	72 inch	Product Depth	29.9 inch
Product Height	35.2 inch	Series	Platinum Frost Series