



Platinum Frost Series 60" Prep Table Refrigerator, 16.4 Cu.ft, 24 Pans, Stainless Steel, 33°F to 41°F, 115v

(Model: PFPT24)

★★★★★ (4.7/5)

Buy Now

WARRANTY

2 Years Parts & Labor; 6 Years Compressor



SPECIAL FEATURES

- ✓ **High-Capacity Storage**  
Spacious 16.4 cubic feet of refrigerated space accommodates up to 24 1/6-size pans, perfect for busy commercial kitchens.

✓ **Spacious Prep Surface**  
60-inch cutting board with 8.3-inch depth and 0.5-inch thickness provides ample workspace for sandwich and deli preparation.

✓ **Energy Efficient**  
1/3 HP compressor with side-mounted ventilation runs on standard 115V power, drawing only 4.4 amps.

✓ **Easy Mobility**  
Four swivel casters with brakes allow convenient movement and secure positioning in commercial settings.

✓ **Comprehensive Warranty**  
Protected by 2-year parts and labor warranty, plus extended 6-year compressor warranty coverage.
- ✓ **Temperature Control**  
Maintains optimal food safety temperatures between 33°F and 41°F with automatic defrost system and R-290 refrigerant.

✓ **Commercial-Grade Construction**  
Durable stainless steel construction inside and out, with silver finish and two adjustable interior shelves.

✓ **Temperature Preservation**  
Two insulated hood lids and self-closing doors maintain internal temperature and preserve ingredient freshness.

✓ **Safety Certified**  
ETL Safety and ETL Sanitation certified, rated for operation in ambient temperatures up to 100°F.



# PRODUCT OVERVIEW

Ideal for sandwich shops, delis, or commercial kitchens needing compact efficiency, this 60-inch mega top sandwich prep table combines high-capacity cold storage with a spacious prep surface. Built from durable stainless steel in a silver finish, it offers 16.4 cubic feet of refrigerated space and holds up to 24 1/6-size pans. The 60-inch cutting board is 8.3 inches deep and 0.5 inches thick, paired with two insulated hood lids for freshness and convenience.

Inside, the stainless steel interior measures 56.3" x 25" x 55" (W x D x H) and includes two adjustable shelves. The unit maintains temperatures between 33°F and 41°F using R-290 refrigerant, supported by an automatic defrost system. Powered by a 1/3 HP compressor with side-mounted, side/rear breathing ventilation, it runs on 115V, 60 Hz, single phase, drawing 4.4 amps through a NEMA 5-15P plug and a 5.9 ft power cord.

It features two solid swing doors, sits on four swivel casters with brakes, and includes self-closing doors to maintain internal temperature. The overall product dimensions are 60" W x 33.9" D x 46" H. Certified by ETL Safety and ETL Sanitation, the unit is rated for ambient temperatures up to 100°F. It comes with a 2-year parts and labor warranty and a 6-year compressor warranty. Sold as 1 each.

# CERTIFICATIONS

- ETL Listed
- ETL Sanitation Listed

# SPECIFICATION

| ATTRIBUTE           | VALUE                                        | ATTRIBUTE               | VALUE                 |
|---------------------|----------------------------------------------|-------------------------|-----------------------|
| Power Cord Length   | 5.9 foot                                     | Cutting Board Width     | 60 inch               |
| Amps                | 4.4 ampere                                   | Hertz                   | 60 hertz              |
| Phase               | 1 Phase                                      | Voltage                 | 115 volt              |
| Horsepower          | 1/3 horsepower                               | Plug Type               | NEMA 5-15P            |
| Refrigerant Type    | R-290                                        | Temperature Range       | 33°F to 41°F          |
| Number of Doors     | 2 Doors                                      | 1/6 Size Pan Capacity   | 24 Pans               |
| Access Type         | Doors                                        | Capacity                | 16.4 cubic feet       |
| Casters             | With Casters                                 | Color                   | Silver                |
| Compressor Location | Side Mounted                                 | Compressor Style        | Side / Rear Breathing |
| Cutting Board Depth | 8.3 inch                                     | Door Type               | Solid                 |
| Features            | Self closing doors, Automatic Defrost System | Number of Shelves       | 2 Shelves             |
| Shipping Weight     | 351 pound                                    | Top Type                | Mega Top              |
| Type                | Sandwich Prep Table                          | Interior Depth          | 25 inch               |
| Interior Height     | 55 inch                                      | Interior Width          | 56.3 inch             |
| Material            | Stainless Steel                              | Selling Unit            | 1/Each                |
| Product Weight      | 329 pound                                    | Cutting Board Thickness | 1/2 inch              |



# SPECIFICATION

| ATTRIBUTE                   | VALUE              | ATTRIBUTE         | VALUE                 |
|-----------------------------|--------------------|-------------------|-----------------------|
| Maximum Ambient Temperature | 100 fahrenheit     | Base Style        | Refrigerated          |
| Shipping Width              | 62.2 inch          | Shipping Depth    | 33.8 inch             |
| Shipping Height             | 50.4 inch          | Number of Casters | 4 Casters             |
| Caster Type                 | Swivel with Brakes | Number of Hoods   | 2 Hoods               |
| Product Width               | 60 inch            | Product Depth     | 33.9 inch             |
| Product Height              | 46 inch            | Series            | Platinum Frost Series |
| Country of Origin           | China              |                   |                       |