



## FrostLine Series 29" Mega Top Sandwich / Salad Prep Table, 1 Door, 12 Pans, Stainless Steel, 1 Year Compressor Warranty

(Model: FLMSPT29)



★★★★★ (4.7/5)

[Buy Now](#)

**WARRANTY**

**1 Year Compressor**

### SPECIAL FEATURES

- ✓ **Spacious Prep Surface**  
28.9" W x 12" D mega top cutting board provides ample workspace for efficient sandwich and salad preparation.
- ✓ **Reliable Base**  
7 cu. ft. refrigerated base with a solid swing door and magnetic gasket ensures consistent cold retention.
- ✓ **Precise Temperature Control**  
Dixell electronic thermostat with digital LED display allows accurate temperature monitoring and adjustments.
- ✓ **Flexible Storage**  
PE-coated wire shelf supports up to 100 lbs, providing additional storage space inside.
- ✓ **Organized Ingredient Storage**  
12 clear 1/6-size, 4-inch-deep polycarbonate pans keep ingredients fresh and neatly arranged for quick access.
- ✓ **Consistent Cooling**  
Side-mounted, front-breathing 1/5 HP compressor uses eco-friendly R-290 refrigerant to maintain temperatures between 33°F and 41°F.
- ✓ **Low Maintenance Operation**  
Automatic defrost system reduces ice buildup and simplifies cleaning.
- ✓ **Easy Mobility and Stability**  
Four 2.5-inch swivel casters with brakes allow smooth movement and secure positioning.



## PRODUCT OVERVIEW

The FrostLine Series Sandwich and Salad Prep Table is a reliable refrigerated unit designed for commercial kitchens. Made from durable stainless steel interior and exterior with a sleek silver finish, this prep table features a spacious mega top cutting board measuring 28.9" W x 12" D, providing an efficient workspace for sandwich and salad preparation. It includes 12 clear polycarbonate pans (1/6 size, 4" deep) for organized ingredient storage.

The refrigerated base has a 7 cu. ft. capacity with a single solid swing door with magnetic gasket sealing. Powered by a side-mounted, front-breathing compressor using hydrocarbon R-290 refrigerant (3 oz capacity), the unit maintains consistent temperatures ranging from 33°F to 41°F. A Dixell electronic thermostat with a digital LED display helps control and monitor temperature. The system operates on 115 V, 60 Hz power with 3 amps and a 1/5 HP motor.

Additional features include automatic defrost, a copper-coated condenser, and a copper evaporator that optimizes cooling efficiency. Measuring 28.9" W x 29.9" D x 52.3" H with casters, the freestanding unit is mobile and stable with four 2.5-inch swivel casters with brakes. Inside, a PE-coated wire shelf supports up to 100 lbs, enhancing storage flexibility. Installation is straightforward with a 9-foot power cord and NEMA 5-15P plug.

The unit has 1/2-inch polyethylene insulation for temperature retention. It has a cooling capacity of 835 BTU/hr. Certified by ETL Sanitation, cETLus, and NSF Approved, this unit comes with a one-year compressor warranty.

## CERTIFICATIONS



## SPECIFICATION

| ATTRIBUTE            | VALUE           | ATTRIBUTE             | VALUE        |
|----------------------|-----------------|-----------------------|--------------|
| Number of Doors      | 1 Door          | 1/6 Size Pan Capacity | 12 Pans      |
| Access Type          | Doors           | Amps                  | 3 ampere     |
| Capacity             | 7 cubic feet    | Casters               | With Casters |
| Color                | Silver          | Compressor Location   | Side Mounted |
| Compressor Style     | Front Breathing | Cutting Board Depth   | 12 inch      |
| Cutting Board Width  | 28.9 inch       | Door Type             | Solid        |
| Number of Shelves    | 1 Shelf         | Phase                 | 1 Phase      |
| Plug Type            | NEMA 5-15P      | Power Cord Length     | 9 foot       |
| Refrigerant Capacity | 3               | Refrigerant Type      | R-290        |
| Temperature Range    | 33°F to 41°F    | Top Type              | Mega Top     |



## SPECIFICATION

| ATTRIBUTE            | VALUE                                           | ATTRIBUTE             | VALUE               |
|----------------------|-------------------------------------------------|-----------------------|---------------------|
| Type                 | Sandwich and Salad Prep Table                   | Voltage               | 115 volt            |
| Work Surface Height  | 36.2 inch                                       | Hertz                 | 60 hertz            |
| Hinge Location       | Left                                            | Horsepower            | 1/5 horsepower      |
| Installation Type    | Freestanding                                    | Country of Origin     | China               |
| Material             | Stainless Steel                                 | Selling Unit          | 1/Each              |
| Insulation Thickness | 1/2 inch                                        | Shelf Material        | PE Coated Wire      |
| Insulation Material  | Polyethylene                                    | Base Style            | Refrigerated        |
| Interior Material    | Stainless Steel                                 | Number of Casters     | 4 Casters           |
| Caster Type          | Swivel with Brakes                              | Caster Size           | 2.5 inch            |
| Interior Depth       | 24.7 inch                                       | Interior Height       | 24.2 inch           |
| Interior Width       | 25.5 inch                                       | Height with Casters   | 52.3 inch           |
| Product Weight       | 163 pound                                       | Product Width         | 29 inch             |
| Product Depth        | 30 inch                                         | Product Height        | 43 inch             |
| Shipping Depth       | 34.3 inch                                       | Shipping Height       | 47.3 inch           |
| Shipping Weight      | 229 pound                                       | Shipping Width        | 30.5 inch           |
| Door Gasket          | Magnetic Door Gasket                            | Undershelf Capacity   | 100 Lbs per Shelf   |
| Condenser Coating    | Copper                                          | Evaporator            | Copper              |
| Defrost Type         | Auto Defrost                                    | Refrigerant Class     | Hydrocarbon         |
| Temperature Control  | Dixell Electronic Thermostat                    | Temperature Display   | Digital LED Display |
| Included             | 12 × 1/6 Size, 4" Deep, Clear Polycarbonate Pan | BTU/HR - Refrigerator | 835                 |
| Series               | FrostLine Series                                |                       |                     |

FrostLine Series 29" Mega Top Sandwich / Salad Prep Table, 1 Door, 12 Pans, Stainless Steel, 1 Year Compressor Warranty

Model: FLMSPT29



SALES & SUPPORT  
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

