



Frigomax Series 24" Countertop Reach-In Ventilated Refrigerator, 1 Solid Door, White Coated Steel, 1 Year Warranty

(Model: FRVC24A)

★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

1 Year Warranty



SPECIAL FEATURES

- Compact Footprint**
 At 23 3/8" wide and 25 3/4" deep, this unit fits into tight prep areas and small commercial kitchen lines without displacing other equipment.
- Shelf Durability**
 The two epoxy-coated shelves resist moisture and staining, making them easier to clean during routine food safety maintenance in a restaurant kitchen.
- Certified for Food Service**
 ETL Listed and ETL Sanitation Listed certifications confirm this refrigerator meets established safety and sanitation requirements for commercial food handling.
- Easy Temperature Control**
 The electronic temperature control system lets kitchen staff set and monitor the 33–41°F range precisely, reducing the risk of temperature drift during busy service.
- Standard Plug-In Operation**
 The NEMA 5-15P plug connects to a standard 115V outlet, so chefs and operators avoid the cost and downtime of dedicated electrical work during installation.
- Warranty Coverage**
 The included 1-year warranty provides defined coverage, giving buyers a clear service reference point after purchase.



PRODUCT OVERVIEW

The Frigomax Series 23" Reach-In Refrigerator is a compact upright ventilated chiller suited for small commercial kitchens, food service counters, and restaurant prep stations where space is limited but reliable cold storage is still required.

This single-door unit holds 4 cubic feet of refrigerated stock across 2 epoxy-coated shelves, maintaining a temperature range of 33–41°F through an electronic temperature control system. The solid swing door and white coated steel exterior make it straightforward to integrate into existing kitchen layouts. Dimensions are 25 3/4" (L) x 23 3/8" (W) x 34 5/8" (H).

The refrigerator operates on 115V/60Hz single-phase power, drawing 1.5 amperes, and connects via a standard NEMA 5-15P plug — no dedicated electrical circuit required for most installations. A 1/5 HP compressor runs on R600a refrigerant, a low global-warming-potential option commonly used in compact commercial refrigeration.

The unit carries ETL Listed and ETL Sanitation Listed certifications, confirming it meets recognized safety and sanitation standards for commercial food handling environments. It is sold individually and backed by a 1-year warranty.

CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	1 Door	Amps	1.5 ampere
Capacity	4 cubic feet	Color	White
Door Type	Solid	Material	Coated Steel
Number of Shelves	2	Phase	1 Phase
Plug Type	NEMA 5-15P	Refrigerant Type	R-600a
Temperature Range	33°F to 41°F	Type	Upright Ventiladed Chiller
Voltage	115 volt	Hertz	60 hertz
Horsepower	1/5 horsepower	Country of Origin	China
Selling Unit	1/Each	Shelf Coating Type	Epoxy
Temperature Control	Electronic	Series	Frigomax Series



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	23.38 inch	Product Depth	25.75 inch
Product Height	34.63 inch	Door Style	Swing

Frigomax Series 24" Countertop Reach-In Ventilated Refrigerator, 1 Solid Door, White Coated Steel, 1 Year Warranty

Model: FRVC24A



SALES & SUPPORT
(866) 446-7322

