



ChillCore Series 35" Open Air Refrigerated Display Case, 12.5 Cu.ft, 2 Doors

(Model: CDADCR35)



★★★★★ (4.7/5)

Buy Now

WARRANTY
1 Year Parts & Labor

SPECIAL FEATURES

- 12.5 cb3 Capacity**
 Ventilated cooling with rear air intake and discharge supports airflow within the 35.6°F to 41°F temperature range for commercial kitchen food display.
- Curved Glass Design**
 Tempered safety glass with a curved structure and rear sliding doors supports visibility and access in display areas.
- Mobility Setup**
 Four casters support movement and placement within commercial kitchen or restaurant layouts.
- Digital Dual Probes**
 A digital controller with dual probes supports temperature monitoring in restaurant food handling environments.
- Anti-Fog Feature**
 Anti-fog heating film with 55% humidity supports clear visibility of stored items during service.
- Warranty Coverage**
 Includes a 1-year warranty by the manufacturer for parts and labor.



PRODUCT OVERVIEW

The ChillCore Series Refrigerated Display Case is a freestanding open air / refrigerated unit designed for commercial kitchens, bakeries, cafés, and food retail environments. It operates on 115 V, 1 phase, 60 Hz with a 7.8 A load and uses a 1/2 HP compressor with R290 refrigerant for commercial refrigeration performance.

The structure is built from stainless steel and glass in a black brushed finish with curved tempered safety glass. It measures 35.37" (W) x 31.5" (D) x 59" (H), suitable for compact floor-based refrigerated display setups. Rear sliding doors with 2 doors support access from the service side in commercial operations.

Temperature is maintained between 35.6°F and 41°F using a digital controller with dual probes. The system includes automatic evaporation defrost, ventilated cooling, anti-corrosion coated evaporator, and rear air intake and discharge for structured airflow management.

This unit includes LED lighting and a night curtain for controlled display coverage. It is supported by 4 casters for movement and positioning. The display case is cETLus Listed and NSF Certified and includes a 1-year parts and labor warranty.

CERTIFICATIONS

cETLus Listed

NSF Certified

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Amps	7.8 ampere	Capacity	12.5 cubic feet
Casters	With Casters	Color	Black
Number of Shelves	1 Shelf	Phase	1 Phase
Refrigerant Type	R-290	Temperature Range	35.6°F to 41°F
Type	Vertical Air Curtain Merchandiser	Voltage	115 volt
Hertz	60 hertz	Horsepower	1/2 horsepower
Installation Type	Freestanding	Interior Material	Mirror Stainless Steel 304
Country of Origin	China	Material	Stainless Steel
Selling Unit	1/Each	Door Style	Rear Sliding Doors
Refrigeration Type	Open Bottom + Convertible Top Display	Product Width	35.37 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Depth	31.5 inch	Product Height	59 inch
Shipping Weight	522.49 pound	Features	Anti-Fog Heating Film, 55% Humidity
Series	ChillCore Series	Display Case Type	Open Air / Refrigerated
Number of Doors	2 Doors	Lighting	LED Lighting
Number of Casters	4 Casters	Temperature Control	Digital Controller with Dual Probes
Condenser Type	With Filter	Finish	Brushed
Glass Type	Tempered Safety Glass	Insulation	High Density Polyurethane Foam
Defrost Type	Automatic Evaporation	Cooling Type	Ventilated Cooling
Evaporator	Anti-Corrosion Coated	Air Flow	Rear Air Intake and Rear Air Discharge
Shape	Curved	Maximum Ambient Temperature	75 fahrenheit
Shelf Material	Tempered Glass Shelf with Stainless Steel Support	Compressor Location	Bottom Mounted
Included	Night Curtain		

ChillCore Series 35" Open Air Refrigerated Display Case, 12.5 Cu.ft, 2 Doors

Model: CDADCR35



SALES & SUPPORT
 (866) 446-7322

 Chat on WhatsApp

CONNECT WITH US



