



Frigomax Series 54" Reach-In Refrigerator, Bottom Mounted, 2 Doors, Stainless Steel, 1 Year Warranty

(Model: FRRR54B)



★★★★★ (4.7/5)

Buy Now

WARRANTY
1 Year Warranty

SPECIAL FEATURES

- Capacity**
 The 46 cubic foot interior across two sections accommodates large volumes of refrigerated food inventory suitable for restaurant and catering operations.
- Self-Closing Doors**
 Solid swing doors are self-closing with a 90-degree stay-open feature, supporting efficient food handling and reducing cold air loss during loading.
- Electronic Temperature Control**
 An electronic temperature control system maintains the cabinet between 33°F and 41°F, keeping stored food within safe commercial holding temperatures.
- EC Fan Motor**
 The integrated EC fan motor delivers consistent airflow circulation throughout the cabinet interior for even temperature distribution.
- ETL Certified**
 This reach-in refrigerator is both ETL Listed and ETL Sanitation Listed, confirming compliance with recognized electrical safety and sanitation standards for commercial kitchen use.
- Locking Casters**
 Four casters with brakes allow the unit to be repositioned across kitchen floor surfaces and secured firmly in place during service.



PRODUCT OVERVIEW

The Frigomax Series Reach-In Refrigerator is a freestanding, two-section unit suited for commercial kitchens, restaurants, and food service operations that require reliable cold storage across high-demand service periods.

This unit offers 46 cu. ft. of storage across two solid swing doors, supported by 6 epoxy-coated shelves that resist corrosion and simplify cleaning. Self-closing doors with a 90° stay-open feature enable hands-free loading during busy workflows. Hinges are available on both left and right sides, accommodating varied kitchen layouts.

Temperature is maintained between 33°F and 41°F through an electronic temperature control system, keeping refrigerated foods within safe holding ranges. The bottom-mounted 1/4 horsepower compressor operates on 115V/60Hz single-phase power drawing 2.1 amperes and accepts a standard NEMA 5-15P plug. An EC fan motor supports consistent airflow efficiency throughout the cabinet interior.

Finished in stainless steel with a silver appearance, this freestanding unit measures 32 1/16"L x 54 1/8"W x 83 1/4"H, offering a substantial storage footprint. Four casters with brakes allow repositioning and secure locking on the kitchen floor. Keyed locks on both doors add access control for food safety. The unit is ETL Listed and ETL Sanitation Listed, meeting commercial electrical and sanitation standards.

CERTIFICATIONS

ETL Listed

ETL Sanitation Listed

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Number of Doors	2 Doors	Access Type	Door
Amps	2.1 ampere	Capacity	46 cubic feet
Casters	With Casters	Color	Silver
Compressor Location	Bottom Mounted	Door Type	Solid
Dutch Half Doors	Without Dutch Half Doors	Features	Self-Closing doors with 90 degree stay-open feature; EC fan motor
Material	Stainless Steel	Number of Shelves	6
Phase	1 Phase	Plug Type	NEMA 5-15P
Sections	2 Sections	Shelf Material	Epoxy coated
Temperature Range	33°F to 41°F	Type	Reach-In Refrigerator
Voltage	115 volt	Hertz	60 hertz



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Hinge Location	Left / Right	Horsepower	1/4 horsepower
Installation Type	Freestanding	Country of Origin	China
Selling Unit	1/Each	Shelf Coating Type	Epoxy
Lock Type	Keyed Door Lock	Number of Casters	4 Casters
Caster Type	Casters with brakes	Temperature Control	Electronic
Series	Frigomax Series	Product Width	54.13 inch
Product Depth	32.06 inch	Product Height	83.25 inch
Door Style	Swing		

Frigomax Series 54" Reach-In Refrigerator, Bottom Mounted, 2 Doors, Stainless Steel, 1 Year Warranty

Model: **FRRR54B**



SALES & SUPPORT
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

