



ChillCore Series 76" Open Air Refrigerated Display Case, 24 Cu.ft, 4 Shelves (Model: CDDCR76)

★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

1 Year Parts & Labor



SPECIAL FEATURES

- Large Capacity**
 The 24 cb3 capacity with 4 shelves supports organized food display in commercial kitchen and bakery environments.
- Rear Sliding Doors**
 2 sliding acrylic doors at the back support access in restaurant and commercial kitchen setups.
- Top LED Lighting**
 LED lighting at the top supports visibility for food display in bakery and restaurant counters.
- Durable Glass Build**
 Double tempered glass on all sides with heater in front and side glasses supports structure and visibility in food handling areas.
- Ventilated Cooling**
 Ventilated cooling with bottom mounted compressor and automatic defrost supports temperature conditions.
- Certified Unit**
 cETLus Listed, ETL Sanitation Listed, and NSF Certified with a 1-year warranty by the manufacturer.



PRODUCT OVERVIEW

The ChillCore Series Refrigerated Display Case is designed for commercial kitchen, bakery, and restaurant display applications. It features a freestanding installation type and operates on 1 phase, 115 V, 60 Hz with 10.6 A for standard electrical setup.

The unit is constructed with powder coated steel and glass in a black finish. It includes double tempered glass on all sides with heater in front and 2-side glasses and an openable front glass. The rectangular cabinet measures 76.3" (W) x 27.4" (D) x 79.2" (H) and includes 2 sliding acrylic doors at the back.

This display case provides a capacity of 24 cb3 with 4 shelves for organized food display. It includes LED lighting at the top and uses ventilated cooling with a bottom mounted compressor and automatic defrost system. A digital controller with LED display supports temperature control.

The unit includes 4 casters and 2 adjustable feet for positioning. It is cETLus Listed, ETL Sanitation Listed, and NSF Certified, and includes a 1-year warranty by the manufacturer.

CERTIFICATIONS

cETLus Listed

ETL Sanitation Listed

NSF Certified

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Amps	10.6 ampere	Capacity	24 cubic feet
Casters	With Casters	Color	Black
Number of Shelves	4 Shelves	Phase	1 Phase
Type	Vertical Air Curtain Merchandiser	Voltage	115 volt
Hertz	60 hertz	Installation Type	Freestanding
Country of Origin	China	Material	Powder Coated Steel
Selling Unit	1/Each	Door Style	Sliding Acrylic Doors at Back
Product Weight	595.3 pound	Product Width	76.3 inch
Product Depth	27.4 inch	Product Height	79.2 inch
Shipping Depth	30.3 inch	Shipping Height	84.7 inch



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Shipping Weight	682.3 pound	Shipping Width	79.1 inch
Features	Heater in Front and 2-Side Glasses, Openable Front Glass	Series	ChillCore Series
Number of Doors	2 Doors	Lighting	LED Lighting (Top)
Number of Casters	4 Casters	Glass Type	Double Tempered Glass at All Sides
Defrost Type	Automatic Defrost	Cooling Type	Ventilated Cooling
Feet Type	2 Adjustable Feet	Display	LED Display
Control Type	Digital Controller	Compressor Location	Bottom Mounted
Display Case Type	Open Air / Refrigerated	Shape	Rectangular

ChillCore Series 76" Open Air Refrigerated Display Case, 24 Cu.ft, 4 Shelves

Model: CDDCR76



SALES & SUPPORT
 (866) 446-7322


[Chat on WhatsApp](#)

CONNECT WITH US



