



PolarBox Series 10' x 10' Quick Ship Walk-In Freezer Box Only With Floor

(Model: PBFWF10X10)

★★★★★ (4.7/5)

Buy Now

WARRANTY

**10-Year Panel, 1 Year
Door Parts**



SPECIAL FEATURES

- ✓ **Rugged Construction**

24-gauge white galvanized steel panels and floor for durable, corrosion-resistant performance and stable support for heavy loads.
- ✓ **Secure Door Design**

Solid swing door with keyed lock, self-closing, flush-mounted design, heating wire, and pressure relief vent for controlled access and smooth operation.
- ✓ **Energy-Conscious Build**

CFC- and HFC-free panels and hardwired connection for stable power performance in commercial setups.
- ✓ **Warranty Coverage**

10-year panel warranty and 1-year door parts warranty for long-term reliability.
- ✓ **Enhanced Insulation**

4-inch polyurethane panels with R-33 thermal resistance maintain consistent freezing.
- ✓ **Seamless Assembly**

Modular cam-lock and tongue-and-groove panels for precise alignment and easy installation.
- ✓ **Certified Assurance**

UL Listed, NSF Listed, and DOE certified to meet strict safety, sanitation, and energy standards.



PRODUCT OVERVIEW

The PolarBox Series Walk-In Freezer Box is ideal for commercial kitchens, restaurants, and food storage facilities that require durable, spacious frozen storage. Made in America, it is constructed with 24-gauge white galvanized steel panels and an floor, it offers long-lasting durability, corrosion resistance, and stability for heavy-duty use. It measures 10 ft (W) × 10 ft (D) × 7 ft (H), providing ample interior capacity for frozen items.

It features a solid swing door measuring 77 inches in height, with a keyed lock, self-closing, and flush-mounted design. A heating wire and pressure relief vent maintain smooth air circulation during frequent door openings. Panels use a modular cam-lock and tongue-and-groove hinge system for tight sealing and simplified installation. All panels are CFC- and HFC-free.

This commercial walk-in freezer box includes 4-inch-thick polyurethane insulation with R-33 thermal resistance, maintaining consistent temperatures for frozen storage. The hardwired power connection supports stable electrical performance for commercial setups.

It is UL listed, NSF listed, and DOE certified, meeting strict safety, sanitation, and energy standards. The manufacturer provides a 10-year warranty on panels and a 1-year warranty on door parts, offering long-term reliability for professional use.

CERTIFICATIONS

UL Listed US

NSF Listed

DOE

SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Type	Walk-In Cooler Box	Product Width	118 inch
Product Depth	118 inch	Product Height	91 inch
Nominal Depth	10 ft	Nominal Width	10 foot
Floor	With Floor	Door Type	Solid
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Door Lock	Keyed Lock	Material	White Galvanized Steel
Country of Origin	Proudly Made in America	Selling Unit	1/Each
Door Style	Swing	Gauge	24 Gauge
Features	Self-Closing, Flush-Mounted Door, Heating Wire and Pressure Relief Vent	Door Height	77 inch
Thermal Resistance	R-33	Number of Doors	1 Door



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Nominal Height	7 foot	Panel Features	Modular Cam-Lock, Tongue & Groove Design, CFC & HFC Free Material
Series	PolarBox Series	Floor Material	Standard Galvanized Steel Floor
Usage	Indoor/Outdoor		

PolarBox Series 10' x 10' Quick Ship Walk-In Freezer Box Only With Floor

Model: PBFWF10X10