



CoolEdge Series 60" Kegerator / Beer Dispenser, 110V/60Hz

(Model: CEBD602D)



★★★★★ (4.7/5)

[Buy Now](#)

WARRANTY

1 Year Limited Warranty

SPECIAL FEATURES

- ✓ Dual Tap Service**
 Two taps allow simultaneous draft dispensing in restaurant and bar beverage stations.
- ✓ Solid Door Access**
 Two solid doors provide enclosed keg storage with a keyed lock for controlled access.
- ✓ Mobile Freestanding Design**
 Four casters and a freestanding configuration support repositioning within a commercial kitchen or bar layout.
- ✓ Electronic Temperature Control**
 The electronic control system maintains a 33°F to 38°F range for regulated cold beer storage in commercial kitchens.
- ✓ Automatic Defrost System**
 The automatic defrost function manages frost buildup during continuous operation in foodservice environments.
- ✓ 1-Year Limited Warranty**
 It includes a 1-year limited warranty by the manufacturer for commercial use.



PRODUCT OVERVIEW

The CoolEdge Series Kegerator / Beer Dispenser is a freestanding draft beer solution designed for restaurants, bars, catering services, and commercial kitchens requiring organized cold beverage storage and dispensing. The exterior is constructed of stainless steel with a black finish, supporting durability and compatibility with beverage service counters. The interior is also stainless steel, providing a surface suited for routine cleaning in food and beverage environments.

This unit features 2 solid doors with a keyed lock, supporting controlled access in shared commercial settings. The door access configuration allows structured keg storage within a standard nominal depth cabinet. It includes 2 taps, allowing draft service from two kegs in restaurant or bar operations. The temperature range operates between 33°F to 38°F, regulated by an electronic control system for consistent cold storage.

The refrigeration system uses R290 refrigerant and is powered by a 0.5 HP compressor, supporting commercial beverage cooling requirements. The unit operates on 110 V, 60 Hz, 1 phase power and connects through a NEMA 5-15P plug, compatible with standard commercial outlets. An automatic defrost system manages frost accumulation during operation.

This kegerator measures 60" (W) x 27.75" (D) x 35.88" (H), offering extended counter-length coverage for beverage stations. The freestanding installation type allows flexible placement without built-in cabinetry. It is equipped with 4 casters, supporting mobility for repositioning during cleaning or layout adjustments.

CERTIFICATIONS

No certifications

SPECIFICATION

Attribute	Value	Attribute	Value
Number of Doors	2 Doors	Door Type	Solid
Number of Taps	2 Taps	Phase	1 Phase
Plug Type	NEMA 5-15P	Refrigerant Type	R-290
Temperature Range	33°F to 38°F	Country of Origin	China
Material	Stainless Steel	Color	Black
Selling Unit	1/Each	Installation Type	Freestanding
Casters	With Casters	Number of Casters	4 Casters
Type	Kegerator / Beer Dispenser	Access Type	Door
Nominal Depth	Standard	Series	CoolEdge Series
Lock Type	Keyed Lock	Control Type	Electronic Control



SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Interior Material	Stainless Steel	Defrost Type	Automatic Defrost
Voltage	110 volt	Hertz	60 hertz
Horsepower	0.5 horsepower	Product Width	60 inch
Product Depth	27.75 inch	Product Height	35.88 inch

CoolEdge Series 60" Kegerator / Beer Dispenser, 110V/60Hz

Model: CEBD602D



SALES & SUPPORT
(866) 446-7322

