



## PolarBox Series 6' x 10' Quick Ship Walk-In Cooler With Floor & Remote Refrigeration

(Model: PBCWF6X10-RM)



★★★★★ (4.7/5)

[Buy Now](#)

### WARRANTY

**10-Year Panel, 1-Year  
Parts on Doors, 1-Year  
Compressor & Parts on  
Remote Refrigeration  
Unit**

## SPECIAL FEATURES

- ✔ **Galvanized Steel Panels**  
White galvanized steel construction with 24-gauge panels supports commercial kitchen refrigeration environments.
- ✔ **Remote Refrigeration System**  
The remote refrigeration setup includes a condensing unit and evaporator for walk-in cooler operation.
- ✔ **Self-Closing Door**  
The flush-mounted self-closing door supports frequent commercial kitchen operation and handling.
- ✔ **TXV/TEV Valves**  
The refrigeration system includes thermostatic expansion and liquid line solenoid valves (TXV/TEV).
- ✔ **Certified Unit**  
UL Listed US, NSF Listed, and DOE certifications meet commercial refrigeration requirements.
- ✔ **Polyurethane Insulation**  
The 4" thick insulation includes an R-28 thermal resistance rating for refrigerated food storage applications.
- ✔ **Locking Door System**  
The solid swing door includes a keyed lock for controlled restaurant food storage access.
- ✔ **Indoor Outdoor Use**  
This walk-in cooler is specified for indoor and outdoor refrigeration installations.
- ✔ **Modular Construction**  
The modular cam-lock and tongue & groove panel design supports walk-in cooler assembly.
- ✔ **Manufacturer Warranty**  
It includes a 10-year panel warranty, 1-year door parts warranty, and 1-year compressor & parts warranty by the manufacturer.



## PRODUCT OVERVIEW

The PolarBox Series walk-in cooler is designed for restaurants, foodservice operations, and commercial kitchen refrigerated storage applications. It features white galvanized steel construction with durable 24-gauge panels for food handling environments. The unit measures 79" (L) x 118" (W) x 87" (H) with a 6 ft nominal width, 10 ft nominal depth, and 7 ft nominal height.

This walk-in cooler includes 4" thick polyurethane insulation with an R-28 thermal resistance rating for refrigerated storage applications. The insulation material is CFC and HFC free for commercial refrigeration environments. The modular cam-lock and tongue & groove panel design supports installation and assembly. A standard galvanized steel floor is included for indoor and outdoor commercial kitchen use.

The unit operates on 208/230 V, 1 phase, 60 Hz power with a hardwired connection. It uses remote refrigeration with an included condensing unit and evaporator. The refrigeration system includes thermostatic expansion and liquid line solenoid valves (TXV/TEV). The solid swing door includes a keyed lock, self-closing feature, and flush-mounted construction for refrigerated storage access.

This PolarBox Series walk-in cooler is UL Listed US, NSF Listed, and DOE certified for commercial refrigeration applications. It includes one solid door with a 77" door height for restaurant kitchen access. The cooler is proudly made in America. It includes a 10-year panel warranty, 1-year door parts warranty, and 1-year compressor & parts warranty on the remote refrigeration unit by the manufacturer.

## CERTIFICATIONS

UL Listed US

NSF Listed

DOE

## SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Product Width	79 inch	Product Depth	118 inch
Product Height	87 inch	Door Height	77 inch
Nominal Depth	10 ft	Nominal Width	6 foot
Nominal Height	7 foot	Hertz	60 hertz
Phase	1 Phase	Voltage	208-230 volt
Door Style	Swing	Door Type	Solid
Insulation Thickness	4 inch	Insulation Material	Polyurethane
Hinge Type	Modular Cam-Lock, Tongue & Groove Design	Door Lock	Keyed Lock
Material	White Galvanized Steel	Type	Walk-In Cooler
Floor	With Floor	Plug Type	Hardwired



## SPECIFICATION

ATTRIBUTE	VALUE	ATTRIBUTE	VALUE
Refrigeration Type	Remote Refrigeration	Usage	Indoor / Outdoor
Country of Origin	Proudly Made in America	Selling Unit	1/Each
Gauge	24 Gauge	Thermal Resistance	R-28
Material Type	CFC & HFC Free	Features	Self-Closing, Flush-Mounted Door
Valve Type	Thermostatic Expansion, Liquid Line Solenoid Valve (TXV/TEV)	Number of Doors	1 Door
Included	Condensing Unit and Evaporator	Series	PolarBox Series
Floor Material	Standard Galvanized Steel Floor	Door Width	Choice of 30" or 36"
Compressor Location	Remote		

PolarBox Series 6' x 10' Quick Ship Walk-In Cooler With Floor & Remote Refrigeration

Model: PBCWF6X10-RM



SALES & SUPPORT  
(866) 446-7322

 Chat on WhatsApp

CONNECT WITH US

