



## ProKitchen Series 27" Reach-In Refrigerator, 1 Door, Stainless Steel, 1 Year Warranty

(Model: PKRR27)



★★★★★ (4.7/5)

**Buy Now**

### WARRANTY

**Parts & Labor: 1 Year**

**Compressor: 5 Years**

## SPECIAL FEATURES

- ✓ Digital Temperature Control**  
 Digital controls and a digital display support temperature management within the 33°F to 40°F operating range.
- ✓ Self-Closing Door**  
 The solid swing door is self-closing and stays open past 90 degrees during food handling and stocking tasks.
- ✓ Certified Construction**  
 cETLus Listed, ETL Sanitation Listed, and Certified to NSF Standard credentials are included for commercial foodservice environments.
- ✓ Flexible Shelf Storage**  
 Three adjustable and removable epoxy-coated wire shelves accommodate different food storage arrangements in a commercial kitchen.
- ✓ Mobile Configuration**  
 Four 4-inch casters, including two with brakes, support movement and placement within restaurant work areas.
- ✓ Warranty Coverage**  
 It includes a 1-year parts and labor warranty and a 5-year compressor warranty by the manufacturer.



## PRODUCT OVERVIEW

The ProKitchen Series Reach-In Refrigerator is designed for commercial kitchens, restaurants, and foodservice storage applications. It features a 20.3 cb3 capacity with one solid swing door and a single refrigerated section. The stainless steel construction includes a stainless steel interior for food storage environments. The unit measures 29" (L) x 32.09" (W) x 81.3" (H) and operates at 115 V, 3.1 A, 60 Hz, single phase with a 1/3 HP bottom-mounted compressor.

The ProKitchen Series Reach-In Refrigerator maintains temperatures from 33°F to 40°F using digital controls and a digital display. The refrigerator uses R-290 refrigerant and includes automatic defrost for routine operation. LED interior lighting provides visibility inside the cabinet. The unit is designed for ambient temperatures up to 100°F and features foamed-in-place polyurethane insulation.

The ProKitchen Series Reach-In Refrigerator includes three adjustable and removable epoxy-coated wire shelves. Each shelf measures 22.24" wide by 23.34" deep and supports up to 100 lbs. Interior dimensions of 24.13" (W) x 27" (D) x 58.27" (H) provide refrigerated storage space for commercial kitchen ingredients and food products.

The ProKitchen Series Reach-In Refrigerator features a self-closing solid door that remains open past 90 degrees during loading and unloading. A removable magnetic door gasket is included for maintenance access. The refrigerator is equipped with four 4-inch casters, including two with brakes. It includes cETLus Listed, ETL Sanitation Listed, and NSF certifications, along with a 1-year parts and labor warranty and a 5-year compressor warranty by the manufacturer.

## CERTIFICATIONS

cETLus Listed

ETL Sanitation Listed

Certified to NSF Standard

## SPECIFICATION

| ATTRIBUTE           | VALUE                                           | ATTRIBUTE         | VALUE           |
|---------------------|-------------------------------------------------|-------------------|-----------------|
| Number of Doors     | 1 Door                                          | Access Type       | Door            |
| Amps                | 3.1 ampere                                      | Capacity          | 20.3 cubic feet |
| Casters             | With Casters                                    | Color             | Silver          |
| Compressor Location | Bottom Mounted                                  | Door Type         | Solid           |
| Features            | Self-Closing Doors (Stays Open Past 90 degrees) | Material          | Stainless Steel |
| Number of Shelves   | 3 Shelves                                       | Phase             | 1 Phase         |
| Plug Type           | NEMA 5-15P                                      | Power Cord Length | 8 foot          |
| Refrigerant Type    | R-290                                           | Sections          | 1 Section       |
| Shelf Material      | Epoxy Coated Wire                               | Temperature Range | 33°F to 40°F    |
| Type                | Reach-In Refrigerator                           | Voltage           | 115 volt        |



# SPECIFICATION

| ATTRIBUTE           | VALUE                                       | ATTRIBUTE                   | VALUE                           |
|---------------------|---------------------------------------------|-----------------------------|---------------------------------|
| Hertz               | 60 hertz                                    | Hinge Location              | Right                           |
| Horsepower          | 1/3 horsepower                              | Country of Origin           | China                           |
| Selling Unit        | 1/Each                                      | Door Gasket                 | Removable Magnetic Door Gaskets |
| Number of Casters   | 4 Casters (2 with Brakes, 2 without Brakes) | Interior Material           | Stainless Steel                 |
| Temperature Control | Digital                                     | Maximum Ambient Temperature | 100 fahrenheit                  |
| Series              | ProKitchen Series                           | Insulation Material         | Foamed-in-Place Polyurethane    |
| Product Weight      | 287 pound                                   | Product Width               | 29 inch                         |
| Product Depth       | 32.09 inch                                  | Product Height              | 81.3 inch                       |
| Shipping Depth      | 35.04 inch                                  | Shipping Height             | 83.46 inch                      |
| Shipping Weight     | 331 pound                                   | Shipping Width              | 30.3 inch                       |
| Lighting            | LED Interior Lighting                       | Defrost Type                | Automatic                       |
| Shelf Type          | Adjustable / Removable                      | Control Type                | Digital                         |
| Display             | Digital                                     | Interior Depth              | 27 inch                         |
| Interior Height     | 58.27 inch                                  | Interior Width              | 24.13 inch                      |
| Caster Size         | 4 inch                                      | Shelf Width                 | 22.24 in                        |
| Shelf Depth         | 23.34 in                                    | Shelf Load Capacity         | 100 lbs                         |
| Door Style          | Swing                                       | Power Type                  | Electric                        |